

weldcote abrasives

November 2022



PRODUCT CATALOG

www.weldcote.com

weldcote

metals



safety



tools



flap disc video



flap disc video

INTRODUCING NEW PRODUCTS



TABLE OF CONTENTS



FLAP DISC	8-25
USA Made Premium Trimmable Flap Discs (Ceramic, Zirconia)	10-11
USA MADE C-PRIME PLUS Ceramic Flap Discs - Phenolic Back	12
USA MADE C-PRIME Ceramic Flap Discs - Phenolic Back	13
USA MADE Z-PRIME Premium Zirconia Flap Discs - Phenolic Back	14
USA MADE Z-SOLID Zirconia Flap Discs	18
USA MADE A-PRIME Premium Aluminum Oxide Flap Discs	20
USA MADE ALU-PRIME Premium Flap Discs for Aluminum	21
KORNER Premium Ceramic & Zirconia Flap Discs	22
KORNER 2 - 3" Premium Flap Discs	23
Weldcote Surface Conditioning Flap Discs	23
CUSHION FLEX Flap Discs	24
2 - 3" Premium Flap Discs	25
RESIN FIBRE DISCS	26-29
RESIN FIBRE DISCS - Premium Ceramic	26
RESIN FIBRE DISCS - Premium Aluminum Oxide & Z-PRIME	27-28
Quick Lock Resin Fibre Discs	28
A-SOLID Aluminum Oxide & Z-SOLID Zirconia Resin Fibre Discs	29
ACCESSORIES	30-31
Rubber & Plastic Back-up Pads, Accessories, Right Angle Grinders	30
Rubber Holder Pads	31
QUICK CHANGE DISCS	32-37
2 - 4" Quick Change Discs - Surface Conditioning Roll On, A-PRIME, S/C-PRIME & C-PRIME	32
2 - 3" Quick Change Discs - Turn On Non Woven, Aluminum Oxide, A-PRIME	33
2 - 3" Quick Change Discs, Coated Roll On - Ceramic, C-PRIME PLUS & ZAG-PRIME	34
2 - 3" Quick Change Discs, Coated Roll On - Zirconia, Z-PRIME & Aluminum Oxide, A-PRIME	35
2 - 3" Quick Change Discs, Coated Turn On - Ceramic, C-PRIME PLUS & Zirconia w/ Grinding Aid	36
2 - 3" Quick Change Discs, Coated Turn On - Zirconia, Z-PRIME & Aluminum Oxide, A-PRIME	37
FLAP WHEELS	38-43
Long Life & Premium Cut Aluminum Oxide Flap Wheels, A-PRIME	38-41
Premium Cut Unmounted Aluminum Oxide Flap Wheels, A-PRIME	42
Shop Rolls, Aluminum Oxide, A-PRIME	43
SURFACE CONDITIONING	44-47
UNITIZED Right Angle Grinder Wheels & UNITIZED Wheels – Quick Change, Roll-On	44
Surface Conditioning Discs & Surface Conditioning Discs, Roll On	45
STRIPIT Wheels Right Angle Grinders – Surface Conditioning	46
STRIPIT Quick Change Discs – Surface Conditioning, Roll-On	46
Surface Conditioning Discs, with Hole & Premium Non-Woven Industrial Hand Pads	47
RESIN BONDED ABRASIVES	48-59
Right Angle Grinder Wheels, Cutting – SLITTER, A-PRIME PLUS & SLITTER INOX-PRIME PLUS	49
Right Angle Grinder Wheels, Cutting – SLITTER, A-PRIME	50
Right Angle Grinder Wheels, Cutting – SLITTER, A-SOLID, ALU-PRIME	51
Right Angle Grinder Wheels, Cutting – SLITTER, Z-PRIME, INOX-PRIME	52
Right Angle Grinder Wheels, Cutting – SLITTER, NOTCH, Multi-Purpose, Pipline	53-55
Right Angle Grinder Wheels, Grinding – Zirconia-PRIME, INOX-PRIME PLUS, A-PRIME, Aluminum	56-57
Die-Grinder, Chop Saw & Stationary Saw Blade Cut-Off Wheels, A-SOLID	58-59
CLOSEOUTS • RESIN BONDED ABRASIVES	60
RESIN CONES, PLUGS & RESIN CUP WHEELS	64-65
Resin Cones & Plugs	64
Resin Cup Wheels	65



Bonding + Backing System

POLY COTTON

C-Prime Plus, Z-Prime, Z-Solid, A-Prime – all were developed for flap disc applications to withstand the high pressure created while a right-angle grinder is operating. The poly-cotton cloth is designed to provide increased grain retention and still provide flexibility vs. polyester backings.

POLYESTER

C-Prime, Alu-Prime, offer water resistant polyester backing which provides great strength but less flexibility.



Trimable Discs

Backing Plate

FIBERGLASS / PHENOLIC

TRIMMABLE

- Backing Plate offers excellent flexibility during course of operation.
- Nylon 6 backing can be trimmed back during course of operation
- These features allow for up to a 65% increase in the operating life of each disc.

Design Shape



Type 27

T27

Flat – for working on flat or overhead grinding surfaces



Type 29

T29

Conical – for working on contoured and edge work the shape allows for excellent surface conduct and aggressive use.



COMPRESSED

COMPRESSED

The compressed shape was developed with input from large users around the world and leads to increased product life and a substantial reduction in inventory costs for the entire market channel. T27 backing turns to T29 product.

Weldcote Dual Label

Large movers may have a baked-on label with two UPC item numbers. The left side will highlight a 7/8" arbor and the right side will highlight a 5/8 – 11 Arbor hole.

Why Flap discs vs. Grinding Wheels or Resin Fiber Discs

- Flap discs offer up to 5X stock removal, less gouging of the work piece easier to control for better work piece quality less changeover = less downtime, less glazing, loading and workpiece discoloration.
- Vast improvement in metal removal over a period of time.



flap disc video



FLAP DISC

MATERIAL PRODUCT OFFERING

C-PRIME PLUS

NEW



Poly-cotton backing with high end ceramic grain provides excellent stretch and flexibility yet enough strength to maximize the aggressive cutting points of ceramic grain.

C-PRIME

Strong Polyester backing for aggressive grinding applications that don't require excessive flexibility.

Z-PRIME

TOP SELLER



Poly-cotton zirconia with closed coating and high zirconia density provides unmatched metal removal capabilities vs. all zirconia grain products on the marketplace. Built-in grinding agent allows product to perform in multiple applications in the marketplace.

Z-SOLID

Poly-cotton Zirconia with closed coat and high Zirconia/AO coating density for excellent metal removal rates. Long lasting chemically treated Zirconia grains allows for excellent results on metal, stainless steel, edge weld removal and deburring. High value/price performance in the marketplace.

A-PRIME



Poly-cotton Aluminum Oxide with closed coating and high Aluminum Oxide density provides excellent metal removal capabilities and excellent flexibility. AO Grain will not burn the material. Excellent on soft metals and hard woods.

ALU-PRIME




Polyester blue fired Aluminum Oxide grain with a second tier of calcium stearate laid on top of the Aluminum Oxide polyester heat-treated backing. The second tier calcium stearate reduces material build up between grains. During the grinding operation this liquefies to keep the material cooler and prevents loading with Aluminum and other such metals.




Ceramic

Highest Stock Removal Rates



Zirconia

#1 Selling Material Grain sold in the Flap disc marketplace



Aluminum Oxide



Aluminum



FLAP DISCS

USA Made Premium Flap Discs
C-PRIME PLUS



page 10-12

USA MADE **ALU-PRIME** Premium Flap Discs for Aluminum - **#1 Recommendation**



page 21

RESIN FIBRE DISCS

Resin Fibre Discs
C-PRIME PLUS
Premium Ceramic



page 26


Resin Fibre Discs
C-PRIME
Premium Ceramic



page 26

QUICK CHANGE DISCS

2 - 3" Quick Change Discs,
Coate, **C-PRIME**



page 23, 34, 36

2 - 3" Quick Change Discs -
Surface Conditioning, Roll On
C-PRIME



page 32



SURFACE CONDITIONING

UNITIZED Right Angle Grinder Wheels



page 44

Surface Conditioning Discs



page 45

STRIPIT Wheels Right Angle Grinders – Surface Conditioning



page 46

Surface Conditioning Discs, with Hole



page 47

RESIN BONDED ABRASIVES

Right Angle Grinder Wheels, Cutting – SLITTER



page 51

Multi-Purpose Wheel



page 55

Right Angle Grinder Wheels, Grinding



page 57, 58

Right Angle Grinder Wheels, ALU-PRIME



page 59





STAINLESS STEEL PRODUCTS



FLAP DISCS

USA Made Premium Flap Discs
C-PRIME PLUS



page 10-12

USA Made Premium Flap Discs
C-PRIME - #1 Recommendation



page 13

RESIN FIBRE DISCS

Resin Fibre Discs
C-PRIME PLUS
Premium Ceramic



page 26

Resin Fibre Discs
C-PRIME
Premium Ceramic



page 26

QUICK CHANGE DISCS


2 - 3" Quick Change Discs,
Coated, **C-PRIME PLUS**



Roll-On



Turn-On



page 34-36

2 - 3" Quick Change Discs -
Surface Conditioning, Roll On, C-PRIME



Roll-On



page 32



STAINLESS STEEL PRODUCTS



SURFACE CONDITIONING

UNITIZED Right Angle Grinder Wheels



page 44

Surface Conditioning Discs



page 45

STRIPIT Wheels Right Angle Grinders – Surface Conditioning



page 46

Surface Conditioning Discs, with Hole



page 47

RESIN BONDED ABRASIVES

Right Angle Grinder Wheels, Cutting – SLITTER



page 49, 51, 52, 33

Right Angle Grinder Wheels – NOTCH



page 53, 54, 55

Right Angle Grinder Wheels, Grinding



page 54-56

Right Angle Grinder Wheels, Grinding – Zirconia-PRIME



page 56

Contact Weldcote about our sample program

Metals, Abrasives, Tools & Safety




www.weldcote.com

USA Made Premium Trimmable Flap Discs with Built-in-Hub #1 Performer

- Trimming the backing plate (see page 4) on a continual basis allows the operator to use the disc for a longer period of time and increases disc life by up to **65%**.
- C-PRIME PLUS** trimmable with built in hub has **10-15%** more material than C-PRIME phenolic.



COMPRESSED



10626

NEW MATERIAL

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" C-PRIME PLUS Trimmable Flap Discs with Built-in Hub - Compressed

10622	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Trimmable	36	13,300	Compressed	10	100	2.9
10623	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Trimmable	40	13,300	Compressed	10	100	2.78
10624	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Trimmable	60	13,300	Compressed	10	100	2.75
10625	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Trimmable	80	13,300	Compressed	10	100	2.7

6" C-PRIME PLUS Trimmable Flap Discs with Built-in-Hub - Compressed

10626	6 x 5/8-11	C-PRIME PLUS	Ceramic	Trimmable	40	10,200	Compressed	10	80	5.57
10627	6 x 5/8-11	C-PRIME PLUS	Ceramic	Trimmable	60	10,200	Compressed	10	80	5.08

#1 Zirconia in the World

- Z-PRIME trimmable with built in hub has **20%** more material than Z-PRIME phenolic.
- Weldcote Compressed design technology (pages 4 and 7) **provides \$ savings** to the end-user.



COMPRESSED



10635

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" Z-PRIME Trimmable Flap Discs with Built-in Hub - Compressed

10629	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	36	13,300	Compressed	10	100	3.7
10630	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	40	13,300	Compressed	10	100	3.445
10631	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	60	13,300	Compressed	10	100	3.4
10632	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	80	13,300	Compressed	10	100	2.375

6" Z-PRIME Flap Trimmable Discs with Built-in-Hub - Compressed

NEW 10660	6-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	40	13,300	Compressed	10	80	4.3
NEW 10661	6-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	60	13,300	Compressed	10	80	4.3

6" Z-PRIME Flap XL Trimmable Discs with Built-in-Hub - Compressed




10633	6 x 5/8-11	Z-PRIME	Zirconia	Trimmable	36	10,200	Compressed	10	80	5.5
10634	6 x 5/8-11	Z-PRIME	Zirconia	Trimmable	40	10,200	Compressed	10	80	5.27
10635	6 x 5/8-11	Z-PRIME	Zirconia	Trimmable	60	10,200	Compressed	10	80	4.6

USA Made Premium Trimmable Flap Discs *#1 Performer*

- **C-PRIME PLUS** trimmable with standard arbor hole has **7-10%** more material than C-PRIME phenolic
- **Z-PRIME** trimmable with standard arbor hole has **8-12%** more material than Z-PRIME phenolic.
- Weldcote Compressed design technology (pages 4 and 7) **provides \$ savings** to the end-user.



COMPRESSED



10637

NEW MATERIAL

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" C-PRIME PLUS Trimmable Flap Discs - Compressed



10637	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Trimmable	40	13,300	Compressed	10	100	2.77
10638	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Trimmable	60	13,300	Compressed	10	100	2.41
10639	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Trimmable	80	13,300	Compressed	10	100	2.39
10641	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Trimmable	40	13,300	Compressed	10	80	3.85
10642	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Trimmable	60	13,300	Compressed	10	80	3.58
10643	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Trimmable	80	13,300	Compressed	10	80	3.5

5" C-PRIME PLUS Trimmable Flap Discs - Compressed

10644	5 x 7/8	C-PRIME PLUS	Ceramic	Trimmable	40	12,200	Compressed	10	100	3.42
10645	5 x 7/8	C-PRIME PLUS	Ceramic	Trimmable	60	12,200	Compressed	10	100	3.12
10646	5 x 7/8	C-PRIME PLUS	Ceramic	Trimmable	80	12,200	Compressed	10	100	3.13

#1 Zirconia in the World



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" Z-PRIME Trimmable Flap Discs - Compressed

10647	4-1/2 x 7/8	Z-PRIME	Zirconia	Trimmable	36	13,300	Compressed	10	100	2.8
10648	4-1/2 x 7/8	Z-PRIME	Zirconia	Trimmable	40	13,300	Compressed	10	100	2.57
10649	4-1/2 x 7/8	Z-PRIME	Zirconia	Trimmable	60	13,300	Compressed	10	100	2.4
10650	4-1/2 x 7/8	Z-PRIME	Zirconia	Trimmable	80	13,300	Compressed	10	100	2.38
10651	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	36	13,300	Compressed	10	80	3.7
10652	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	40	13,300	Compressed	10	80	3.5
10653	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	60	13,300	Compressed	10	80	3.42
10654	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Trimmable	80	13,300	Compressed	10	80	3.39

5" Z-PRIME Trimmable Flap Discs - Compressed

10656	5 x 7/8	Z-PRIME	Zirconia	Trimmable	40	12,200	Compressed	10	100	2.89
10657	5 x 7/8	Z-PRIME	Zirconia	Trimmable	60	12,200	Compressed	10	100	2.88
10658	5 x 7/8	Z-PRIME	Zirconia	Trimmable	80	12,200	Compressed	10	100	2.76
11658 NEW	5 x 7/8	Z-PRIME	Zirconia	Trimmable	120	12,200	Compressed	10	100	2.76





FLAP DISCS

USA MADE C-PRIME PLUS Ceramic Flap Discs - Phenolic Back

#1 Performer

- **C-PRIME PLUS NEW** poly-cotton ceramic technology provides **50-60% higher stock removal** rates than previous ceramic grain products.
- Ceramic grain is self-sharpening, cuts cool with a built in grinding aid and has higher stock removal rates compared to Zirconia grain flap discs.
- Weldcote Compressed design technology (pages 4 and 7) **provides \$ savings** to the end-user.



10662



COMPRESSED

NEW MATERIAL

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" C-PRIME PLUS Regular Flap Discs - Compressed

11680 NEW	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Regular	36	13,300	Compressed	10	100	2.37
10662	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Regular	40	13,300	Compressed	10	100	2.37
10663	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Regular	60	13,300	Compressed	10	100	2.09
10664	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Regular	80	13,300	Compressed	10	100	2.09
11681 NEW	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Regular	36	13,300	Compressed	10	100	3.42
10665	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Regular	40	13,300	Compressed	10	80	3.42
10666	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Regular	60	13,300	Compressed	10	80	3.1
10667	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	Regular	80	13,300	Compressed	10	80	3.09

4-1/2" C-PRIME PLUS XL Flap Discs - Compressed

XL - up to 50% more material

11682 NEW	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	XL	36	13,300	Compressed	10	100	2.8
10668	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	XL	40	13,300	Compressed	10	100	2.8
10669	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	XL	60	13,300	Compressed	10	100	2.63
10670	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	XL	80	13,300	Compressed	10	100	2.42
11583 NEW	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	XL	36	13,300	Compressed	10	100	4.06
10671	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	XL	40	13,300	Compressed	10	80	4.06
10672	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	XL	60	13,300	Compressed	10	80	3.69
10673	4-1/2 x 5/8-11	C-PRIME PLUS	Ceramic	XL	80	13,300	Compressed	10	80	3.5

5" C-PRIME PLUS Regular Flap Discs - Compressed

10559 NEW	5 x 7/8	C-PRIME	Ceramic	Regular	36	12,200	Compressed	10	100	3.09
10560	5 x 7/8	C-PRIME PLUS	Ceramic	Regular	40	12,200	Compressed	10	100	2.72
10561	5 x 7/8	C-PRIME PLUS	Ceramic	Regular	60	12,200	Compressed	10	100	2.46
10562	5 x 7/8	C-PRIME PLUS	Ceramic	Regular	80	12,200	Compressed	10	100	2.43
11296	5 x 5/8-11	C-PRIME	Ceramic	Regular	36	12,200	Compressed	10	80	

6" C-PRIME PLUS Regular Flap Discs - Compressed


10567	6 x 7/8	C-PRIME PLUS	Ceramic	Regular	40	10,200	Compressed	10	80	3.8
10568	6 x 7/8	C-PRIME PLUS	Ceramic	Regular	60	10,200	Compressed	10	80	3.3
10569	6 x 7/8	C-PRIME PLUS	Ceramic	Regular	80	10,200	Compressed	10	80	3.3
10571	6 x 5/8-11	C-PRIME PLUS	Ceramic	Regular	40	10,200	Compressed	10	80	4.95
10572	6 x 5/8-11	C-PRIME PLUS	Ceramic	Regular	60	10,200	Compressed	10	80	4.45
10573	6 x 5/8-11	C-PRIME PLUS	Ceramic	Regular	80	10,200	Compressed	10	80	4.45

USA MADE C-PRIME Ceramic Flap Discs - Phenolic Back

- C-PRIME offers full Polyester backing material which provides longer working life on many standard applications.
- Weldcote Compressed design technology (pages 4 and 7) provides \$ savings to the end-user.



COMPRESSED



10543

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" C-PRIME Regular Flap Discs - Compressed

10543	4-1/2 x 7/8	C-PRIME	Ceramic	Regular	36	13,300	Compressed	10	100	2.65
10544	4-1/2 x 7/8	C-PRIME	Ceramic	Regular	40	13,300	Compressed	10	100	2.37
10545	4-1/2 x 7/8	C-PRIME	Ceramic	Regular	60	13,300	Compressed	10	100	2.09
10546	4-1/2 x 7/8	C-PRIME	Ceramic	Regular	80	13,300	Compressed	10	100	2.09
10547	4-1/2 x 5/8-11	C-PRIME	Ceramic	Regular	36	13,300	Compressed	10	80	3.65
10548	4-1/2 x 5/8-11	C-PRIME	Ceramic	Regular	40	13,300	Compressed	10	80	3.42
10549	4-1/2 x 5/8-11	C-PRIME	Ceramic	Regular	60	13,300	Compressed	10	80	3.1
10550	4-1/2 x 5/8-11	C-PRIME	Ceramic	Regular	80	13,300	Compressed	10	80	3.09

4-1/2" C-PRIME XL Flap Discs - Compressed

XL - up to 50% more material



10551	4-1/2 x 7/8	C-PRIME	Ceramic	XL	36	13,300	Compressed	10	100	3.03
10552	4-1/2 x 7/8	C-PRIME	Ceramic	XL	40	13,300	Compressed	10	100	2.8
10553	4-1/2 x 7/8	C-PRIME	Ceramic	XL	60	13,300	Compressed	10	100	2.63
10554	4-1/2 x 7/8	C-PRIME	Ceramic	XL	80	13,300	Compressed	10	100	2.42
10555	4-1/2 x 5/8-11	C-PRIME	Ceramic	XL	36	13,300	Compressed	10	80	4.17
10556	4-1/2 x 5/8-11	C-PRIME	Ceramic	XL	40	13,300	Compressed	10	80	4.06
10557	4-1/2 x 5/8-11	C-PRIME	Ceramic	XL	60	13,300	Compressed	10	80	3.69
10558	4-1/2 x 5/8-11	C-PRIME	Ceramic	XL	80	13,300	Compressed	10	80	3.5

7" C-PRIME Regular Flap Discs - Compressed

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
10574	7 x 7/8	C-PRIME	Ceramic	Regular	36	8,600	Compressed	10	40	6.77
10575	7 x 7/8	C-PRIME	Ceramic	Regular	40	8,600	Compressed	10	40	6.14
10576	7 x 7/8	C-PRIME	Ceramic	Regular	60	8,600	Compressed	10	40	5.77
10577	7 x 7/8	C-PRIME	Ceramic	Regular	80	8,600	Compressed	10	40	5.38
10578	7 x 5/8-11	C-PRIME	Ceramic	Regular	36	8,600	Compressed	10	40	8.84
10579	7 x 5/8-11	C-PRIME	Ceramic	Regular	40	8,600	Compressed	10	40	8.48
10580	7 x 5/8-11	C-PRIME	Ceramic	Regular	60	8,600	Compressed	10	40	8.14
10581	7 x 5/8-11	C-PRIME	Ceramic	Regular	80	8,600	Compressed	10	40	7.77



Regular

10662



XL

10668



USA MADE Z-PRIME Premium Zirconia Flap Discs - Phenolic Back

#1 Zirconia in the World

- Z-PRIME Zirconia technology provides the fastest metal removal of any Zirconia based grain in the market.
- Z-PRIME provides cool cutting with a built in grinding aid and is recommended for aggressive use and heavy duty applications.
- Z-PRIME is manufactured with active grinding agent that provides cool cutting with light pressure. Excellent on carbon based steels and on stainless steels.



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4" Z-PRIME Regular Flap Discs - Compressed



10320	4 x 5/8	Z-PRIME	Zirconia	Regular	36	15,300	Compressed	10	100	1.85
10321	4 x 5/8	Z-PRIME	Zirconia	Regular	40	15,300	Compressed	10	100	1.71
10322	4 x 5/8	Z-PRIME	Zirconia	Regular	60	15,300	Compressed	10	100	1.53
10323	4 x 5/8	Z-PRIME	Zirconia	Regular	80	15,300	Compressed	10	100	1.46
10324	4 x 5/8	Z-PRIME	Zirconia	Regular	120	15,300	Compressed	10	100	1.58
10325	4 x 3/8-24	Z-PRIME	Zirconia	Regular	40	15,300	Compressed	10	100	2.35
10326	4 x 3/8-24	Z-PRIME	Zirconia	Regular	60	15,300	Compressed	10	100	2.18

4-1/2" Z-PRIME Regular Flap Discs - T27

Type 27



10337	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	24	13,300	Type 27	10	100	2.54
10338	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	36	13,300	Type 27	10	100	2.16
10339	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	40	13,300	Type 27	10	100	2.06
10340	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	60	13,300	Type 27	10	100	1.9
10341	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	80	13,300	Type 27	10	100	1.91
10342	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	120	13,300	Type 27	10	100	1.89
10343	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	24	13,300	Type 27	10	80	3.58
10344	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	36	13,300	Type 27	10	80	3.28
10345	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	40	13,300	Type 27	10	80	3.08
10346	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	60	13,300	Type 27	10	80	2.96
10347	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	80	13,300	Type 27	10	80	2.88
10348	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	120	13,300	Type 27	10	80	2.79

4-1/2" Z-PRIME Regular Flap Discs - T29

Type 29



10349	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	24	13,300	Type 29	10	100	2.73
10350	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	36	13,300	Type 29	10	100	2.27
10351	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	40	13,300	Type 29	10	100	2.09
10352	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	60	13,300	Type 29	10	100	1.97
10353	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	80	13,300	Type 29	10	100	1.9
10354	4-1/2 x 7/8	Z-PRIME	Zirconia	Regular	120	13,300	Type 29	10	100	1.83
10355	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	24	13,300	Type 29	10	80	3.73
10356	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	36	13,300	Type 29	10	80	3.24
10357	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	40	13,300	Type 29	10	80	3.12
10358	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	60	13,300	Type 29	10	80	2.94
10359	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	80	13,300	Type 29	10	80	2.81
10360	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Regular	120	13,300	Type 29	10	80	2.86



10359



10364



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
4-1/2" Z-PRIME XL Flap Discs - T27				Type 27		<i>XL - up to 50% more material</i>		XL		
10361	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	36	13,300	Type 27	10	100	2.65
10362	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	40	13,300	Type 27	10	100	2.5
10363	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	60	13,300	Type 27	10	100	2.39
10364	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	80	13,300	Type 27	10	100	2.29
10365	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	120	13,300	Type 27	10	100	2.18
10366	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	36	13,300	Type 27	10	80	3.76
10367	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	40	13,300	Type 27	10	80	3.49
10368	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	60	13,300	Type 27	10	80	3.39
10369	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	80	13,300	Type 27	10	80	3.74
10370	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	120	13,300	Type 27	10	80	3.25

4-1/2" Z-PRIME XL Flap Discs - T29				Type 29		<i>XL - up to 50% more material</i>		XL		
10371	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	36	13,300	Type 29	10	100	2.65
10372	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	40	13,300	Type 29	10	100	2.46
10373	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	60	13,300	Type 29	10	100	2.45
10374	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	80	13,300	Type 29	10	100	2.27
10375	4-1/2 x 7/8	Z-PRIME	Zirconia	XL	120	13,300	Type 29	10	100	2.2
10376	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	36	13,300	Type 29	10	80	3.78
10377	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	40	13,300	Type 29	10	80	3.56
10378	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	60	13,300	Type 29	10	80	3.4
10379	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	80	13,300	Type 29	10	80	3.24
10380	4-1/2 x 5/8-11	Z-PRIME	Zirconia	XL	120	13,300	Type 29	10	80	3.2

#1 Zirconia in the World



Regular T27

10340



XL Type 29

10372



USA MADE Z-PRIME Zirconia **TOUGH EDGE** Flap Discs - Phenolic Back



- Weldcote Tough Edge Flap Discs are a hybrid between Regular and XL in terms of volume of material.
- The Tough Edge provides the optimal amount of flap disc material.
- Tough Edge product is a T27 product that is compressed to offer a 4% degree grinding angle.



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" Z-PRIME **TOUGH EDGE** Flap Discs - Compressed

10487	4-1/2 x 7/8	Z-PRIME	Zirconia	Tough Edge	40	13,300	Compressed	10	100	2.35
10483	4-1/2 x 7/8	Z-PRIME	Zirconia	Tough Edge	60	13,300	Compressed	10	100	2.25
10484	4-1/2 x 7/8	Z-PRIME	Zirconia	Tough Edge	80	13,300	Compressed	10	100	2.06
10489	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Tough Edge	40	13,300	Compressed	10	80	3.28
10485	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Tough Edge	60	13,300	Compressed	10	80	3.18
10486	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Tough Edge	80	13,300	Compressed	10	80	3.07

5" Z-PRIME Regular Flap Discs - Compressed

10382	5 x 7/8	Z-PRIME	Zirconia	Regular	36	12,200	Compressed	10	100	2.51
10383	5 x 7/8	Z-PRIME	Zirconia	Regular	40	12,200	Compressed	10	100	2.4
10384	5 x 7/8	Z-PRIME	Zirconia	Regular	60	12,200	Compressed	10	100	2.27
10385	5 x 7/8	Z-PRIME	Zirconia	Regular	80	12,200	Compressed	10	100	2.14
10386	5 x 7/8	Z-PRIME	Zirconia	Regular	120	12,200	Compressed	10	100	2.16
10388	5 x 5/8-11	Z-PRIME	Zirconia	Regular	36	12,200	Compressed	10	80	3.52
10389	5 x 5/8-11	Z-PRIME	Zirconia	Regular	40	12,200	Compressed	10	80	3.46
10390	5 x 5/8-11	Z-PRIME	Zirconia	Regular	60	12,200	Compressed	10	80	3.25
11054 NEW	5 x 5/8-11	Z-PRIME	Zirconia	Regular	80	12,200	Compressed	10	80	
11055 NEW	5 x 5/8-11	Z-PRIME	Zirconia	Regular	120	12,200	Compressed	10	80	

5" Z-PRIME **XL** Flap Discs - Compressed

XL - up to 50% more material



10399	5 x 7/8	Z-PRIME	Zirconia	XL	36	12,200	Compressed	10	100	2.9
10400	5 x 7/8	Z-PRIME	Zirconia	XL	40	12,200	Compressed	10	100	2.99
10401	5 x 7/8	Z-PRIME	Zirconia	XL	60	12,200	Compressed	10	100	2.61
10402	5 x 7/8	Z-PRIME	Zirconia	XL	80	12,200	Compressed	10	100	
10403	5 x 5/8-11	Z-PRIME	Zirconia	XL	36	12,200	Compressed	10	80	4
10404	5 x 5/8-11	Z-PRIME	Zirconia	XL	40	12,200	Compressed	10	80	3.88
10405	5 x 5/8-11	Z-PRIME	Zirconia	XL	60	12,200	Compressed	10	80	3.58
10406	5 x 5/8-11	Z-PRIME	Zirconia	XL	80	12,200	Compressed	10	80	

COMPRESSED



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

6" Z-PRIME Regular Flap Discs - Compressed

10416	6 x 7/8	Z-PRIME	Zirconia	Regular	36	10,200	Compressed	10	80	3.5
10417	6 x 7/8	Z-PRIME	Zirconia	Regular	40	10,200	Compressed	10	80	3.37
10418	6 x 7/8	Z-PRIME	Zirconia	Regular	60	10,200	Compressed	10	80	3.02
10419	6 x 7/8	Z-PRIME	Zirconia	Regular	80	10,200	Compressed	10	80	2.94
10420	6 x 7/8	Z-PRIME	Zirconia	Regular	120	10,200	Compressed	10	80	2.95
10421	6 x 5/8-11	Z-PRIME	Zirconia	Regular	36	10,200	Compressed	10	80	4.58
10422	6 x 5/8-11	Z-PRIME	Zirconia	Regular	40	10,200	Compressed	10	80	4.39
10423	6 x 5/8-11	Z-PRIME	Zirconia	Regular	60	10,200	Compressed	10	80	4.09
10424	6 x 5/8-11	Z-PRIME	Zirconia	Regular	80	10,200	Compressed	10	80	4.02
10425	6 x 5/8-11	Z-PRIME	Zirconia	Regular	120	10,200	Compressed	10	80	4.01

6" Z-PRIME XL Flap Discs - Compressed

XL - up to 50% more material **XL**

10434	6 x 7/8	Z-PRIME	Zirconia	XL	36	10,200	Compressed	10	80	3.8
10435	6 x 7/8	Z-PRIME	Zirconia	XL	40	10,200	Compressed	10	80	3.65
10436	6 x 7/8	Z-PRIME	Zirconia	XL	60	10,200	Compressed	10	80	3.5
10437	6 x 7/8	Z-PRIME	Zirconia	XL	80	10,200	Compressed	10	80	3.3
10439	6 x 5/8-11	Z-PRIME	Zirconia	XL	36	10,200	Compressed	10	80	4.95
10440	6 x 5/8-11	Z-PRIME	Zirconia	XL	40	10,200	Compressed	10	80	4.78
10441	6 x 5/8-11	Z-PRIME	Zirconia	XL	60	10,200	Compressed	10	80	4.6
10442	6 x 5/8-11	Z-PRIME	Zirconia	XL	80	10,200	Compressed	10	80	4.6

7" Z-PRIME Regular Flap Discs - Compressed

24 Grit is available, 100-piece minimum order

10450	7 x 7/8	Z-PRIME	Zirconia	Regular	36	8,600	Compressed	10	40	5.75
10451	7 x 7/8	Z-PRIME	Zirconia	Regular	40	8,600	Compressed	10	40	5.24
10452	7 x 7/8	Z-PRIME	Zirconia	Regular	60	8,600	Compressed	10	40	5.08
10453	7 x 7/8	Z-PRIME	Zirconia	Regular	80	8,600	Compressed	10	40	4.76
10454	7 x 7/8	Z-PRIME	Zirconia	Regular	120	8,600	Compressed	10	40	5
10456	7 x 5/8-11	Z-PRIME	Zirconia	Regular	36	8,600	Compressed	10	40	7.7
10457	7 x 5/8-11	Z-PRIME	Zirconia	Regular	40	8,600	Compressed	10	40	7.76
10458	7 x 5/8-11	Z-PRIME	Zirconia	Regular	60	8,600	Compressed	10	40	7.53
10459	7 x 5/8-11	Z-PRIME	Zirconia	Regular	80	8,600	Compressed	10	40	7.36
10460	7 x 5/8-11	Z-PRIME	Zirconia	Regular	120	8,600	Compressed	10	40	7.27

7" Z-PRIME XL Flap Discs - Compressed

XL

10473	7 x 7/8	Z-PRIME	Zirconia	XL	40	8,600	Compressed	10	40	6.06
10474	7 x 7/8	Z-PRIME	Zirconia	XL	60	8,600	Compressed	10	40	5.88
10475	7 x 7/8	Z-PRIME	Zirconia	XL	80	8,600	Compressed	10	40	5.38
10476	7 x 5/8-11	Z-PRIME	Zirconia	XL	40	8,600	Compressed	10	40	8.38
10477	7 x 5/8-11	Z-PRIME	Zirconia	XL	60	8,600	Compressed	10	40	8.13
10478	7 x 5/8-11	Z-PRIME	Zirconia	XL	80	8,600	Compressed	10	40	7.63

Contact Weldcote about our sample program


Metals, Abrasives, Tools & Safety



www.weldcote.com

USA MADE Z-SOLID Zirconia Flap Discs

- **Z-SOLID** is the best overall Zirconia flap disc value in the world. Excellent quality-price relationship. Z-SOLID works in all metal working applications.
- Weldcote Compressed design technology (pages 4 and 7) provides \$ savings to the end-user.



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" Z-SOLID Regular Flap Discs - T27 **NEW**

11111	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	36	13,300	Type 27	10	100	2.20
11112	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	40	13,300	Type 27	10	100	2.20
11113	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	60	13,300	Type 27	10	100	1.94
11114	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	80	13,300	Type 27	10	100	1.95
11116	4-1/2 X 5/8-11	Z-SOLID	Zirconia	Regular	36	13,300	Type 27	10	80	3.21
11117	4-1/2 X 5/8-11	Z-SOLID	Zirconia	Regular	40	13,300	Type 27	10	80	3.12
11118	4-1/2 X 5/8-11	Z-SOLID	Zirconia	Regular	60	13,300	Type 27	10	80	2.96
11119	4-1/2 X 5/8-11	Z-SOLID	Zirconia	Regular	80	13,300	Type 27	10	80	2.94

4-1/2" Z-SOLID Regular Flap Discs - Compressed

10274	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	36	13,300	Compressed	10	100	2.11
10275	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	40	13,300	Compressed	10	100	2.11
10276	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	60	13,300	Compressed	10	100	1.94
10277	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	80	13,300	Compressed	10	100	1.95
10278	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	120	13,300	Compressed	10	100	1.785
10279	4-1/2 X 5/8-11	Z-SOLID	Zirconia	Regular	36	13,300	Compressed	10	80	3.21
10280	4-1/2 X 5/8-11	Z-SOLID	Zirconia	Regular	40	13,300	Compressed	10	80	3.12
10281	4-1/2 X 5/8-11	Z-SOLID	Zirconia	Regular	60	13,300	Compressed	10	80	2.96
10282	4-1/2 X 5/8-11	Z-SOLID	Zirconia	Regular	80	13,300	Compressed	10	80	2.94
10283	4-1/2 X 5/8-11	Z-SOLID	Zirconia	Regular	120	13,300	Compressed	10	80	2.5

4-1/2" Z-SOLID XL Flap Discs - T27, T29 **NEW**

XL - up to 50% more material **XL**

11620	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	36	13,300	Type 27	10	100	2.11
11621	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	40	13,300	Type 27	10	100	2.11
11622	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	60	13,300	Type 27	10	100	1.94
11623	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	80	13,300	Type 27	10	100	1.95
10304	4-1/2 x 7/8	Z-SOLID	Zirconia	Regular	36	13,300	Type 29	10	100	2.11

4-1/2" Z-SOLID XL Flap Discs - Compressed

XL - up to 50% more material **XL**

10294	4-1/2 x 7/8	Z-SOLID	Zirconia	XL	36	13,300	Compressed	10	100	2.71
10295	4-1/2 x 7/8	Z-SOLID	Zirconia	XL	40	13,300	Compressed	10	100	2.51
10296	4-1/2 x 7/8	Z-SOLID	Zirconia	XL	60	13,300	Compressed	10	100	2.51
10297	4-1/2 x 7/8	Z-SOLID	Zirconia	XL	80	13,300	Compressed	10	100	2.41
10298	4-1/2 x 7/8	Z-SOLID	Zirconia	XL	120	13,300	Compressed	10	100	2.11
10299	4-1/2 X 5/8-11	Z-SOLID	Zirconia	XL	36	13,300	Compressed	10	80	3.53
10300	4-1/2 X 5/8-11	Z-SOLID	Zirconia	XL	40	13,300	Compressed	10	80	3.68
10301	4-1/2 X 5/8-11	Z-SOLID	Zirconia	XL	60	13,300	Compressed	10	80	3.72
10302	4-1/2 X 5/8-11	Z-SOLID	Zirconia	XL	80	13,300	Compressed	10	80	3.38
10303	4-1/2 X 5/8-11	Z-SOLID	Zirconia	XL	120	13,300	Compressed	10	80	3.075



10274



10280

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

5" Z-SOLID Regular Flap Discs - Compressed

10506	5 x 7/8	Z-SOLID	Zirconia	Regular	36	12,200	Compressed	10	100	2.51
10314	5 x 7/8	Z-SOLID	Zirconia	Regular	40	12,200	Compressed	10	100	2.54
10315	5 x 7/8	Z-SOLID	Zirconia	Regular	60	12,200	Compressed	10	100	2.22
10316	5 x 7/8	Z-SOLID	Zirconia	Regular	80	12,200	Compressed	10	100	2.24

6" Z-SOLID Regular Flap Discs - Compressed

10510	6 x 7/8	Z-SOLID	Zirconia	Regular	36	10,200	Compressed	10	80	3.5
10511	6 x 7/8	Z-SOLID	Zirconia	Regular	40	10,200	Compressed	10	80	3.37
10512	6 x 7/8	Z-SOLID	Zirconia	Regular	60	10,200	Compressed	10	80	3.02
10513	6 x 7/8	Z-SOLID	Zirconia	Regular	80	10,200	Compressed	10	80	2.94
10514	6 x 5/8-11	Z-SOLID	Zirconia	Regular	36	10,200	Compressed	10	80	4.58
10515	6 x 5/8-11	Z-SOLID	Zirconia	Regular	40	10,200	Compressed	10	80	4.39
10516	6 x 5/8-11	Z-SOLID	Zirconia	Regular	60	10,200	Compressed	10	80	4.09
10517	6 x 5/8-11	Z-SOLID	Zirconia	Regular	80	10,200	Compressed	10	80	4.02

6" Z-SOLID XL Flap Discs - Compressed

XL - up to 50% more material **XL**

10518	6 x 7/8	Z-SOLID	Zirconia	XL	36	10,200	Compressed	10	80	3.8
10519	6 x 7/8	Z-SOLID	Zirconia	XL	40	10,200	Compressed	10	80	3.65
10520	6 x 7/8	Z-SOLID	Zirconia	XL	60	10,200	Compressed	10	80	3.5
10521	6 x 7/8	Z-SOLID	Zirconia	XL	80	10,200	Compressed	10	80	3.3
10522	6 x 5/8-11	Z-SOLID	Zirconia	XL	36	10,200	Compressed	10	80	4.95
10523	6 x 5/8-11	Z-SOLID	Zirconia	XL	40	10,200	Compressed	10	80	4.78
10524	6 x 5/8-11	Z-SOLID	Zirconia	XL	60	10,200	Compressed	10	80	4.6
10525	6 x 5/8-11	Z-SOLID	Zirconia	XL	80	10,200	Compressed	10	80	4.54

7" Z-SOLID Regular Flap Discs - Compressed

10530	7 x 7/8	Z-SOLID	Zirconia	Regular	36	8,600	Compressed	10	40	4.98
10317	7 x 7/8	Z-SOLID	Zirconia	Regular	40	8,600	Compressed	10	40	5.37
10318	7 x 7/8	Z-SOLID	Zirconia	Regular	60	8,600	Compressed	10	40	4.94
10319	7 x 7/8	Z-SOLID	Zirconia	Regular	80	8,600	Compressed	10	40	5.09
10531	7 x 5/8-11	Z-SOLID	Zirconia	Regular	36	8,600	Compressed	10	40	7.39
10532	7 x 5/8-11	Z-SOLID	Zirconia	Regular	40	8,600	Compressed	10	40	7.57
10533	7 x 5/8-11	Z-SOLID	Zirconia	Regular	60	8,600	Compressed	10	40	7.34
10534	7 x 5/8-11	Z-SOLID	Zirconia	Regular	80	8,600	Compressed	10	40	7.6




USA MADE A-PRIME Premium Aluminum Oxide Flap Discs

- High quality blue fired Aluminum Oxide grain with a flap disc friendly poly-cotton design. The active grinding agent provides cool cutting on all applications.
- Aluminum Oxide grain is excellent on soft metals, non-ferrous metals (aluminum, brass, copper, zinc) as well on composites and wood.

Type 27



COMPRESSED



10593



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4" A-PRIME Regular Flap Discs - Compressed

10586	4 x 5/8	A-PRIME	Aluminum Oxide	Regular	40	15,300	Compressed	10	100	1.95
10587	4 x 5/8	A-PRIME	Aluminum Oxide	Regular	60	15,300	Compressed	10	100	1.61
10588	4 x 5/8	A-PRIME	Aluminum Oxide	Regular	80	15,300	Compressed	10	100	1.5

4-1/2" A-PRIME Regular Flap Discs - T27 NEW

11500	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Regular	40	13,300	Type27	10	100	2.26
11501	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Regular	60	13,300	Type27	10	100	2.26
11502	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Regular	80	13,300	Type27	10	100	1.94
11498	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Regular	120	13,300	Type27	10	100	1.95

4-1/2" A-PRIME Regular Flap Discs - Compressed

11636 NEW	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Regular	36	13,300	Compressed	10	100	2.26
10589	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Regular	40	13,300	Compressed	10	100	2.26
10590	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Regular	60	13,300	Compressed	10	100	1.94
10591	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Regular	80	13,300	Compressed	10	100	1.95
11637 NEW	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	Regular	36	13,300	Compressed	10	80	3.26
10592	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	Regular	40	13,300	Compressed	10	80	3.26
10593	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	Regular	60	13,300	Compressed	10	80	2.96
10594	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	Regular	80	13,300	Compressed	10	80	2.89

4-1/2" A-PRIME XL Flap Discs - Compressed

XL - up to 50% more material



10601	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	XL	40	13,300	Compressed	10	100	2.68
10602	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	XL	60	13,300	Compressed	10	100	2.56
10603	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	XL	80	13,300	Compressed	10	100	2.27
10604	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	XL	120	13,300	Compressed	10	100	2.05
10605	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	XL	40	13,300	Compressed	10	80	3.69
10606	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	XL	60	13,300	Compressed	10	80	3.58
10607	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	XL	80	13,300	Compressed	10	80	3.27



Regular

10662



XL

10668

USA MADE ALU-PRIME Premium Flap Discs for Aluminum

- High quality Aluminum Oxide grain with a tough polyester heat treated backing.
- 2nd tier calcium stearate reduces material build up between grains. This product design allows the end user to keep the material cooler and helps prevent loading with Aluminum, non-ferrous metals and blending stainless steel.



11059

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" ALU-PRIME Regular Flap Discs - Type 27

Type 27



11058	NEW	4-1/2 x 7/8	ALU-PRIME	Aluminum	Regular	36	13,300	Type 27	10	100
11059	NEW	4-1/2 x 7/8	ALU-PRIME	Aluminum	Regular	60	13,300	Type 27	10	100
11060	NEW	4-1/2 x 5/8-11	ALU-PRIME	Aluminum	Regular	36	13,300	Type 27	10	80
11061	NEW	4-1/2 x 5/8-11	ALU-PRIME	Aluminum	Regular	60	13,300	Type 27	10	80

4-1/2" ALU-PRIME Regular Flap Discs for Aluminum - Compressed

COMPRESSED

10608	4-1/2 x 7/8	ALU-PRIME	Aluminum	Regular	36	13,300	Compressed	10	100	2.41
10609	4-1/2 x 7/8	ALU-PRIME	Aluminum	Regular	60	13,300	Compressed	10	100	1.96
10610	4-1/2 x 5/8-11	ALU-PRIME	Aluminum	Regular	36	13,300	Compressed	10	80	3.56
10611	4-1/2 x 5/8-11	ALU-PRIME	Aluminum	Regular	60	13,300	Compressed	10	80	2.91

5" ALU-PRIME Regular Flap Discs for Aluminum - Compressed


COMPRESSED

10616	5 x 7/8	ALU-PRIME	Aluminum	Regular	36	12,200	Compressed	10	100	2.7
10617	5 x 7/8	ALU-PRIME	Aluminum	Regular	60	12,200	Compressed	10	100	3.32

7" ALU-PRIME Regular Flap Discs for Aluminum - Compressed

COMPRESSED

10618	7 x 7/8	ALU-PRIME	Aluminum	Regular	36	8,600	Compressed	10	40	6.28
10620	7 x 5/8-11	ALU-PRIME	Aluminum	Regular	36	8,600	Compressed	10	40	8.59



10609



COMPRESSED

The compressed shape was developed with input from large users around the world and leads to increased product life and a substantial reduction in inventory costs for the entire market channel.



KORNER Premium Ceramic & Zirconia Flap Discs

- **KORNER** Weldcote flap discs have unique design where the material wraps up around the edge of the flap disc and allows the user to grind aggressively into "Korners".
- **C-PRIME** has strong polyester backing for longer working life.
- **Z-PRIME** has poly-cotton backing which allows excellent flexibility.



Side View



Type 27



10228

10219

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" C-PRIME KORNER Ceramic Flap Discs



10228	4-1/2 x 7/8	C-PRIME	Ceramic	Korner	36	13,300	Type 27	10	100
10229	4-1/2 x 7/8	C-PRIME	Ceramic	Korner	40	13,300	Type 27	10	100
10230	4-1/2 x 7/8	C-PRIME	Ceramic	Korner	60	13,300	Type 27	10	100
10231	4-1/2 x 7/8	C-PRIME	Ceramic	Korner	80	13,300	Type 27	10	100
10260	4-1/2 x 5/8-11	C-PRIME	Ceramic	Korner	36	13,300	Type 27	10	80
10261	4-1/2 x 5/8-11	C-PRIME	Ceramic	Korner	40	13,300	Type 27	10	80
10262	4-1/2 x 5/8-11	C-PRIME	Ceramic	Korner	60	13,300	Type 27	10	80
10263	4-1/2 x 5/8-11	C-PRIME	Ceramic	Korner	80	13,300	Type 27	10	80

4-1/2" Z-PRIME KORNER Zirconia Flap Discs



10218	4-1/2 x 7/8	Z-PRIME	Zirconia	Korner	36	13,300	Type 27	10	100
10219	4-1/2 x 7/8	Z-PRIME	Zirconia	Korner	40	13,300	Type 27	10	100
10220	4-1/2 x 7/8	Z-PRIME	Zirconia	Korner	60	13,300	Type 27	10	100
10221	4-1/2 x 7/8	Z-PRIME	Zirconia	Korner	80	13,300	Type 27	10	100
10250	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Korner	36	13,300	Type 27	10	80
10251	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Korner	40	13,300	Type 27	10	80
10252	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Korner	60	13,300	Type 27	10	80
10253	4-1/2 x 5/8-11	Z-PRIME	Zirconia	Korner	80	13,300	Type 27	10	80

5" Z-PRIME KORNER Zirconia Flap Discs



10222	5 x 7/8	Z-PRIME	Zirconia	Korner	40	12,200	Type 27	10	100
10223	5 x 7/8	Z-PRIME	Zirconia	Korner	60	12,200	Type 27	10	100
10224	5 x 7/8	Z-PRIME	Zirconia	Korner	80	12,200	Type 27	10	100
10254	5 x 5/8-11	Z-PRIME	Zirconia	Korner	40	12,200	Type 27	10	80
10255	5 x 5/8-11	Z-PRIME	Zirconia	Korner	60	12,200	Type 27	10	80
10256	5 x 5/8-11	Z-PRIME	Zirconia	Korner	80	12,200	Type 27	10	80

7" Z-PRIME KORNER Zirconia Flap Discs



10225	7 x 7/8	Z-PRIME	Zirconia	Korner	36	8,600	Type 27	10	80
10226	7 x 7/8	Z-PRIME	Zirconia	Korner	40	8,600	Type 27	10	80
10227	7 x 7/8	Z-PRIME	Zirconia	Korner	60	8,600	Type 27	10	80
10257	7 x 5/8-11	Z-PRIME	Zirconia	Korner	36	8,600	Type 27	10	40
10258	7 x 5/8-11	Z-PRIME	Zirconia	Korner	40	8,600	Type 27	10	40
10259	7 x 5/8-11	Z-PRIME	Zirconia	Korner	60	8,600	Type 27	10	40

KORNER 2 - 3" Premium Flap Discs

- Z-PRIME KORNER flap discs are available in Roll-on version in 2-3" sizes.
- Korner Z-PRIME FLAP discs will outlast competing quick change discs by up to 6-1.
- KORNER unique design will allow for product to be used in "Korner's".



Type 27



Side View



10238

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Rubber Holder Pad*	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	--------------------	------	------------	------------	-------------

2 - 3" Z-PRIME KORNER Zirconia Flap Discs, Roll On



10232	2 R/O	Z-PRIME	Zirconia	Korner	36	24,000	10264	Type R	10	1000	
10233	2 R/O	Z-PRIME	Zirconia	Korner	40	24,000	10264	Type R	10	1000	
10234	2 R/O	Z-PRIME	Zirconia	Korner	60	24,000	10264	Type R	10	1000	
10235	2 R/O	Z-PRIME	Zirconia	Korner	80	24,000	10264	Type R	10	1000	
10236	2 R/O	Z-PRIME	Zirconia	Korner	120	24,000	10264	Type R	10	1000	
10237	3 R/O	Z-PRIME	Zirconia	Korner	36	20,000	10265	Type R	10	500	
10238	3 R/O	Z-PRIME	Zirconia	Korner	40	20,000	10265	Type R	10	500	
10239	3 R/O	Z-PRIME	Zirconia	Korner	60	20,000	10265	Type R	10	500	
10240	3 R/O	Z-PRIME	Zirconia	Korner	80	20,000	10265	Type R	10	500	
10241	3 R/O	Z-PRIME	Zirconia	Korner	120	20,000	10265	Type R	10	500	

* See page 27 for Holder Pads

Weldcote Surface Conditioning Flap Discs

- Weldcote uses material from a global leader in surface conditioning material. Material options include coarse, medium (80% of the unit sales) and very fine discs.
- Applications include blending, deburring and cleaning.

ALUMINUM OXIDE



10152



10153



10155

UPC #	Size	Brand	Grain	Color	Style	Grit	Max RPM	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	-------	------	---------	------	------------	------------	-------------

4-1/2" Surface Conditioning Flap Discs



10152	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Brown	Coarse	120	13,300	Type 29	10	200	1.59
10153	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Maroon	Medium	180	13,300	Type 29	10	200	1.4
10154	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Blue	Very Fine	320	13,300	Type 29	10	200	1.36
10155	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	Brown	Coarse	120	13,300	Type 29	10	100	2.73
10156	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	Maroon	Medium	180	13,300	Type 29	10	100	2.61
10157	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide	Blue	Very Fine	320	13,300	Type 29	10	100	2.51

UNITIZED Right Angle Grinder Wheels - page 40

Surface Conditioning Discs - page 42

Contact Weldcote about our sample program

Metals, Abrasives, Tools & Safety



www.weldcote.com

4-1/2" **CUSHION FLEX** Flap Discs - C-SOLID, Type 27

- Excellent for applications that require flexible material, including contours and profiles or finishing of fillet (corner) welds.



NEW



11434



11435

UPC #	Size	Brand	Grit	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
11432	4-1/2 x 7/8	C-SOLID	40G	Ceramic	Cushion Flex	13,300	Type 27	5	100
11434	4-1/2 x 7/8	C-SOLID	60G	Ceramic	Cushion Flex	13,300	Type 27	5	100
11436	4-1/2 x 7/8	C-SOLID	80G	Ceramic	Cushion Flex	13,300	Type 27	5	100
11433	4-1/2 x 5/8-11	C-SOLID	40G	Ceramic	Cushion Flex	13,300	Type 27	5	
11435	4-1/2 x 5/8-11	C-SOLID	60G	Ceramic	Cushion Flex	13,300	Type 27	5	
11437	4-1/2 x 5/8-11	C-SOLID	80G	Ceramic	Cushion Flex	13,300	Type 27	5	

Type 27



NEW

2" - 3" **CUSHION FLEX** Flap Discs - C-SOLID, Roll On



- 2" and 3" **CUSHION FLEX** flap discs designed for improved access to awkward areas with the cushion flex providing excellent benefits on curved surfaces and contours.



11430

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
-------	------	-------	------------	-------	-------	---------	------	------------	------------

2" **CUSHION FLEX** Flap Discs - C-SOLID

Rubber Holder Pad: **11226***

11424	2" R/O	C-SOLID	36G	Ceramic	Cushion Flex	24,000	Roll On	10	500
11425	2" R/O	C-SOLID	60G	Ceramic	Cushion Flex	24,000	Roll On	10	500
11426	2" R/O	C-SOLID	80G	Ceramic	Cushion Flex	24,000	Roll On	10	500
11427	2" R/O	C-SOLID	120G	Ceramic	Cushion Flex	24,000	Roll On	10	500

3" **CUSHION FLEX** Flap Discs - C-SOLID

Rubber Holder Pad: **11227***

11428	3" R/O	C-SOLID	36G	Ceramic	Cushion Flex	20,000	Roll On	10	500
11429	3" R/O	C-SOLID	60G	Ceramic	Cushion Flex	20,000	Roll On	10	500
11430	3" R/O	C-SOLID	80G	Ceramic	Cushion Flex	20,000	Roll On	10	500
11431	3" R/O	C-SOLID	120G	Ceramic	Cushion Flex	20,000	Roll On	10	500

* See page 27 for Holder Pads



Roll-On



11426

2" **CUSHION FLEX** Flap Discs - Z-PRIME, Roll On

NEW



- 2" **CUSHION FLEX** flap discs designed for improved access to awkward areas with the cushion flex providing excellent benefits on curved surfaces and contours.



Roll-On



11439

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
11438	2" R/O	Z-PRIME	36G	Zirconia	Cushion Flex	24,000	Roll On	10	500
11439	2" R/O	Z-PRIME	60G	Zirconia	Cushion Flex	24,000	Roll On	10	500
11440	2" R/O	Z-PRIME	80G	Zirconia	Cushion Flex	24,000	Roll On	10	500
11441	2" R/O	Z-PRIME	120G	Zirconia	Cushion Flex	24,000	Roll On	10	500



Rubber Holder Pad: **11226**
See page 27

2 - 3" Premium Flap Discs

- 2-3" mini flap discs will outperform standard quick change discs, allow access to tight areas and the design will help the disc from "walking" on the part.



11063



11065

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Rubber Holder Pad*	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	--------------------	------	------------	------------	-------------

2 - 3" C-PRIME Premium Ceramic Flap Discs, Roll On

Type 27



Roll-On

11062	2 R/O	C-PRIME	Ceramic	Roll On	36	24,000	11226	Type R	10	1000	0.42
11063	2 R/O	C-PRIME	Ceramic	Roll On	60	24,000	11226	Type R	10	1000	0.38
11064	2 R/O	C-PRIME	Ceramic	Roll On	80	24,000	11226	Type R	10	1000	0.35
11065	3 R/O	C-PRIME	Ceramic	Roll On	36	20,000	11227	Type R	10	1000	0.34
11066	3 R/O	C-PRIME	Ceramic	Roll On	60	20,000	11227	Type R	10	1000	0.33
11067	3 R/O	C-PRIME	Ceramic	Roll On	80	20,000	11227	Type R	10	500	1.04

* See page 27 for Holder Pads



10136



10149

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Rubber Holder Pad*	Type	Retail QTY	Master QTY	Lbs per Box
-------	------	-------	-------	-------	------	---------	--------------------	------	------------	------------	-------------

2 - 3" Z-PRIME Zirconia Flap Discs, Roll On

Type 27



Roll-On

10135	2 R/O	Z-PRIME	Zirconia	Roll On	36	24,000	11226	Type R	10	1000	0.42
10136	2 R/O	Z-PRIME	Zirconia	Roll On	40	24,000	11226	Type R	10	1000	0.38
10137	2 R/O	Z-PRIME	Zirconia	Roll On	60	24,000	11226	Type R	10	1000	0.35
10138	2 R/O	Z-PRIME	Zirconia	Roll On	80	24,000	11226	Type R	10	1000	0.34
10139	2 R/O	Z-PRIME	Zirconia	Roll On	120	24,000	11226	Type R	10	1000	0.33
10140	3 R/O	Z-PRIME	Zirconia	Roll On	36	20,000	11227	Type R	10	500	1.04
10141	3 R/O	Z-PRIME	Zirconia	Roll On	40	20,000	11227	Type R	10	500	0.95
10142	3 R/O	Z-PRIME	Zirconia	Roll On	60	20,000	11227	Type R	10	500	0.82
10143	3 R/O	Z-PRIME	Zirconia	Roll On	80	20,000	11227	Type R	10	500	0.79
10144	3 R/O	Z-PRIME	Zirconia	Roll On	120	20,000	11227	Type R	10	500	0.79

2 - 3" Z-PRIME Zirconia Flap Discs, Turn On



Turn-On

10145	2 T/O	Z-PRIME	Zirconia	Turn On	40	24,000	11414	Type S	10	1000	0.37
10146	2 T/O	Z-PRIME	Zirconia	Turn On	60	24,000	11414	Type S	10	1000	0.33
10147	2 T/O	Z-PRIME	Zirconia	Turn On	80	24,000	11414	Type S	10	1000	0.39
10148	2 T/O	Z-PRIME	Zirconia	Turn On	120	24,000	11414	Type S	10	1000	0.31
10149	3 T/O	Z-PRIME	Zirconia	Turn On	40	20,000	11415	Type S	10	500	0.94
10150	3 T/O	Z-PRIME	Zirconia	Turn On	60	20,000	11415	Type S	10	500	0.83
10151	3 T/O	Z-PRIME	Zirconia	Turn On	80	20,000	11415	Type S	10	500	0.79

* See page 27 for Holder Pads






RESIN FIBRE DISCS

RESIN FIBRE DISCS - Premium Ceramic

- **C-PRIME PLUS** offers improvement in abrasive grain manufacturing technology that results in a much finer crystalized structure. The unique mineral structure provides resin fibre discs with longer life and more aggressive grains in addition to improved self-sharpening features compared to traditional ceramic products.
- New Ceramic grain improvements include a higher metal removal rate at faster cutting speeds with a low grinding temperature and less friction.
- **C-PRIME** ceramic resin fibre discs offered with a top sized grinding aid. This design feature keeps the disc cool while grinding hard materials as well as Aluminum.
- Ceramic grain breaks down with much less pressure than Zirconia discs and thus reduce heat damage.



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Retail QTY
-------	------	-------	-------	-------	------	---------	------------

C-PRIME PLUS Ceramic Resin Fibre Discs - TRIANGLE

10812	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Top Size	20	13,300	25
10813	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Top Size	24	13,300	25
10814	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Top Size	36	13,300	25
10815	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Top Size	50	13,300	25
10816	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Top Size	60	13,300	25
10817	4-1/2 x 7/8	C-PRIME PLUS	Ceramic	Top Size	80	13,300	25
10818	5 x 7/8	C-PRIME PLUS	Ceramic	Top Size	24	12,200	25
10819	5 x 7/8	C-PRIME PLUS	Ceramic	Top Size	36	12,200	25
10820	5 x 7/8	C-PRIME PLUS	Ceramic	Top Size	50	12,200	25
10821	5 x 7/8	C-PRIME PLUS	Ceramic	Top Size	60	12,200	25
10822	5 x 7/8	C-PRIME PLUS	Ceramic	Top Size	80	12,200	25
10823	7 x 7/8	C-PRIME PLUS	Ceramic	Top Size	24	8,600	25
10824	7 x 7/8	C-PRIME PLUS	Ceramic	Top Size	36	8,600	25
10825	7 x 7/8	C-PRIME PLUS	Ceramic	Top Size	50	8,600	25
10826	7 x 7/8	C-PRIME PLUS	Ceramic	Top Size	60	8,600	25
10827	7 x 7/8	C-PRIME PLUS	Ceramic	Top Size	80	8,600	25


C-PRIME Ceramic Resin Fibre Discs

10828	4-1/2 x 7/8	C-PRIME	Ceramic	Top Size	24	13,300	25
10829	4-1/2 x 7/8	C-PRIME	Ceramic	Top Size	36	13,300	25
10830	4-1/2 x 7/8	C-PRIME	Ceramic	Top Size	50	13,300	25
10831	4-1/2 x 7/8	C-PRIME	Ceramic	Top Size	60	13,300	25
10832	4-1/2 x 7/8	C-PRIME	Ceramic	Top Size	80	13,300	25
10833	5 x 7/8	C-PRIME	Ceramic	Top Size	24	12,200	25
10834	5 x 7/8	C-PRIME	Ceramic	Top Size	36	12,200	25
10835	5 x 7/8	C-PRIME	Ceramic	Top Size	50	12,200	25
10836	5 x 7/8	C-PRIME	Ceramic	Top Size	60	12,200	25
10837	5 x 7/8	C-PRIME	Ceramic	Top Size	80	12,200	25
10838	7 x 7/8	C-PRIME	Ceramic	Top Size	24	8,600	25
10839	7 x 7/8	C-PRIME	Ceramic	Top Size	36	8,600	25
10840	7 x 7/8	C-PRIME	Ceramic	Top Size	50	8,600	25
10841	7 x 7/8	C-PRIME	Ceramic	Top Size	60	8,600	25
10842	7 x 7/8	C-PRIME	Ceramic	Top Size	80	8,600	25

RESIN FIBRE DISCS - Premium

Aluminum Oxide

- **A-PRIME** is designed with heavy duty vulcanized fibre backing for extended disc life. This provides a dramatic reduction in product curling.
- **A-PRIME Top Size** grinding aid built on top of Aluminum oxide grain for cooler cutting and longer life. Reduces clogging and burning.



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Retail QTY
-------	------	-------	-------	-------	------	---------	------------

A-PRIME Aluminum Oxide Top Size Resin Fibre Discs



10849	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Top Size	36	13,300	25
10850	4-1/2 x 7/8	A-PRIME	Aluminum Oxide	Top Size	80	13,300	25
10851	5 x 7/8	A-PRIME	Aluminum Oxide	Top Size	36	12,200	25
10852	5 x 7/8	A-PRIME	Aluminum Oxide	Top Size	80	12,200	25

A-PRIME Aluminum Oxide Resin Fibre Discs



10853	4 x 5/8	A-PRIME	Aluminum Oxide		16	15,300	25
10854	4 x 5/8	A-PRIME	Aluminum Oxide		24	15,300	25
10855	4 x 5/8	A-PRIME	Aluminum Oxide		36	15,300	25
10856	4 x 5/8	A-PRIME	Aluminum Oxide		50	15,300	25
10857	4 x 5/8	A-PRIME	Aluminum Oxide		60	15,300	25
10858	4 x 5/8	A-PRIME	Aluminum Oxide		80	15,300	25
10859	4 x 5/8	A-PRIME	Aluminum Oxide		100	15,300	25
10860	4 x 5/8	A-PRIME	Aluminum Oxide		120	15,300	25
10861	4-1/2 x 7/8	A-PRIME	Aluminum Oxide		16	13,300	25
10862	4-1/2 x 7/8	A-PRIME	Aluminum Oxide		24	13,300	25
10863	4-1/2 x 7/8	A-PRIME	Aluminum Oxide		36	13,300	25
10864	4-1/2 x 7/8	A-PRIME	Aluminum Oxide		50	13,300	25
10865	4-1/2 x 7/8	A-PRIME	Aluminum Oxide		60	13,300	25
10866	4-1/2 x 7/8	A-PRIME	Aluminum Oxide		80	13,300	25
10867	4-1/2 x 7/8	A-PRIME	Aluminum Oxide		120	13,300	25
10868	5 x 7/8	A-PRIME	Aluminum Oxide		16	12,200	25
10869	5 x 7/8	A-PRIME	Aluminum Oxide		24	12,200	25
10870	5 x 7/8	A-PRIME	Aluminum Oxide		36	12,200	25
10871	5 x 7/8	A-PRIME	Aluminum Oxide		50	12,200	25
10872	5 x 7/8	A-PRIME	Aluminum Oxide		60	12,200	25
10873	5 x 7/8	A-PRIME	Aluminum Oxide		80	12,200	25
10874	5 x 7/8	A-PRIME	Aluminum Oxide		120	12,200	25
10875	7 x 7/8	A-PRIME	Aluminum Oxide		16	8,600	25
10876	7 x 7/8	A-PRIME	Aluminum Oxide		24	8,600	25
10877	7 x 7/8	A-PRIME	Aluminum Oxide		36	8,600	25
10878	7 x 7/8	A-PRIME	Aluminum Oxide		50	8,600	25
10879	7 x 7/8	A-PRIME	Aluminum Oxide		60	8,600	25
10880	7 x 7/8	A-PRIME	Aluminum Oxide		80	8,600	25
10881	7 x 7/8	A-PRIME	Aluminum Oxide		100	8,600	25
10882	7 x 7/8	A-PRIME	Aluminum Oxide		120	8,600	25
10883	9-1/4 x 7/8	A-PRIME	Aluminum Oxide		16	6,600	25
10884	9-1/4 x 7/8	A-PRIME	Aluminum Oxide		24	6,600	25
10885	9-1/4 x 7/8	A-PRIME	Aluminum Oxide		36	6,600	25
10886	9-1/4 x 7/8	A-PRIME	Aluminum Oxide		50	6,600	25
10887	9-1/4 x 7/8	A-PRIME	Aluminum Oxide		60	6,600	25
10888	9-1/4 x 7/8	A-PRIME	Aluminum Oxide		80	6,600	25
10889	9-1/4 x 7/8	A-PRIME	Aluminum Oxide		100	6,600	25
10890	9-1/4 x 7/8	A-PRIME	Aluminum Oxide		120	6,600	25



Z-PRIME Premium Resin Fibre Discs

- Z-PRIME is designed with heavy duty vulcanized fibre backing for extended disc life. This provides a dramatic reduction in product curling.
- Z-PRIME is designed with self-sharpening effect that constantly produces new sharp edges and thus enables a much better grinding performance.
- Quick lock discs available in additional sizes and grits. Contact Weldcote Customer service for details.



10900



10905

UPC #	Size	Brand	Grain	Grit	Max RPM	Retail QTY
-------	------	-------	-------	------	---------	------------



Z-PRIME Zirconia Resin Fibre Discs

10894	4-1/2 x 7/8	Z-PRIME	Zirconia	24	13,300	25
10895	4-1/2 x 7/8	Z-PRIME	Zirconia	36	13,300	25
10896	4-1/2 x 7/8	Z-PRIME	Zirconia	50	13,300	25
10897	4-1/2 x 7/8	Z-PRIME	Zirconia	60	13,300	25
10898	4-1/2 x 7/8	Z-PRIME	Zirconia	80	13,300	25
10899	5 x 7/8	Z-PRIME	Zirconia	24	12,200	25
10900	5 x 7/8	Z-PRIME	Zirconia	36	12,200	25
10901	5 x 7/8	Z-PRIME	Zirconia	50	12,200	25
10902	5 x 7/8	Z-PRIME	Zirconia	60	12,200	25
10903	5 x 7/8	Z-PRIME	Zirconia	80	12,200	25
10904	7 x 7/8	Z-PRIME	Zirconia	24	8,600	25
10905	7 x 7/8	Z-PRIME	Zirconia	36	8,600	25
10906	7 x 7/8	Z-PRIME	Zirconia	50	8,600	25
10907	7 x 7/8	Z-PRIME	Zirconia	60	8,600	25
10908	7 x 7/8	Z-PRIME	Zirconia	80	8,600	25



10843

Quick Lock Resin Fibre Discs

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Retail QTY
-------	------	-------	-------	-------	------	---------	------------

C-PRIME Ceramic with Quick Lock Resin Fibre Discs



10843	4-1/2 x 5/8-11	C-PRIME	Ceramic	Top Size	24	13,300	25
10844	4-1/2 x 5/8-11	C-PRIME	Ceramic	Top Size	36	13,300	25
10845	5 x 5/8-11	C-PRIME	Ceramic	Top Size	36	12,200	25
10846	5 x 5/8-11	C-PRIME	Ceramic	Top Size	50	12,200	25
10847	7 x 5/8-11	C-PRIME	Ceramic	Top Size	24	8,600	25
10848	7 x 5/8-11	C-PRIME	Ceramic	Top Size	36	8,600	25

Z-PRIME Zirconia Quick Lock Resin Fibre Discs



10909	4-1/2 x 5/8-11	Z-PRIME	Zirconia		36	13,300	25
10910	5 x 5/8-11	Z-PRIME	Zirconia		36	12,200	25
10911	7 x 5/8-11	Z-PRIME	Zirconia		36	8,600	25

A-PRIME Aluminum Oxide Quick Lock Resin Fibre Discs



10891	4-1/2 x 5/8-11	A-PRIME	Aluminum Oxide		36	13,300	25
10892	5 x 5/8-11	A-PRIME	Aluminum Oxide		36	12,200	25
11110 NEW	5 x 5/8-11	A-PRIME	Aluminum Oxide		60	12,200	25
10893	7 x 5/8-11	A-PRIME	Aluminum Oxide		36	8,600	25

A-SOLID Aluminum Oxide Resin Fibre Discs

- **A-SOLID** Blue fired Aluminum oxide grain electrostatically coated to a medium duty vulcanized fibre backing. The high performance grain provides sharp cutting points with long life, high stock removal and cooler cutting.



10918



UPC #	Size	Brand	Grain	Grit	Max RPM	Retail QTY	Master QTY
10912	4-1/2 x 7/8	A-SOLID	Aluminum Oxide	24	13,300	25	250
10913	4-1/2 x 7/8	A-SOLID	Aluminum Oxide	36	13,300	25	250
10914	4-1/2 x 7/8	A-SOLID	Aluminum Oxide	50	13,300	25	250
10915	4-1/2 x 7/8	A-SOLID	Aluminum Oxide	60	13,300	25	250
10916	4-1/2 x 7/8	A-SOLID	Aluminum Oxide	80	13,300	25	250
10917	5 x 7/8	A-SOLID	Aluminum Oxide	24	12,200	25	250
10918	5 x 7/8	A-SOLID	Aluminum Oxide	36	12,200	25	250
10919	5 x 7/8	A-SOLID	Aluminum Oxide	50	12,200	25	250
10920	5 x 7/8	A-SOLID	Aluminum Oxide	60	12,200	25	250
10921	5 x 7/8	A-SOLID	Aluminum Oxide	80	12,200	25	250
10922	7 x 7/8	A-SOLID	Aluminum Oxide	16	8,600	25	250
10923	7 x 7/8	A-SOLID	Aluminum Oxide	24	8,600	25	250
10924	7 x 7/8	A-SOLID	Aluminum Oxide	36	8,600	25	250
10925	7 x 7/8	A-SOLID	Aluminum Oxide	50	8,600	25	250
10926	7 x 7/8	A-SOLID	Aluminum Oxide	60	8,600	25	250
10927	7 x 7/8	A-SOLID	Aluminum Oxide	80	8,600	25	250

Z-SOLID Zirconia Resin Fibre Discs

- **Z-SOLID** has high concentration of Zirconia grain as well as heat treated Aluminum Oxide grain. Z-SOLID grain will achieve twice the cutting action of other premium AO discs.
- Zirconia grain is sharper and the grain breaks down over a longer period of time and thus far superior results can be achieved compared to AO grains.
- Z-SOLID provides high metal removal and is excellent on stainless steel, Inconel, titanium and tool steel.



10929



UPC #	Size	Brand	Grain	Grit	Max RPM	Retail QTY	Master QTY
10928	4-1/2 x 7/8	Z-SOLID	Zirconia	24	13,300	25	250
10929	4-1/2 x 7/8	Z-SOLID	Zirconia	36	13,300	25	250
10930	4-1/2 x 7/8	Z-SOLID	Zirconia	50	13,300	25	250
10931	4-1/2 x 7/8	Z-SOLID	Zirconia	60	13,300	25	250
10932	4-1/2 x 7/8	Z-SOLID	Zirconia	80	13,300	25	250
10933	5 x 7/8	Z-SOLID	Zirconia	24	12,200	25	250
10934	5 x 7/8	Z-SOLID	Zirconia	36	12,200	25	250
10935	5 x 7/8	Z-SOLID	Zirconia	50	12,200	25	250
10936	5 x 7/8	Z-SOLID	Zirconia	60	12,200	25	250
10937	5 x 7/8	Z-SOLID	Zirconia	80	12,200	25	250
10938	7 x 7/8	Z-SOLID	Zirconia	24	8,600	25	250
10939	7 x 7/8	Z-SOLID	Zirconia	36	8,600	25	250





RUBBER & PLASTIC BACK-UP PADS, ACCESSORIES



- USA Made Rubber back-up pads contain spiral ribs to provide contact points and form channels for airflow, extending disc life up to 50%.
- Enhanced mechanical and chemical bond between rubber and metal provides increased airflow and higher RPM ratings.
- Flexible Rubber pads are recommended for contours and Rigid pads will last longer on aggressive grinding applications.



11202



11208



11212



11216

UPC	Size	Description	Arbor Hole	Spec	Type	Carton
-----	------	-------------	------------	------	------	--------

Spiral Pattern – Air-Cooled Rubber Back-up Pads, Threaded Arbor

11201	4 x 5/8-11	Back-Up Pad w/o Nut	5/8" Threaded	Rubber	Medium	1
11202	4-1/2 x 5/8-11	Back-Up Pad w/o Nut	5/8-11" Threaded	Rubber	Medium	1
11203	5 x 5/8-11	Back-Up Pad w/o Nut	5/8-11" Threaded	Rubber	Medium	1
11204	7 x 5/8-11	Back-Up Pad w/o Nut	5/8-11" Threaded	Rubber	Medium	1
11205	9 x 5/8-11	Back-Up Pad w/o Nut	5/8-11" Threaded	Rubber	Medium	1
11206	7 x 5/8-11	Back-Up Pad w/o Nut	5/8-11" Threaded	Rubber	Flexible	1
11207	7 x 5/8-11	Back-Up Pad w/o Nut	5/8-11" Threaded	Rubber	Rigid	1
11208	4-1/2 x 7/8	Back-Up Pad w/o Nut	7/8" Smooth Bore	Rubber	Medium Smooth Bore	1

Smooth Face Pattern – Air-Cooled Rubber Back-up Pads, Threaded Arbor

11209	4-1/2 x 5/8-11	Back-Up Pad w/o Nut	5/8-11" Threaded	Rubber	Medium	1
11210	7 x 5/8-11	Back-Up Pad w/o Nut	5/8-11" Threaded	Rubber	Medium	1

Smooth Face Pattern – Air-Cooled Rubber Back-up Pads for Low Profile Grinders

11211	4-1/2	Quick Change Pad Set	5/8-11" Threaded	Rubber	Medium	1
-------	-------	----------------------	------------------	--------	--------	---

Polypropylene with Spiral Face & Smooth Bore Back-up Pads

11212	4-1/2	Polymer Backing Plate w/o Nut	7/8" Smooth Bore	Polypropylene	Medium	1
11213	5	Polymer Backing Plate w/o Nut	7/8" Smooth Bore	Polypropylene	Medium	1
11214	7	Polymer Backing Plate w/o Nut	7/8" Smooth Bore	Polypropylene	Medium	1

Polypropylene with Smooth Face and Smooth Bore Back-up Pads

11215	4	Polymer Backing Plate w/o Nut	7/8" Smooth Bore	Polypropylene	Medium	1
11216	4-1/2	Polymer Backing Plate w/o Nut	7/8" Smooth Bore	Polypropylene	Medium	1
11217	5	Polymer Backing Plate w/o Nut	7/8" Smooth Bore	Polypropylene	Medium	1
11218	7	Polymer Backing Plate w/o Nut	7/8" Smooth Bore	Polypropylene	Medium	1
11219	9	Polymer Backing Plate w/o Nut	7/8" Smooth Bore	Polypropylene	Medium	1

Accessories



11220



11222



11223

UPC	Description	Use With	Carton
11220	5/8-11 Lock Pad Nut; 1-1/2" Flange w/span holes	4 1/2-9" grinders	1
11221	5/8-11 Lock Pad Nut; 2" Flange w/span holes	7-9" grinders	1
11222	3/8-24 Lock Pad Nut; 1-1/2" Flange w/ span holes	4" grinders	1
11223	Adjustable Spanner Wrench		1

Rubber Holder Pads for 1-1/2 - 4" Flap Discs & Quick Change Discs

- Medium grade reinforced rubber pad holder.
- One piece in plastic bag with label.

Rubber Holder Pads for 2 - 3" **KORNER** Flap Discs, Roll On

Roll On – External Thread



Roll-On



UPC#	Size	Type	Works with	Retail QTY	Catalog Page#
10264	1-1/2" Diameter x 1/4"	Roll On	10232, 10233, 10234, 10235, 10236	1	19
10265	2" Diameter x 1/4"	Roll On	10237, 10238, 10239, 10240, 10241	1	19



10264



10265

Rubber Holder Pads for 2 - 3" **Standard** Flap Discs, Turn-on

UPC#	Size	Type	Spec	Retail QTY	Catalog Page#
11414	2 Diameter x 1/4"	Turn-On	Medium	1	21
11415	3 Diameter x 1/4"	Turn-On	Medium	1	21



Turn-On

Rubber Holder Pads for 2 - 3" Roll On Flap Discs and 1-1/2 - 4" Quick Change Discs

- USA Made Medium Grade rubber pad holder.
- Each pad is in a plastic bag with label.



UPC#	Size	Type	Spec	Retail QTY	Catalog Page#
------	------	------	------	------------	---------------

Roll On



Roll-On

11224	1 Diameter x 1/4"	Roll On	Medium	1	
11225	1-1/2 Diameter x 1/4"	Roll On	Medium	1	
11226	2 Diameter x 1/4"	Roll On	Medium	1	20, 21, 28, 30, 31, 40
11227	3 Diameter x 1/4"	Roll On	Medium	1	20, 21, 28, 30, 31, 40
11228	4 Diameter x 1/4"	Roll On	Medium	1	28

Turn-On



Turn-On

11229	1 Diameter x 1/4"	Turn on	Medium	1	
11230	1-1/2 Diameter x 1/4"	Turn on	Medium	1	
11231	2 Diameter x 1/4" with M6 Thread	Turn on	Medium	1	29, 32, 33
11233	3 Diameter x 1/4"	Turn on	Medium	1	29, 32, 33



11226



11231



11233



QUICK CHANGE DISCS

2 - 4" Quick Change Discs - Surface Conditioning Roll On, A-PRIME and S/C-PRIME

- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.
- Blending and rust / burr removal.



Roll-On

Type R



11300

ALUMINUM OXIDE

SILICON CARBIDE



Size	UPC #	Size	Brand	Grain	Style	Density	Grit	Max RPM	Rubber Holder Pad*	Retail QTY
2"	11300	2 R/O	A-PRIME	Aluminum Oxide	Roll On	Coarse	60	25,000	11226	50
	11301	2 R/O	A-PRIME	Aluminum Oxide	Roll On	Medium	80-120	25,000	11226	50
	11302	2 R/O	A-PRIME	Aluminum Oxide	Roll On	Very Fine	180-240	25,000	11226	50
	11303	2 R/O	S/C-PRIME	Silicon Carbide	Roll On	Ultra Fine	240-320	25,000	11226	50
3"	11304	3 R/O	A-PRIME	Aluminum Oxide	Roll On	Coarse	60	20,000	11227	25
	11305	3 R/O	A-PRIME	Aluminum Oxide	Roll On	Medium	80-120	20,000	11227	25
	11306	3 R/O	A-PRIME	Aluminum Oxide	Roll On	Very Fine	180-240	20,000	11227	25
	11307	3 R/O	S/C-PRIME	Silicon Carbide	Roll On	Ultra Fine	240-320	20,000	11227	25
4"	11308	4 R/O	A-PRIME	Aluminum Oxide	Roll On	Coarse	60	12,000	11228	25
	11309	4 R/O	A-PRIME	Aluminum Oxide	Roll On	Medium	80-120	12,000	11228	25
	11310	4 R/O	A-PRIME	Aluminum Oxide	Roll On	Very Fine	180-240	12,000	11228	25

* See page 27 for Holder Pads

2 - 3" Quick Change Discs - Surface Conditioning, Roll On, C-PRIME

- C-PRIME Surface conditioning discs consists of aggressive ceramic grain which performs well on steel, stainless steel, ferrous and non-ferrous metals.
- C-PRIME provides a revolutionary breakthrough of 2-4X faster stock removal and 2X longer work life.
- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.



11319



11317



Roll-On

Type R

Size	UPC #	Size	Brand	Grain	Style	Density	Grit	Max RPM	Rubber Holder Pad*	Retail QTY
2"	11317	2 R/O	C-PRIME	Ceramic	Roll On	Coarse	50-60	25,000	11226	50
	11318	2 R/O	C-PRIME	Ceramic	Roll On	Medium	60-100	25,000	11226	50
3"	11319	3 R/O	C-PRIME	Ceramic	Roll On	Coarse	50-60	20,000	11227	25
	11320	3 R/O	C-PRIME	Ceramic	Roll On	Medium	60-100	20,000	11227	25

* See page 27 for Holder Pads

2 - 3" Quick Change Discs - Turn On Non Woven, Aluminum Oxide, A-PRIME

- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.
- Blending and rust / burr removal.



11311

Size	UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Rubber Holder Pad*	Retail QTY
2"	11311	2 T/O	A-PRIME	Aluminum Oxide	Turn On	Coarse	25,000	Type S	11231	50
	11312	2 T/O	A-PRIME	Aluminum Oxide	Turn On	Medium	25,000	Type S	11231	50
	11313	2 T/O	A-PRIME	Aluminum Oxide	Turn On	Very Fine	25,000	Type S	11231	50
3"	11314	3 T/O	A-PRIME	Aluminum Oxide	Turn On	Coarse	20,000	Type S	11233	25
	11315	3 T/O	A-PRIME	Aluminum Oxide	Turn On	Medium	20,000	Type S	11233	25
	11316	3 T/O	A-PRIME	Aluminum Oxide	Turn On	Very Fine	20,000	Type S	11233	25

* See page 27 for Holder Pads

weldcote



Weldcote Catalog

available and can be viewed online:

weldcotemetals.com



Contact Weldcote about our sample program


Metals, Abrasives, Tools & Safety



www.weldcote.com

2 - 3" Quick Change Discs, Coated Roll On - Ceramic, C-PRIME PLUS

- C-PRIME PLUS offers improvement in abrasive grain manufacturing technology that results in a much finer crystalized structure. The unique mineral structure provides QUICK CHANGE DISCS with longer life and more aggressive grains in addition to improved self-sharpening features compared to traditional ceramic products.
- New Ceramic grain improvements include a higher metal removal rate at faster cutting speeds with a low grinding temperature and less friction.
- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.



11329

NEW MATERIAL



Roll-On

Size	UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Rubber Holder Pad*	Retail QTY
2"	11321	2 R/O	C-PRIME PLUS	Ceramic	Roll On	24	25,000	Type R	11226	50
	11322	2 R/O	C-PRIME PLUS	Ceramic	Roll On	36	25,000	Type R	11226	50
	11323	2 R/O	C-PRIME PLUS	Ceramic	Roll On	50	25,000	Type R	11226	50
	11324	2 R/O	C-PRIME PLUS	Ceramic	Roll On	60	25,000	Type R	11226	50
	11325	2 R/O	C-PRIME PLUS	Ceramic	Roll On	80	25,000	Type R	11226	50
	11326	2 R/O	C-PRIME PLUS	Ceramic	Roll On	100	25,000	Type R	11226	50
	11327	2 R/O	C-PRIME PLUS	Ceramic	Roll On	120	25,000	Type R	11226	50
3"	11328	3 R/O	C-PRIME PLUS	Ceramic	Roll On	24	20,000	Type R	11227	25
	11329	3 R/O	C-PRIME PLUS	Ceramic	Roll On	36	20,000	Type R	11227	25
	11330	3 R/O	C-PRIME PLUS	Ceramic	Roll On	50	20,000	Type R	11227	25
	11331	3 R/O	C-PRIME PLUS	Ceramic	Roll On	60	20,000	Type R	11227	25
	11332	3 R/O	C-PRIME PLUS	Ceramic	Roll On	80	20,000	Type R	11227	25
	11333	3 R/O	C-PRIME PLUS	Ceramic	Roll On	120	20,000	Type R	11227	25



* See page 27 for Holder Pads

2 - 3" Quick Change Discs, Coated Roll On, ZAG-PRIME

- ZAG-PRIME provides Zirconia grain with heavy duty top sized grinding aid will cut fast and cool.
- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.



Roll-On




11342

Size	UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Rubber Holder Pad*	Retail QTY
2"	11334	2 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	24	25,000	Type R	11226	50
	11335	2 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	36	25,000	Type R	11226	50
	11336	2 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	50	25,000	Type R	11226	50
	11337	2 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	60	25,000	Type R	11226	50
	11338	2 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	80	25,000	Type R	11226	50
	11339	2 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	120	25,000	Type R	11226	50
3"	11340	3 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	36	20,000	Type R	11227	25
	11341	3 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	50	20,000	Type R	11227	25
	11342	3 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	60	20,000	Type R	11227	25
	11343	3 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	80	20,000	Type R	11227	25
	11344	3 R/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Roll On	120	20,000	Type R	11227	25

* See page 27 for Holder Pads

2 - 3" Quick Change Discs, Coated Roll On - Zirconia, Z-PRIME

- Z-PRIME provides high quality ZA grain for faster cutting and extended life.
- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.



11346

Size	UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Rubber Holder Pad*	Retail QTY
2"	11345	2 R/O	Z-PRIME	Zirconia	Roll On	24	25,000	Type R	11226	50
	11346	2 R/O	Z-PRIME	Zirconia	Roll On	36	25,000	Type R	11226	50
	11347	2 R/O	Z-PRIME	Zirconia	Roll On	50	25,000	Type R	11226	50
	11348	2 R/O	Z-PRIME	Zirconia	Roll On	60	25,000	Type R	11226	50
	11349	2 R/O	Z-PRIME	Zirconia	Roll On	80	25,000	Type R	11226	50
3"	11350	3 R/O	Z-PRIME	Zirconia	Roll On	24	20,000	Type R	11227	25
	11351	3 R/O	Z-PRIME	Zirconia	Roll On	36	20,000	Type R	11227	25
	11352	3 R/O	Z-PRIME	Zirconia	Roll On	50	20,000	Type R	11227	25
	11353	3 R/O	Z-PRIME	Zirconia	Roll On	60	20,000	Type R	11227	25
	11354	3 R/O	Z-PRIME	Zirconia	Roll On	80	20,000	Type R	11227	25

* See page 27 for Holder Pads

2 - 3" Quick Change Discs, Coated Roll On - Aluminum Oxide, A-PRIME

- A-PRIME for economical grinding applications.
- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.



11356


Size	UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Rubber Holder Pad*	Retail QTY
2"	11355	2 R/O	A-PRIME	Aluminum Oxide	Roll On	24	25,000	Type R	11226	50
	11356	2 R/O	A-PRIME	Aluminum Oxide	Roll On	36	25,000	Type R	11226	50
	11357	2 R/O	A-PRIME	Aluminum Oxide	Roll On	40	25,000	Type R	11226	50
	11358	2 R/O	A-PRIME	Aluminum Oxide	Roll On	50	25,000	Type R	11226	50
	11359	2 R/O	A-PRIME	Aluminum Oxide	Roll On	60	25,000	Type R	11226	50
	11360	2 R/O	A-PRIME	Aluminum Oxide	Roll On	80	25,000	Type R	11226	50
	11361	2 R/O	A-PRIME	Aluminum Oxide	Roll On	100	25,000	Type R	11226	50
	11362	2 R/O	A-PRIME	Aluminum Oxide	Roll On	120	25,000	Type R	11226	50
3"	11363	2 R/O	A-PRIME	Aluminum Oxide	Roll On	240	25,000	Type R	11226	50
	11364	3 R/O	A-PRIME	Aluminum Oxide	Roll On	24	20,000	Type R	11227	25
	11365	3 R/O	A-PRIME	Aluminum Oxide	Roll On	36	20,000	Type R	11227	25
	11366	3 R/O	A-PRIME	Aluminum Oxide	Roll On	50	20,000	Type R	11227	25
	11367	3 R/O	A-PRIME	Aluminum Oxide	Roll On	60	20,000	Type R	11227	25
	11368	3 R/O	A-PRIME	Aluminum Oxide	Roll On	80	20,000	Type R	11227	25
	11369	3 R/O	A-PRIME	Aluminum Oxide	Roll On	100	20,000	Type R	11227	25
	11370	3 R/O	A-PRIME	Aluminum Oxide	Roll On	120	20,000	Type R	11227	25

* See page 27 for Holder Pads



2 - 3" Quick Change Discs, Coated Turn On - Ceramic, C-PRIME PLUS

- **C-PRIME PLUS** offers improvement in abrasive grain manufacturing technology that results in a much finer crystalized structure. The unique mineral structure provides QUICK CHANGE DISCS with longer life and more aggressive grains in addition to improved self-sharpening features compared to traditional ceramic products.
- New Ceramic grain improvements include a higher metal removal rate at faster cutting speeds with a low grinding temperature and less friction.
- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.



11377

NEW MATERIAL




Size	UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Rubber Holder Pad*	Retail QTY
2"	11371	2 T/O	C-PRIME PLUS	Ceramic	Turn On	36	25,000	Type S	11231	50
	11372	2 T/O	C-PRIME PLUS	Ceramic	Turn On	40	25,000	Type S	11231	50
	11373	2 T/O	C-PRIME PLUS	Ceramic	Turn On	50	25,000	Type S	11231	50
	11374	2 T/O	C-PRIME PLUS	Ceramic	Turn On	60	25,000	Type S	11231	50
	11375	2 T/O	C-PRIME PLUS	Ceramic	Turn On	80	25,000	Type S	11231	50
	11376	2 T/O	C-PRIME PLUS	Ceramic	Turn On	120	25,000	Type S	11231	50
3"	11377	3 T/O	C-PRIME PLUS	Ceramic	Turn On	36	20,000	Type S	11233	25
	10076	3 T/O	C-PRIME PLUS NEW	Ceramic	Turn On	50	20,000	Type S	11233	25
	11378	3 T/O	C-PRIME PLUS	Ceramic	Turn On	60	20,000	Type S	11233	25
	11379	3 T/O	C-PRIME PLUS	Ceramic	Turn On	80	20,000	Type S	11233	25

* See page 27 for Holder Pads

2 - 3" Quick Change Discs, Coated Turn On - Zirconia w/ Grinding Aid

- **ZAG-PRIME** provides Zirconia grain with heavy duty top sized grinding aid will cut fast and cool.
- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.



11380




Size	UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Rubber Holder Pad*	Retail QTY
2"	11380	2 T/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Turn On	36	25,000	Type S	11231	50
	11381	2 T/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Turn On	60	25,000	Type S	11231	50
3"	11382	3 T/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Turn On	36	20,000	Type S	11233	25
	11383	3 T/O	ZAG-PRIME	Zirconia w/ Grinding Aid	Turn On	60	20,000	Type S	11233	25

* See page 27 for Holder Pads

2 - 3" Quick Change Discs, Coated Turn On - Zirconia, Z-PRIME

- **Z-PRIME** provides high quality ZA grain for faster cutting and extended life.
- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.




11388

Size	UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Rubber Holder Pad*	Retail QTY
2"	11384	2 T/O	Z-PRIME	Zirconia	Turn On	36	25,000	Type S	11231	50
	11385	2 T/O	Z-PRIME	Zirconia	Turn On	50	25,000	Type S	11231	50
	11386	2 T/O	Z-PRIME	Zirconia	Turn On	60	25,000	Type S	11231	50
	11387	2 T/O	Z-PRIME	Zirconia	Turn On	80	25,000	Type S	11231	50
3"	11388	3 T/O	Z-PRIME	Zirconia	Turn On	36	20,000	Type S	11233	25
	11389	3 T/O	Z-PRIME	Zirconia	Turn On	60	20,000	Type S	11233	25
	11390	3 T/O	Z-PRIME	Zirconia	Turn On	80	20,000	Type S	11233	25

* See page 27 for Holder Pads

2 - 3" Quick Change Discs, Coated Turn On - Aluminum Oxide, A-PRIME

- **A-PRIME** for economical grinding applications.
- Products designed in the USA, laminated in the USA, die cut and spin weld in the USA.



11399

Size	UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Type	Rubber Holder Pad*	Retail QTY
2"	11391	2 T/O	A-PRIME	Aluminum Oxide	Turn On	36	25,000	Type S	11231	50
	11392	2 T/O	A-PRIME	Aluminum Oxide	Turn On	40	25,000	Type S	11231	50
	11393	2 T/O	A-PRIME	Aluminum Oxide	Turn On	50	25,000	Type S	11231	50
	11394	2 T/O	A-PRIME	Aluminum Oxide	Turn On	60	25,000	Type S	11231	50
	11395	2 T/O	A-PRIME	Aluminum Oxide	Turn On	80	25,000	Type S	11231	50
	11396	2 T/O	A-PRIME	Aluminum Oxide	Turn On	100	25,000	Type S	11231	50
	11397	2 T/O	A-PRIME	Aluminum Oxide	Turn On	120	25,000	Type S	11231	50
3"	11398	3 T/O	A-PRIME	Aluminum Oxide	Turn On	36	20,000	Type S	11233	25
	11399	3 T/O	A-PRIME	Aluminum Oxide	Turn On	60	20,000	Type S	11233	25
	11400	3 T/O	A-PRIME	Aluminum Oxide	Turn On	80	20,000	Type S	11233	25

* See page 27 for Holder Pads





FLAP WHEELS

Long Life Aluminum Oxide Flap Wheels, 1/4" Shank, A-PRIME

TOP SELLING MATERIAL

- A-PRIME is a NEW exclusive material on the marketplace. Breakthrough design offers aggressive cut rate combined with long life.
- A-PRIME Long-life flap wheels provide excellent product to work in small, difficult to reach places.
- The product is packed in a 10-piece box and a master shrink wrap of 50.


ALUMINUM OXIDE

CF ≤ 0.1%
Contaminant Free
of Iron, Sulfur
& Chlorine



10-Pack



10949



10966

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Retail QTY	Master QTY
10940	3/4 x 3/4 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	38,000	10	50
10941	3/4 x 3/4 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	38,000	10	50
10942	3/4 x 3/4 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	38,000	10	50
10943	3/4 x 3/4 x 1/4	A-PRIME	Aluminum Oxide	Long Life	180	38,000	10	50
10944	3/4 x 3/4 x 1/4	A-PRIME	Aluminum Oxide	Long Life	240	38,000	10	50
10945	1 x 5/8 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	30,000	10	50
10946	1 x 5/8 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	30,000	10	50
10947	1 x 5/8 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	30,000	10	50
10948	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	40	30,000	10	50
10949	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	30,000	10	50
10950	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	30,000	10	50
10951	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	30,000	10	50
10952	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	180	30,000	10	50
10953	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	240	30,000	10	50
10954	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	320	30,000	10	50
10955	1-1/2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	25,000	10	50
10956	1-1/2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	25,000	10	50
10957	1-1/2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	25,000	10	50
10958	1-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	40	25,000	10	50
10959	1-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	25,000	10	50
10960	1-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	25,000	10	50
10961	1-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	25,000	10	50
10962	2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	40	25,000	10	50
10963	2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	25,000	10	50
10964	2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	25,000	10	50
10965	2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	25,000	10	50
10966	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	40	25,000	10	50

Long Life Aluminum Oxide Flap Wheels, 1/4" Shank, A-PRIME

TOP SELLING MATERIAL

Continued



10991

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Retail QTY	Master QTY
10967	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	25,000	10	50
10968	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	25,000	10	50
10969	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	25,000	10	50
10970	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	180	25,000	10	50
10971	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	240	25,000	10	50
10972	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	320	25,000	10	50
10973	2 x 1-1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	40	25,000	10	50
10974	2 x 1-1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	25,000	10	50
10975	2 x 1-1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	25,000	10	50
10976	2 x 1-1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	25,000	10	50
10977	2 x 2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	25,000	10	50
10978	2 x 2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	25,000	10	50
10979	2-1/2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	20,000	10	50
10980	2-1/2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	20,000	10	50
10981	2-1/2 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	20,000	10	50
10982	2-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	20,000	10	50
10983	2-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	20,000	10	50
10984	2-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	20,000	10	50
10985	2-1/2 x 1 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	20,000	10	50
10986	2-1/2 x 1 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	20,000	10	50
10987	3 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	20,000	10	50
10988	3 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	20,000	10	50
10989	3 x 1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	20,000	10	50
10990	3 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	40	20,000	10	50
10991	3 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	20,000	10	50
10992	3 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	20,000	10	50
10993	3 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	20,000	10	50
10994	3 x 1 x 1/4	A-PRIME	Aluminum Oxide	Long Life	180	20,000	10	50
10995	3 x 1-1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	20,000	10	50
10996	3 x 1-1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	20,000	10	50
10997	3 x 1-1/2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	20,000	10	50
10998	3 x 2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	40	12,000	10	50
10999	3 x 2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	60	12,000	10	50
11000	3 x 2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	80	12,000	10	50
11001	3 x 2 x 1/4	A-PRIME	Aluminum Oxide	Long Life	120	12,000	10	50



Long Life Aluminum Oxide Flap Wheels, 1/4 - 20" Shank, A-PRIME


ALUMINUM OXIDE

CF ≤ 0.1%
Contaminant Free
of Iron, Sulfur
& Chlorine



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Retail QTY	Master QTY
11002	1 x 5/8 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	60	30,000	10	50
11003	1 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	40	30,000	10	50
11004	1 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	60	30,000	10	50
11005	1 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	80	30,000	10	50
11006	1 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	120	30,000	10	50
11007	1-1/2 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	40	25,000	10	50
11008	1-1/2 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	60	25,000	10	50
11009	1-1/2 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	80	25,000	10	50
11010	1-1/2 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	120	25,000	10	50
11011	2 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	40	25,000	10	50
11012	2 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	60	25,000	10	50
11013	2 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	80	25,000	10	50
11014	2 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	120	25,000	10	50
11015	3 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	40	20,000	10	50
11016	3 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	60	20,000	10	50
11017	3 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	80	20,000	10	50
11018	3 x 1 x 1/4-20	A-PRIME	Aluminum Oxide	Long Life	120	20,000	10	50

Premium Cut Mini Aluminum Oxide Flap Wheels, 1/8" Shank, A-PRIME

- A-PRIME Premium Cut is the top selling flap wheel material in the world. It's a flexible X-weight material with a premium initial cut rate.
- Use on stainless steel, steel, alloyed steel, non-ferrous metals, aluminum, titanium and glass.


ALUMINUM OXIDE

CF ≤ 0.1%
Contaminant Free
of Iron, Sulfur
& Chlorine



10193



10182

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Retail QTY	Master QTY
10181	3/8 x 3/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	60	38,000	10	500
10182	3/8 x 3/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	80	38,000	10	500
10183	3/8 x 3/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	120	38,000	10	500
10184	3/8 x 3/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	180	38,000	10	500
10185	5/8 x 5/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	60	30,000	10	500
10186	5/8 x 5/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	80	30,000	10	500
10187	5/8 x 5/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	120	30,000	10	500
10188	5/8 x 5/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	180	30,000	10	500
10189	5/8 x 5/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	240	30,000	10	500
10190	5/8 x 5/8 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	320	30,000	10	500
10191	3/4 x 3/16 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	60	38,000	10	500
10192	3/4 x 3/16 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	80	38,000	10	500
10193	3/4 x 3/4 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	60	38,000	10	500
10194	3/4 x 3/4 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	80	38,000	10	500
10195	3/4 x 3/4 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	120	38,000	10	500
10196	3/4 x 3/4 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	180	38,000	10	500
10197	3/4 x 3/4 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	240	38,000	10	500
10198	1-3/16 x 3/16 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	60	38,000	10	500
10199	1-3/16 x 3/16 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	80	38,000	10	500
10200	1-3/16 x 3/16 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	120	38,000	10	500
10201	1-3/16 x 3/16 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	80	38,000	10	500
10202	1-3/16 x 3/16 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	120	38,000	10	500
10203	1-3/16 x 3/16 x 1/8	A-PRIME	Aluminum Oxide	Premium Cut	180	38,000	10	500

Premium Cut Flap Wheels, Aluminum Oxide, 1/4" Shank, A-PRIME

- A-PRIME Premium Cut is the top selling flap wheel material in the world. It's a flexible X-weight material with a premium initial cut rate.
- Flexible flaps that excel on working on hard to reach areas. Superb for finish-sanding of small wood or metal contoured parts, in or around radii or into holes.
- Use on stainless steel, steel, alloyed steel, non-ferrous metals, aluminum, titanium and glass.



UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Retail QTY	Master QTY
10158	5/8 x 5/8 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	60	30,000	10	500
10159	5/8 x 5/8 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	80	30,000	10	500
10160	3/4 x 3/4 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	60	38,000	10	500
10161	3/4 x 3/4 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	80	38,000	10	500
10162	3/4 x 3/4 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	120	38,000	10	500
10163	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	40	30,000	10	500
10164	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	60	30,000	10	500
10165	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	80	30,000	10	500
10166	1 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	120	30,000	10	500
10167	1-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	40	25,000	10	500
10168	1-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	60	25,000	10	500
10169	1-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	80	25,000	10	500
10170	1-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	120	25,000	10	500
10171	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	40	25,000	10	500
10172	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	60	25,000	10	500
10173	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	80	25,000	10	500
10174	2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	120	25,000	10	500
10175	2-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	60	20,000	10	500
10176	2-1/2 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	80	20,000	10	500
10177	3 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	40	20,000	10	500
10178	3 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	60	20,000	10	500
10179	3 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	80	20,000	10	500
10180	3 x 1 x 1/4	A-PRIME	Aluminum Oxide	Premium Cut	120	20,000	10	500

Premium Cut Unmounted Aluminum Oxide Flap Wheels, A-PRIME

- A-PRIME Premium cut flap wheels is the top selling flap wheel material in the world. It's a flexible X-weight material with a premium initial cut rate.
- Recommended for cleaning, blending, deburring and finishing.



10205



10215

UPC #	Size	Brand	Grain	Style	Grit	Max RPM	Retail QTY	Master QTY
10204	4 x 1 x 5/8	A-PRIME	Aluminum Oxide	Unmounted	60	8,000	10	100
10205	6 x 1 x 1	A-PRIME	Aluminum Oxide	Unmounted	40	5,000	5	100
10206	6 x 1 x 1	A-PRIME	Aluminum Oxide	Unmounted	60	5,000	5	100
10207	6 x 1 x 1	A-PRIME	Aluminum Oxide	Unmounted	80	5,000	5	100
10208	6 x 1 x 1	A-PRIME	Aluminum Oxide	Unmounted	120	5,000	5	100
10209	6 x 1 x 1	A-PRIME	Aluminum Oxide	Unmounted	180	5,000	5	100
10210	6 x 1-1/2 x 1	A-PRIME	Aluminum Oxide	Unmounted	40	5,000	5	40
10211	6 x 2 x 1	A-PRIME	Aluminum Oxide	Unmounted	40	5,000	2	40
10212	6 x 2 x 1	A-PRIME	Aluminum Oxide	Unmounted	60	5,000	2	40
10213	6 x 2 x 1	A-PRIME	Aluminum Oxide	Unmounted	80	5,000	2	40
10214	6 x 2 x 1	A-PRIME	Aluminum Oxide	Unmounted	120	5,000	2	40
10215	8 x 1 x 1	A-PRIME	Aluminum Oxide	Unmounted	60	4,000	2	60
10216	8 x 1 x 1	A-PRIME	Aluminum Oxide	Unmounted	80	4,000	2	60
10217	8 x 2 x 1	A-PRIME	Aluminum Oxide	Unmounted	80	4,000	3	NA

Shop Rolls, Aluminum Oxide, A-PRIME

- High quality J Wt. flexible backing for advanced quality finishing and longer working life.
- High quality friable grains will succeed during bending tests.



UPC #	Size	Brand	Grain	Grit	Retail QTY	Master QTY
11019	1 x 50	A-PRIME	Aluminum Oxide	60	1	5
11020	1 x 50	A-PRIME	Aluminum Oxide	80	1	5
11021	1 x 50	A-PRIME	Aluminum Oxide	100	1	5
11022	1 x 50	A-PRIME	Aluminum Oxide	120	1	5
11023	1 x 50	A-PRIME	Aluminum Oxide	180	1	5
11024	1 x 50	A-PRIME	Aluminum Oxide	220	1	5
11025	1 x 50	A-PRIME	Aluminum Oxide	240	1	5
11026	1 x 50	A-PRIME	Aluminum Oxide	320	1	5
11027	1-1/2 x 50	A-PRIME	Aluminum Oxide	60	1	5
11028	1-1/2 x 50	A-PRIME	Aluminum Oxide	80	1	5
11029	1-1/2 x 50	A-PRIME	Aluminum Oxide	100	1	5
11030	1-1/2 x 50	A-PRIME	Aluminum Oxide	120	1	5
11031	1-1/2 x 50	A-PRIME	Aluminum Oxide	150	1	5
11032	1-1/2 x 50	A-PRIME	Aluminum Oxide	180	1	5
11033	1-1/2 x 50	A-PRIME	Aluminum Oxide	220	1	5
11034	1-1/2 x 50	A-PRIME	Aluminum Oxide	240	1	5
11035	1-1/2 x 50	A-PRIME	Aluminum Oxide	320	1	5
11036	2 x 50	A-PRIME	Aluminum Oxide	60	1	5
11037	2 x 50	A-PRIME	Aluminum Oxide	80	1	5
11038	2 x 50	A-PRIME	Aluminum Oxide	100	1	5
11039	2 x 50	A-PRIME	Aluminum Oxide	120	1	5
11040	2 x 50	A-PRIME	Aluminum Oxide	150	1	5
11041	2 x 50	A-PRIME	Aluminum Oxide	180	1	5
11042	2 x 50	A-PRIME	Aluminum Oxide	220	1	5
11043	2 x 50	A-PRIME	Aluminum Oxide	240	1	5
11044	2 x 50	A-PRIME	Aluminum Oxide	320	1	5
11045	2 x 50	A-PRIME	Aluminum Oxide	400	1	5





SURFACE CONDITIONING

UNITIZED Right Angle Grinder Wheels

- Unitized discs are comprised of non woven material impregnated with resin and compressed for finishing on metals, Aluminum, Stainless Steel, titanium and composite materials.
- 2 / S / FINE: Silicon Carbide - Ideal on heat sensitive materials.
- 2 / A / MEDIUM: Aluminum Oxide - Ideal for deburring, finishing & polishing on all metals.
- 3 / S / FINE: Silicon Carbide - Ideal on all metal materials.
- 6 / A / MEDIUM: Aluminum Oxide - Ideal for deburring, finishing & polishing on all metals.



UNITIZED material on firm phenolic backing

UPC	Size	Brand	Specification	Type	Max RPM	Carton
-----	------	-------	---------------	------	---------	--------

UNITIZED Right Angle Grinder Wheels

Type 27



11147	4-1/2 x 7/8"	S-PRIME	2/S/FINE	T27	11,000	10
11148	4-1/2 x 7/8"	S-PRIME	3/S/FINE	T27	11,000	10
11149	4-1/2 x 7/8"	A-PRIME	6/A/MED	T27	11,000	10
11150	4-1/2 x 5/8-11"	S-PRIME	2/S/FINE	T27	11,000	10
11151	4-1/2 x 5/8-11"	S-PRIME	3/S/FINE	T27	11,000	10
11152	4-1/2 x 5/8-11"	A-PRIME	6/A/MED	T27	11,000	10
11153	5 x 7/8"	S-PRIME	2/S/FINE	T27	10,000	10
11154	5 x 7/8"	A-PRIME	6/A/MED	T27	10,000	10
11155	5 x 5/8-11"	S-PRIME	2/S/FINE	T27	10,000	10
11156	5 x 5/8-11"	A-PRIME	6/A/MED	T27	10,000	10


ALUMINUM OXIDE SILICON CARBIDE



UNITIZED Wheels – Quick Change, Roll-On

- Entire discs can be used. Ideal for hard to reach areas.
- Easily deburrs, cleans, blends and polishes. Provides long life.
- Applications: metal, plastics and composite materials

Ideal for hard to reach areas



UPC	Size	Brand	Specification	Type	Max RPM	Rubber Holder Pad*	Carton
-----	------	-------	---------------	------	---------	--------------------	--------

UNITIZED Wheels – Quick Change, Roll On



Roll-On

11157	2" R/O	S-PRIME	2/S/FINE	Roll On	22,100	11226	10
11158	2" R/O	A-PRIME	2/A/MED	Roll On	22,100	11226	10
11159	3" R/O	S-PRIME	2/S/FINE	Roll On	15,100	11227	10
11160	3" R/O	A-PRIME	2/A/MED	Roll On	15,100	11227	10
11161	3" R/O	S-PRIME	3/S/FINE	Roll On	15,100	11227	10

Rubber Holder Pads Required

* See page 27 for Holder Pads




Surface Conditioning Discs

- Excellent for stainless steel, blending and weld discoloration.
- Use on steel, aluminum, stainless and non-ferrous.
- Compact backing minimizes work piece scratches.

- Fine/AO (Maroon) wheels ideal for cleaning, blending and finishing stainless steel.
- Very Fine/SC (Gray) wheels for light finishes on metal, wood composites and satin finishing aluminum.

Type 27



11183



11182



11189

UPC	Size	Brand	Specification	Type	Max RPM	Carton
-----	------	-------	---------------	------	---------	--------

Surface Preparation Wheels – Aluminum Oxide

11181	4 x 5/8	A-PRIME	Maroon - Fine	T27	13,700	10
11182	4-1/2 x 7/8	A-PRIME	Maroon - Fine	T27	13,300	10
11183	4-1/2 x 5/8-11	A-PRIME	Maroon - Fine	T27	13,300	10
11184	7 x 7/8	A-PRIME	Maroon - Fine	T27	8,500	10
11185	7 x 5/8-11	A-PRIME	Maroon - Fine	T27	8,500	10



ALUMINUM OXIDE

Surface Preparation Wheels – Silicon Carbide

11186	4 x 5/8	C-PRIME	Gray - Very Fine	T27	13,700	10
11187	4-1/2 x 7/8	C-PRIME	Gray - Very Fine	T27	13,300	10
11188	4-1/2 x 5/8-11	C-PRIME	Gray - Very Fine	T27	13,300	10
11189	7 x 7/8	C-PRIME	Gray - Very Fine	T27	8,500	10
11190	7 x 5/8-11	C-PRIME	Gray - Very Fine	T27	8,500	10



SILICON CARBIDE

Surface Conditioning Discs, Roll On



ALUMINUM OXIDE



SILICON CARBIDE



11191



11194

UPC	Size	Brand	Specification	Type	Max RPM	Rubber Holder Pad*	Carton
-----	------	-------	---------------	------	---------	--------------------	--------

Surface Preparation Discs – Aluminum Oxide, Roll On

11191	2"	A-PRIME	Maroon - Medium	Roll On	25,000	11226	25
11192	3"	A-PRIME	Maroon - Medium	Roll On	20,000	11227	10

Surface Preparation Discs – Silicon Carbide, Roll On

11193	2"	C-PRIME	Gray - Super Fine	Roll On	25,000	11226	25
11194	3"	C-PRIME	Gray - Super Fine	Roll On	20,000	11227	10



Roll-On



* See page 27 for Holder Pads



STRIPIT Wheels Right Angle Grinders – Surface Conditioning

- Stripit wheels are excellent on stainless steel, aluminum, titanium, non-ferrous metals and fibre glass. Use Stripit wheels for cleaning welds, and fast removal of rust, scaling, oxidation, paints and sealants.
- Red Stripit is more rigid for faster working conditions.



11162



11166



11167

UPC	SIZE	Brand	Spec	Backing	Type	Max RPM	Carton
-----	------	-------	------	---------	------	---------	--------

RED STRIPIT Right Angle Grinders – Surface Conditioning

11162	4-1/2 x 7/8	S-PRIME	RED	Phenolic	T27	11,000	10
11163	4-1/2 x 5/8-11	S-PRIME	RED	Phenolic	T27	11,000	10
11164	5 x 7/8	S-PRIME	RED	Phenolic	T27	9,800	10
11165	5 x 5/8-11	S-PRIME	RED	Phenolic	T27	9,800	10
11166	7 x 7/8	S-PRIME	RED	Phenolic	T27	7,000	10
11167	7 x 5/8-11	S-PRIME	RED	Phenolic	T27	7,000	10

BLACK STRIPIT Right Angle Grinders – Surface Conditioning

11168	4-1/2 x 7/8	S-SOLID	BLACK	Phenolic	T27	11,000	10
11169	4-1/2 x 5/8-11	S-SOLID	BLACK	Phenolic	T27	11,000	10
11170	7 x 7/8	S-SOLID	BLACK	Phenolic	T27	7,000	10
11171	7 x 5/8-11	S-SOLID	BLACK	Phenolic	T27	7,000	10

SILICON CARBIDE

Type 27



STRIPIT Quick Change Discs – Surface Conditioning, Roll-On

- Excellent for cleaning welds and fast removal of rust, scaling, oxidation, paints and sealants.



11174



11173

UPC	SIZE	Brand	Spec	Backing	Type	Max RPM	Carton
-----	------	-------	------	---------	------	---------	--------

RED STRIPIT Quick Change Discs – Surface Conditioning, Roll On

11172	2 x 1/2	S-PRIME	RED	Phenolic	Roll On	10,500	10
11173	3 x 1/2	S-PRIME	RED	Phenolic	Roll On	7,000	10

BLACK STRIPIT Quick Change Discs – Surface Conditioning, Roll On

11174	2 x 1/2	S-SOLID	BLACK	Phenolic	Roll On	10,500	10
11175	3 x 1/2	S-SOLID	BLACK	Phenolic	Roll On	7,000	10

SILICON CARBIDE



Roll-On



Surface Conditioning Discs

- Non-woven fibre is impregnated with abrasive grain for fast material removal.
- Use with Back-up Pad on page 3.
- Use on steel, stainless steel, aluminum, titanium, alloys, fiberglass and plastic.



UPC	Size	Brand	Specification	Max RPM	Carton
-----	------	-------	---------------	---------	--------

Surface Conditioning Discs Hook and Loop **NEW**

11660	4-1/2 x 7/8	A-PRIME	Tan - Coarse	12,000	10
11661	4-1/2 x 7/8	A-PRIME	Maroon - Medium	12,000	10
11662	4-1/2 x 7/8	A-PRIME	Gray - Very Fine	12,000	10
11664	4-1/2 x 7/8	A-PRIME	Brown - Extra Coarse	12,000	10
11666	4-1/2 x 7/8	A-PRIME	Tan - Coarse	12,000	10
11667	5 x 7/8	A-PRIME	Maroon - Medium	10,000	10
11668	5 x 7/8	A-PRIME	Gray - Very Fine	10,000	10
11676	5 x 7/8	A-PRIME	Brown - Extra Coarse	10,000	10
11677	7 x 7/8	A-PRIME	Tan - Coarse	6,000	10
11678	7 x 7/8	A-PRIME	Maroon - Medium	6,000	10
11679	7 x 7/8	A-PRIME	Gray - Very Fine	6,000	10

Surface Conditioning Discs with Hole

11176	4-1/2 x 7/8	A-PRIME	Tan - Coarse	12,000	10
11177	4-1/2 x 7/8	A-PRIME	Maroon - Medium	12,000	10
11178	4-1/2 x 7/8	A-PRIME	Gray - Very Fine	12,000	10
11179	5 x 7/8	A-PRIME	Tan - Coarse	10,000	10
11180	5 x 7/8	A-PRIME	Maroon - Medium	10,000	10



11660




11176



Premium Non-Woven Industrial Hand Pads

- **Strong, yet flexible premium pad construction for surface preparation.**
- Maroon pads for rust removal, cleaning and surface preparation.
- Gray pads for fine finishing and surface preparation.
- Green pads for heavy duty cleaning.
- White pads are constructed from a non-abrasive material for light duty cleaning.
- Tan pads for rust removal and coarse finishes
- Black pads for aggressive use; heavy cleaning, deburring and finishing.



UPC	Size	Grain	Color	Specification	Carton	Master
-----	------	-------	-------	---------------	--------	--------

6" x 9" Premium Non-Woven Industrial Hand Pads


11195	6 x 9	Aluminum Oxide	Maroon	Medium	10	100
11196	6 x 9	Silicon Carbide	Gray	Fine	10	100
11197	6 x 9	Aluminum Oxide	Green	Heavy Duty	10	100
11198	6 x 9	Non Abrasive	White		10	100
11199	6 x 9	Aluminum Oxide	Tan	Coarse	10	100
11200	6 x 9	Black Silicon Carbide	Black	Heavy Duty	10	100





RESIN BONDED ABRASIVES


Right Angle Grinder SLITTER Cut-Off Wheels, A-PRIME PLUS & INOX-PRIME PLUS



NEW R & D / MANUFACTURING TECHNOLOGY

Granulation Process (Coating Method)


Mixing + „Coating“ of grains = Granulates



Even distribution of abrasive grains due to granulates = consistent performance throughout the life of the wheel

Standard Mixing Process

Mixing of grains, resins and fillers = Mixture (Powder)



Uneven distribution of abrasive grains within the powder = uneven performance

Granulation Process Technology

- Multi-step, more complex manufacturing process in comparison to the conventional process of grains – resins – fillers.
- Granulation – coat each abrasive grain with resins and fillers.
- Granulated particles have a defined size (too large and too small are eliminated by sieving). Achievement – very homogeneous distribution of the abrasive grain within the resin wheel.

Extended Life Performance Technology


- Resin bonded wheels from all manufacturer's are organic and the product quality drops over time. Our PRIME-PLUS wheels have a new formula that **delays the ageing process by approximately 6 months.**
- Unique patented chemical additive to enhance performance.
- In addition, these wheels offer a high performance.
- A-PRIME PLUS & INOX-PRIME PLUS wheels are developed for High Power machines.

High Power Machines

Size	AMPS	Watts
4-1/2"	8	1,000
5"	10	1,200
6"	12	1,400
7"	17	2,000

Right Angle Grinder Wheels, Cutting - SLITTER, A-PRIME PLUS

- **A-PRIME PLUS:** High-end German manufacturing technology.
- Low burr, reduced sparks.
- **Excellent for high power machines.**
Suitable for low power machines.
- 10713 made in Italy*.



10714




10719

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
10713	4-1/2 x .040 x 7/8	Z-PRIME PLUS	60-T-BF	Zirconia	Slitter	13,300	Type 1	50	
10714	4-1/2 x .045 x 7/8	A-PRIME PLUS	46-T-BF	Aluminum Oxide	Slitter	13,300	Type 1	25	
10715	5 x .045 x 7/8	A-PRIME PLUS	46-T-BF	Aluminum Oxide	Slitter	12,250	Type 1	25	
10716	6 x .045 x 7/8	A-PRIME PLUS	46-T-BF	Aluminum Oxide	Slitter	10,200	Type 1	25	
10717	4-1/2 x .045 x 7/8	A-PRIME PLUS	46-T-BF	Aluminum Oxide	Slitter	13,300	Type 27	25	
10718	4-1/2 x .045 5/8-11	A-PRIME PLUS	46-T-BF	Aluminum Oxide	Slitter	13,300	Type 27	10	80
10719	6 x .045 x 7/8	A-PRIME PLUS	46-T-BF	Aluminum Oxide	Slitter	10,200	Type 27	25	
10720	6 x .045 x 5/8-11	A-PRIME PLUS	46-T-BF	Aluminum Oxide	Slitter	10,200	Type 27	10	40

Right Angle Grinder Wheels, Cutting - SLITTER INOX-PRIME PLUS

- **INOX-PRIME PLUS** has new breakthrough technology. The resin wheels are compressed while curing in the oven/kiln. The result is a denser, more stable and high performing wheel. The compressed technology has an approximate 20% higher density in comparison to a standard resin wheel.
- INOX-PRIME PLUS can cut steel and stainless, are contaminate free thin cutting wheels.
- Excellent average cutting speeds per cut with a minimal burr, smoother finish and long life.
- **Excellent for high power machines.**

NEW TECHNOLOGY



11050



11051


UPC	Size	Brand	Grit/Grade	Grain	Max RPM	Type	Retail QTY
11050	4-1/2 x .045 x 7/8	INOX-PRIME Plus	WA-46-S-BF	Mono Crystallized Aluminum Oxide	13,300	Type 1	25
11051	6 x .045 x 7/8	INOX-PRIME Plus	WA-46-S-BF	Mono Crystallized Aluminum Oxide	10,200	Type 1	25
11106	4-1/2 x .045 x 7/8	INOX-PRIME Plus	WA-46-S-BF	Mono Crystallized Aluminum Oxide	13,300	Type 27	25
11107	4-1/2 x .045 x 5/8-11	INOX-PRIME Plus	WA-46-S-BF	Mono Crystallized Aluminum Oxide	10,200	Type 27	25



Right Angle Grinder Wheels, Cutting - SLITTER A-PRIME, Type 1 & 27

#1 Seller


- **A-PRIME:** High end German manufacturing technology.
- A-PRIME wheel will cut stainless but excels in steel applications.
- A-PRIME is the UPGRADED line of thin abrasive wheels (SLITTER).
Excellent for low power machines.
- This series offers long life and optimal price performance ratio.
- Low burr, reduced sparks.
Very good wheel on high power machines.



UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY
11512	4-1/2 x .045 x 7/8	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	13,300	Type 1	25
11513	5 x .045 x 7/8	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	12,250	Type 1	25
11514	6 x .045 x 7/8	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	10,200	Type 1	25
11515	7 x 1/16 x 7/8	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	8,600	Type 1	25
11516	4-1/2 x .045 x 7/8	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	13,300	Type 27	25
11517	4-1/2 x .045 x 5/8-11	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	13,300	Type 27	10
11518	5 x .045 x 7/8	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	12,250	Type 27	25
11519	5 x .045 x 5/8-11	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	12,250	Type 27	10
11520	6 x .045 x 7/8	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	10,200	Type 27	25
11521	6 x .045 x 5/8-11	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	10,200	Type 27	10
11522	7 x 1/16 x 7/8	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	8,600	Type 27	25
11523	7 x 1/16 x 5/8-11	A-PRIME	A-46-R-BF	Aluminum Oxide	Slitter	8,600	Type 27	10
11524	9 x 1/16 x 7/8	A-PRIME	A-36-R-BF	Aluminum Oxide	Slitter	6,600	Type 27	25
11525	9 x 1/16 x 5/8-11	A-PRIME	A-36-R-BF	Aluminum Oxide	Slitter	6,600	Type 27	10

Right Angle Grinder Wheels, Cutting - SLITTER, A-SOLID

- **A-SOLID** is a White Aluminum Oxide wheel that offers a fast, smooth cut with minimal burr. The A-SOLID offers an amazing overall value of performance and price.
- The WA grain is contaminant free and can cut steel and stainless and can be used in aeronautic, nuclear and food industry applications.



UPC #		Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
11506	NEW	4 x .045 x 5/8	A-SOLID	WA-46-R-BF	White AO	Slitter	13,300	Type 1	25	200
10129		4-1/2 x 0.045 x 7/8	A-SOLID	WA-46-R-BF	White AO	Slitter	13,300	Type 1	25	200
11507	NEW	5 x .045 x 7/8	A-SOLID	WA-46-R-BF	White AO	Slitter	12,250	Type 1	25	200
10130		6 x 0.045 x 7/8	A-SOLID	WA-46-R-BF	White AO	Slitter	10,200	Type 1	25	200
10131		4-1/2 x 0.045 x 7/8	A-SOLID	WA-46-R-BF	White AO	Slitter	13,300	Type 27	25	200
10132		4-1/2 x 0.045 x 5/8-11	A-SOLID	WA-46-R-BF	White AO	Slitter	13,300	Type 27	10	
11508	NEW	5 x .045 x 7/8	A-SOLID	WA-46-R-BF	White AO	Slitter	12,250	Type 27	25	200
11509	NEW	5 x .045 x 5/8-11	A-SOLID	WA-46-R-BF	White AO	Slitter	12,250	Type 27	10	
10133		6 x 0.045 x 7/8	A-SOLID	WA-46-R-BF	White AO	Slitter	10,200	Type 27	25	200
10134		6 x 0.045 x 5/8-11	A-SOLID	WA-46-R-BF	White AO	Slitter	10,200	Type 27	10	
11510	NEW	7 x .045 x 7/8	A-SOLID	WA-46-R-BF	White AO	Slitter	8,600	Type 27	25	200
11511	NEW	7 x .045 x 5/8-11	A-SOLID	WA-46-R-BF	White AO	Slitter	8,600	Type 27	10	

Right Angle Grinder Wheels - SLITTER, ALU-PRIME

- Extra-thin cutting wheel with special fillers to prevent clogging.
- **ALU-PRIME** is recommended on Aluminum, Bronze, Brass and Titanium.
- Important to clean the angle grinder with compressed air after each operation.



UPC #		Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
11532	NEW	4-1/2 x .045 x 7/8	ALU-PRIME	ALU-46-P-BF	Aluminun Oxide	Slitter	13,300	Type 1	25	
11533	NEW	5 x .045 x 7/8	ALU-PRIME	ALU-46-P-BF	Aluminun Oxide	Slitter	12,250	Type 1	25	
11534	NEW	6 x .045 x 7/8	ALU-PRIME	ALU-46-P-BF	Aluminun Oxide	Slitter	10,200	Type 1	25	
10751	NEW	4-1/2 x .045 x 7/8	ALU-PRIME	46-P-BF	Aluminun Oxide	Slitter	13,300	Type 27	50	800
10752	NEW	4-1/2 x .045 5/8-11	ALU-PRIME	46-P-BF	Aluminun Oxide	Slitter	13,300	Type 27	10	80
10753	NEW	6 x .045 x 7/8	ALU-PRIME	46-P-BF	Aluminun Oxide	Slitter	10,200	Type 27	50	200
10754	NEW	6 x .045 x 5/8-11	ALU-PRIME	46-P-BF	Aluminun Oxide	Slitter	10,200	Type 27	10	40



Right Angle Grinder Wheels, Cutting - SLITTER, Z-PRIME COMBO

- The **Z-PRIME** in 3/32 is a 3-in-1 wheel (cutting, grinding and finishing) that is excellent on steel or stainless steel.
- The Z-PRIME PLUS 3-1 abrasive formulation allows keeping a low working temperature which guarantees a good finishing material.



JAPANESE
DESIGNED



10721

New Formula

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
10721	4-1/2 x 3/32 x 7/8	Z-PRIME	46-T-BF	Zirconia	Combination	13,300	Type 27	25	400
10722	4-1/2 x 3/32 x 5/8-11	Z-PRIME	46-T-BF	Zirconia	Combination	13,300	Type 27	10	80
10723	6 x 3/32 x 7/8	Z-PRIME	46-T-BF	Zirconia	Combination	10,200	Type 27	50	200
10724	6 x 3/32 x 5/8-11	Z-PRIME	46-T-BF	Zirconia	Combination	10,200	Type 27	10	40

Right Angle Grinder Wheels, Cutting - SLITTER INOX-PRIME

- **INOX-PRIME** wheel is made with White Aluminum Oxide and is a pure cutting (SLITTER) wheel. The 3/32" is offered for applications where a thin wheel is not required or not the right fit for the application. The thicker wheel will provide longer life.
- The WA grain is contaminant free and can cut steel and stainless and can be used in aeronautic, nuclear and food industry applications.
- Excellent on high performance machines and cutting solid materials.



11526

11528

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY
11526 NEW	4-1/2 x 3/32 x 7/8	INOX-PRIME	A-30-N-BF	White Aluminum Oxide	Slitter	13,300	Type 27	25
11527 NEW	4-1/2 x 3/32 x 5/8-11	INOX-PRIME	A-30-N-BF	White Aluminum Oxide	Slitter	13,300	Type 27	10
11528 NEW	6 x 3/32 x 7/8	INOX-PRIME	A-30-N-BF	White Aluminum Oxide	Slitter	10,200	Type 27	25
11529 NEW	6 x 3/32 x 5/8-11	INOX-PRIME	A-30-N-BF	White Aluminum Oxide	Slitter	10,200	Type 27	10

Right Angle Grinder Wheels, Cutting - SLITTER

- **INOX-PRIME** wheel is made with White Aluminum Oxide and is a pure cutting (SLITTER) wheel. The 3/32" is offered for applications where a thin wheel is not required or not the right fit for the application. The thicker wheel will provide longer life. Use the 1/8" below for notching.
- The WA grain is contaminant free and can cut steel and stainless and can be used in aeronautic, nuclear and food industry applications.



10755



WHITE AO



Type 27



JAPANESE
DESIGNED

New Formula

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
-------	------	-------	------------	-------	-------	---------	------	------------	------------

Right Angle Grinder Wheels - SLITTER, INOX-PRIME - 3/32" (.094") - 2.5 mm

10755	4-1/2 x 3/32 x 7/8	INOX-PRIME	30-N-BF	White Aluminum Oxide	Slitter	13,300	Type 27	25	400
10756	4-1/2 x 3/32 x 5/8-11	INOX-PRIME	30-N-BF	White Aluminum Oxide	Slitter	13,300	Type 27	10	80

Right Angle Grinder Wheels, NOTCH - A-PRIME PLUS

NEW

- **INOX-PRIME NOTCH** wheel a .125" wheel that is used for cutting and notching applications. The INOX-PRIME is produced with White Aluminum oxide grain and is contaminant free and can cut steel and stainless and can be used in aeronautic, nuclear and food industry applications as well as steel applications.
- Excellent on high performance machines and cutting solid materials. Very good performance on thin walled material.



11530



ALUMINUM OXIDE



Type 27



MADE IN
GERMANY



UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY
11530	4-1/2 x 1/8 x 7/8	A-PRIME PLUS	A30-R-BF	Aluminun Oxide	Notch	13,300	Type 27	25
11531	4-1/2 x 1/8 x 5/8-11	A-PRIME PLUS	A30-R-BF	Aluminun Oxide	Notch	13,300	Type 27	10



Right Angle Grinder Wheels, NOTCH - INOX-PRIME PLUS

- High end blend of premium AO and White Aluminum Oxide provides outstanding overall performance.
- Unique manufacturing technology with high end grains provides a wheel you would want to use.
- **INOX-PRIME PLUS** offers less Vibration, cooler grinding with increased overall grinding efficiency.

Type 27

JAPANESE
DESIGNED

BLEND: AL OX /
WHITE AL OX

CF ≤ 0.1%
Contaminant Free
of Iron, Sulfur
& Chlorine



11545

11549

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
11545	4-1/2 x 1/8 x 7/8	INOX-PRIME PLUS	A/WA30-S-BF	Blend	Notch	13,300	Type 27	25	200
11546	4-1/2 x 1/8 x 5/8-11	INOX-PRIME PLUS	A/WA30-S-BF	Blend	Notch	13,300	Type 27	10	
11547	5 x 1/8 x 7/8	INOX-PRIME PLUS	A/WA30-S-BF	Blend	Notch	12,250	Type 27	25	100
11548	5 x 1/8 x 5/8-11	INOX-PRIME PLUS	A/WA30-S-BF	Blend	Notch	12,250	Type 27	10	
11549	6 x 1/8 x 7/8	INOX-PRIME PLUS	A/WA30-S-BF	Blend	Notch	10,200	Type 27	10	50
11550	6 x 1/8 x 5/8-11	INOX-PRIME PLUS	A/WA30-S-BF	Blend	Notch	10,200	Type 27	10	

Right Angle Grinder Wheels, Cutting - NOTCH, A-SOLID

- **A-SOLID NOTCH** wheel is a Q hardness wheel designed for fast cutting of general steel and general use applications including many pipeline applications.

ALUMINUM OXIDE



Type 27

JAPANESE
DESIGNED



10003

New Formula

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
-------	------	-------	------------	-------	-------	---------	------	------------	------------

Right Angle Grinder Wheels - NOTCH, A-SOLID - 1/8" (.125") - 3.2 mm

10003	4-1/2 x 1/8 x 7/8	A-SOLID	24-Q-BF	Aluminum Oxide	Notch	13,300	Type 27	25	400
10004	4-1/2 x 1/8 x 5/8-11	A-SOLID	24-Q-BF	Aluminum Oxide	Notch	13,300	Type 27	10	100
10009	7 x 1/8 x 7/8	A-SOLID	24-Q-BF	Aluminum Oxide	Notch	8,600	Type 27	25	100
10010	7 x 1/8 x 5/8-11	A-SOLID	24-Q-BF	Aluminum Oxide	Notch	8,600	Type 27	10	40
10011	9 x 1/8 x 7/8	A-SOLID	24-Q-BF	Aluminum Oxide	Notch	6,600	Type 27	25	100
10012	9 x 1/8 x 5/8-11	A-SOLID	24-Q-BF	Aluminum Oxide	Notch	6,600	Type 27	10	20

1/8" Wheel Profile



1/8 (.125" = 3.2 mm)

10003



5/32 (.16" = 4 mm)

10013

Pipeline

Right Angle **Grinder Wheels, Cutting - PIPELINE, A-SOLID** 1/8" pipeline (.16") - 4 mm

- **A-SOLID PIPELINE** wheel is actually 5/32" thick (4mm) and is designed for cutting and light grinding as well a pipeline applications such a pipeline root pass, weld and flame grinding.



Type 27



JAPANESE
DESIGNED



10014

New Formula

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
10013	4-1/2 x 1/8 x 7/8	A-SOLID	24-T-BF	Aluminum Oxide	Pipeline	13,300	Type 27	25	200
10014	4-1/2 x 1/8 x 5/8-11	A-SOLID	24-T-BF	Aluminum Oxide	Pipeline	13,300	Type 27	10	100
10015	6 x 1/8 x 7/8	A-SOLID	24-T-BF	Aluminum Oxide	Pipeline	10,200	Type 27	25	100
10016	6 x 1/8 x 5/8-11	A-SOLID	24-T-BF	Aluminum Oxide	Pipeline	10,200	Type 27	10	40
10017	7 x 1/8 x 7/8	A-SOLID	24-T-BF	Aluminum Oxide	Pipeline	8,600	Type 27	25	100
10018	7 x 1/8 x 5/8-11	A-SOLID	24-T-BF	Aluminum Oxide	Pipeline	8,600	Type 27	10	40

Multi-Purpose Wheel - Cut, Grind, Finish, **INOX-SOLID**

- **Multi-Purpose INOX-SOLID** wheels is designed for cut, grind finish applications and is made with White Aluminum oxide and is Contaminant free.
- The waffle pattern provides cooler grinding and the product can be used on steel, stainless steel, Aluminum and non-ferrous metals.



Type 27



10244

New Formula

Size	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
10242	4-1/2 x 1/8 x 7/8	INOX-SOLID	36-Q-BF	White Aluminum Oxide	Multi Purpose	13,300	Type 27	25	200
10243	4-1/2 x 1/8 x 5/8-11	INOX-SOLID	36-Q-BF	White Aluminum Oxide	Multi Purpose	13,300	Type 27	10	80
10244	4-1/2 x 1/8 x 7/8	INOX-SOLID	60-Q-BF	White Aluminum Oxide	Multi Purpose	13,300	Type 27	25	200
10245	4-1/2 x 1/8 x 5/8-11	INOX-SOLID	60-Q-BF	White Aluminum Oxide	Multi Purpose	13,300	Type 27	10	80
10246	5 x 1/8 x 7/8	INOX-SOLID	36-Q-BF	White Aluminum Oxide	Multi Purpose	12,250	Type 27	25	200
10247	5 x 1/8 x 5/8-11	INOX-SOLID	36-Q-BF	White Aluminum Oxide	Multi Purpose	12,250	Type 27	10	80
10248	7 x 1/8 x 7/8	INOX-SOLID	60-Q-BF	White Aluminum Oxide	Multi Purpose	8,600	Type 27	25	200
10249	7 x 1/8 x 5/8-11	INOX-SOLID	60-Q-BF	White Aluminum Oxide	Multi Purpose	8,600	Type 27	10	20



Right Angle Grinder Wheels, Grinding - Zirconia-PRIME

NEW

- High performance Zirconia grain with a soft N bond for superior product removal.
- Easy to work with for extended periods of time.



**JAPANESE
DESIGNED**



11561

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
11561	4-1/2 x 1/4 x 7/8	Z-PRIME	ZA24-N-BF	Zirconia	Grinding	13,300	Type 27	25	100
11562	4-1/2 x 1/4 x 5/8-11	Z-PRIME	ZA24-N-BF	Zirconia	Grinding	13,300	Type 27	10	80
11565	6-1/4 x 1/4 x 7/8	Z-PRIME	ZA24-N-BF	Zirconia	Grinding	10,200	Type 27	10	50
11566	6-1/4 x 1/4 x 5/8-11	Z-PRIME	ZA24-N-BF	Zirconia	Grinding	10,200	Type 27	10	50

Right Angle Grinder Wheels, Grinding - INOX-PRIME PLUS

NEW

- High end blend of premium AO and White Aluminum Oxide provides outstanding overall performance.
- Unique manufacturing technology with high end grains provides a wheel you would want to use
- **INOX-PRIME PLUS** offers less Vibration, cooler grinding with increased overall grinding efficiency.



11551




11555

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
11551	4-1/2 x 1/4 x 7/8	INOX-PRIME PLUS	A/WA 24R	Blend	Grinding	13,300	Type 27	25	100
11552	4-1/2 x 1/4 x 5/8-11	INOX-PRIME PLUS	A/WA 24R	Blend	Grinding	13,300	Type 27	10	
11553	5 x 1/4 x 7/8	INOX-PRIME PLUS	A/WA 24R	Blend	Grinding	12,250	Type 27	25	100
11554	5 x 1/4 x 5/8-11	INOX-PRIME PLUS	A/WA 24R	Blend	Grinding	12,250	Type 27	10	
11555	6 x 1/4 x 7/8	INOX-PRIME PLUS	A/WA 24R	Blend	Grinding	10,200	Type 27	10	50
11556	6 x 1/4 x 5/8-11	INOX-PRIME PLUS	A/WA 24R	Blend	Grinding	10,200	Type 27	10	
11557	7 x 1/4 x 7/8	INOX-PRIME PLUS	A/WA 24S	Blend	Grinding	8,600	Type 27	10	50
11558	7 x 1/4 x 5/8-11	INOX-PRIME PLUS	A/WA 24S	Blend	Grinding	8,600	Type 27	10	

Right Angle Grinder Wheels, Grinding, A-PRIME

- **A-PRIME** Grinding wheels are made with premium heat-treated Aluminum oxide grains and advanced bonding technology for excellent cut rate and extended life. The A-PRIME uses the most popular A24-R bond grade.



10777



10784

New Formula

UPC #	Size	Brand	Grit/Grade*	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
10021	4 x 1/4 x 5/8	A-SOLID	24-R-BF	Aluminum Oxide	Grinding	15,300	Type 27	25	200
10777	4-1/2 x 1/4 x 7/8	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	13,300	Type 27	25	200
10778	4-1/2 x 1/4 x 5/8-11	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	13,300	Type 27	10	80
10779	5 x 1/4 x 7/8	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	12,250	Type 27	25	200
10780	5 x 1/4 x 5/8-11	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	12,250	Type 27	10	80
10781	6 x 1/4 x 7/8	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	10,200	Type 27	10	50
10782	6 x 1/4 x 5/8-11	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	10,200	Type 27	10	40
10783	7 x 1/4 x 7/8	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	8,600	Type 27	25	100
10784	7 x 1/4 x 5/8-11	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	8,600	Type 27	10	40
10785	9 x 1/4 x 7/8	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	6,600	Type 27	10	50
10786	9 x 1/4 x 5/8-11	A-PRIME	36-P-BF	Aluminum Oxide	Grinding	6,600	Type 27	10	20

* 10777 - 10786 changes from 24-R-BF to 36-P-BF.

Right Angle Grinder Wheels, Grinding - ALU-PRIME

- Our **ALU-PRIME** grinding disc has special filler materials that prevents clogging while ensuring sufficient and continuous grinding.
- High stock removal with minimal material heating.
- Designed for Aluminum, Non-ferrous metals, Bronze and Brass. Soft bond for easy grinding of welding seams, sprues and cast iron skin.



11535

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY
11535	4-1/2 x 1/4 x 7/8	ALU-PRIME PLUS	A30-N-BF	Aluminum Oxide	Grinding	13,300	Type 27	25
11536	4-1/2 x 1/4 x 5/8-11	ALU-PRIME PLUS	A30-N-BF	Aluminum Oxide	Grinding	13,300	Type 27	10
11537	5 x 1/4 x 7/8	ALU-PRIME PLUS	A30-N-BF	Aluminum Oxide	Grinding	12,250	Type 27	25
11538	5 x 1/4 x 5/8-11	ALU-PRIME PLUS	A30-N-BF	Aluminum Oxide	Grinding	12,250	Type 27	10
11539	7 x 1/4 x 7/8	ALU-PRIME PLUS	A30-N-BF	Aluminum Oxide	Grinding	8,600	Type 27	25
11540	7 x 1/4 x 5/8-11	ALU-PRIME PLUS	A30-N-BF	Aluminum Oxide	Grinding	8,600	Type 27	10



Right Angle Grinder Wheels, Grinding - ALU-SOLID

- Exclusive Non-loading material.
- Designed for Aluminum, Non-ferrous metals, Bronze and Brass.



Type 27

JAPANESE
DESIGNED

NEW



11559

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Master QTY
11559	4-1/2 x 1/4 x 7/8	ALU-SOLID	AL36-N-BF	Aluminum Oxide	Grinding	13,300	Type 27	25	100
11560	4-1/2 x 1/4 x 5/8-11	ALU-SOLID	AL36-N-BF	Aluminum Oxide	Grinding	13,300	Type 27	10	

Die Grinder Cut Off Wheels, A-SOLID

- A-SOLID 3" and 4" Die grinder wheels in Aluminum oxide. Excellent choice for metal, steel and general applications.
- Wheels have baked on labels with UPC number, machine icon and barcode.



Type 1



10049



10053

UPC #	Size	Brand	Grit/Grade	Grain	Max RPM	Type	Retail QTY	Master QTY
10047	3 x 1/32 x 1/4	A-SOLID	60-R-BF	Aluminum Oxide	25,000	Type 1	50	1000
10048	3 x 1/32 x 3/8	A-SOLID	60-R-BF	Aluminum Oxide	25,000	Type 1	50	1000
10049	3 x 1/16 x 1/4	A-SOLID	36-R-BF	Aluminum Oxide	25,000	Type 1	50	1000
10050	3 x 1/16 x 3/8	A-SOLID	36-R-BF	Aluminum Oxide	25,000	Type 1	50	1000
11093	3 x 1/16 x 3/8	A-PRIME	A60-R-B	Aluminum Oxide	25,465	Type 1	50	
10051	3 x 1/8 x 3/8	A-SOLID	60-R-BF	Aluminum Oxide	25,000	Type 1	25	400
10052	4 x 1/32 x 3/8	A-SOLID	60-R-BF	Aluminum Oxide	19,100	Type 1	50	1000
10053	4 x 1/16 x 3/8	A-SOLID	36-R-BF	Aluminum Oxide	19,100	Type 1	50	1000
10054	4 x 1/16 x 5/8	A-SOLID	36-R-BF	Aluminum Oxide	19,100	Type 1	50	1000

Chop Saw Blade Cut-Off Wheels, A-SOLID

- **A-SOLID** Chop Saw Blades are sold in 12-14" sizes. The 14" is available in Single and Double fiberglass reinforcements.



11542


UPC #		Size	Brand	Grit/Grade	Grain	Max RPM	Type	Retail QTY	Master QTY
11541	NEW	12 x 1/8 x 1	A-SOLID	A-36-RP-BF	Aluminum Oxide SR*	5,100	Type 1	10	
11542	NEW	14 x 1/8 x 1	A-SOLID	A-36-RP-BF	Aluminum Oxide SR*	4,400	Type 1	10	
11543	NEW	14 x 3/32 x 1	A-SOLID	A-36-RP-BF	Aluminum Oxide DR**	4,400	Type 1	10	

* SR - Single Reinforced

** DR - Double Reinforced

Stationary Saw Blade Cut-Off Wheels, A-SOLID

- **A-SOLID** Stationary Saw Blade available in 20" wheels.
- Stationary Saw Blades are marked with the proper Icon and its important that they be matched up to the proper machine.



10064

UPC #	Size	Brand	Grit/Grade	Grain	Max RPM	Type	Retail QTY	Master QTY
10064	20 x 5/32 x 1	A-SOLID	24-R-BF	Aluminum Oxide	3,100	Type 1	10	





CLOSEOUTS • RESIN BONDED ABRASIVES

While Supplies Last

Discounted pricing available

Right Angle Grinder Wheels, Cutting - SLITTER, INOX-PRIME

- **INOX-PRIME** can cut steel and stainless, are contaminate free thin cutting wheel (SLITTER) that is designed for the specialist operator and is intended for the most demanding users. The free cutting white aluminum oxide grain will excel in aeronautic, nuclear and food industry applications.



10744

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Replaced By
10744*	4-1/2 x .035 x 7/8	INOX-PRIME	60-S-BF	White Aluminum Oxide	Slitter	13,300	Type 1	50	10129
10746*	5 x .045 x 7/8	INOX-PRIME	46-S-BF	White Aluminum Oxide	Slitter	12,200	Type 1	50	11507

Right Angle Grinder Wheels, Cutting - SLITTER, A-PRIME

- **A-PRIME** is the new Aluminum Oxide line of thin abrasive wheels (SLITTER) developed for the steel applications that is the number one application in North America. A-PRIME will cut stainless steel but excels in steel applications.
- A-PRIME Type 1 (flat) is available in 2-wheel thickness and offered in Type 27 (depressed) shapes which can also receive a 5/8-11 hub.



Type 1

Type 27

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Replaced By
10732*	7 x 1/16 x 7/8	A-PRIME	46-R-BF	Aluminum Oxide	Slitter	8,600	Type 1	50	11515
10733*	4 x .045 x 5/8	A-PRIME	46-R-BF	Aluminum Oxide	Slitter	15,300	Type 27	100	WSL**
10740*	7 x 1/16 x 7/8	A-PRIME	46-R-BF	Aluminum Oxide	Slitter	8,600	Type 27	50	11522
10741*	7 x 1/16 x 5/8-11	A-PRIME	46-R-BF	Aluminum Oxide	Slitter	8,600	Type 27	10	11523
10742*	9 x 1/16 x 7/8	A-PRIME	36-R-BF	Aluminum Oxide	Slitter	6,600	Type 27	50	11524
10743*	9 x 1/16 x 5/8-11	A-PRIME	36-R-BF	Aluminum Oxide	Slitter	6,600	Type 27	10	11525

** while supplies last

Right Angle Grinder Wheels - SLITTER, ALU-PRIME

- Extra-thin cutting wheel with special fillers to prevent clogging.
- **ALU-PRIME** is recommended on Aluminum, Bronze, Brass and Titanium.
- Important to clean the angle grinder with compressed air after each operation.



Type 1

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Replaced By
10749*	5 x .045 x 7/8	ALU-PRIME	46-P-BF	Aluminun Oxide	Slitter	12,250	Type 1	50	11533

Right Angle Grinder Wheels, Cutting - SLITTER or NOTCH

- **INOX-PRIME** wheel is made with White Aluminum Oxide and is a pure cutting (SLITTER) wheel. The 3/32" is offered for applications where a thin wheel is not required or not the right fit for the application. The thicker wheel will provide longer life. Use the 1/8" below for notching.



10761

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Replaced By
-------	------	-------	------------	-------	-------	---------	------	------------	-------------

Right Angle Grinder Wheels - SLITTER, INOX-PRIME - 3/32" (.094") - 2.5 mm

10757*	6 x 3/32 x 7/8	INOX-PRIME	30-N-BF	White Aluminum Oxide	Slitter	10,200	Type 27	50	11528
10758*	6 x 3/32 x 5/8-11	INOX-PRIME	30-N-BF	White Aluminum Oxide	Slitter	10,200	Type 27	10	11529
10759*	7 x 3/32 x 7/8	INOX-PRIME	A-30-N-BF	White Aluminum Oxide	Slitter	8,600	Type 27		WSL**
10760*	7 x 3/32 x 5/8-11	INOX-PRIME	A-30-N-BF	White Aluminum Oxide	Slitter	8,600	Type 27		WSL**

Right Angle Grinder Wheels - NOTCH, INOX-PRIME - 1/8" (.125") - 3.2 mm

10761*	4-1/2 x 1/8 x 7/8	INOX-PRIME	24-S-BF	White Aluminum Oxide	Notch	13,300	Type 27	25	11545
10762*	4-1/2 x 1/8 x 5/8-11	INOX-PRIME	24-S-BF	White Aluminum Oxide	Notch	13,300	Type 27	10	11546
10763*	5 x 1/8 x 7/8	INOX-PRIME	24-S-BF	White Aluminum Oxide	Notch	12,250	Type 27	25	11547
10764*	5 x 1/8 x 5/8-11	INOX-PRIME	24-S-BF	White Aluminum Oxide	Notch	12,250	Type 27	10	11548
10766*	6 x 1/8 x 5/8-11	INOX-PRIME	24-S-BF	White Aluminum Oxide	Notch	10,200	Type 27	10	11550

** while supplies last

Right Angle Grinder Wheels, NOTCH - A-PRIME 1/8" (.125") - 3.2 mm



- **A-PRIME NOTCH** a .125" wheel, is Aluminum oxide wheel designed for dual use cutting and notching applications for metal, steel as well as many pipeline applications.

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Replaced By
10767*	4-1/2 x 1/8 x 7/8	A-PRIME	30-R-BF	Aluminum Oxide	Notch	13,300	Type 27	25	10003
10768*	4-1/2 x 1/8 x 5/8-11	A-PRIME	30-R-BF	Aluminum Oxide	Notch	13,300	Type 27	10	10004
10769*	5 x 1/8 x 7/8	A-PRIME	30-R-BF	Aluminum Oxide	Notch	12,250	Type 27	25	11547
10770*	5 x 1/8 x 5/8-11	A-PRIME	30-R-BF	Aluminum Oxide	Notch	12,250	Type 27	10	11548
10771*	6 x 1/8 x 7/8	A-PRIME	30-R-BF	Aluminum Oxide	Notch	10,200	Type 27	50	11549
10772*	6 x 1/8 x 5/8-11	A-PRIME	30-R-BF	Aluminum Oxide	Notch	10,200	Type 27	10	11550
10775*	9 x 1/8 x 7/8	A-PRIME	30-R-BF	Aluminum Oxide	Notch	6,600	Type 27	50	10011
10776*	9 x 1/8 x 5/8-11	A-PRIME	30-R-BF	Aluminum Oxide	Notch	6,600	Type 27	10	10012

Right Angle Grinder Wheels, Cutting, NOTCH - A-SOLID

1/8" (.125") - 3.2 mm



- **A-SOLID NOTCH** wheel is a Q hardness wheel designed for fast cutting of general steel and general use applications including many pipeline applications.

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Replaced By
10001*	4 x 1/8 x 3/8	A-SOLID	24-Q-BF	Aluminum Oxide	Notch	15,300	Type 27	25	WSL**
10002*	4 x 1/8 x 5/8	A-SOLID	24-Q-BF	Aluminum Oxide	Notch	15,300	Type 27	25	WSL**
10008*	6 x 1/8 x 5/8-11	A-SOLID	24-Q-BF	Aluminum Oxide	Notch	10,200	Type 27	10	10016

Contact Weldcote about our sample program

Metals, Abrasives, Tools & Safety



www.weldcote.com

Right Angle Grinder Wheels, Grinding - INOX-PRIME



- **INOX-PRIME** grinding wheels are made with friable white Aluminum oxide grains. The WA grain is made with a S-Grade and is contaminant free and can cut steel and stainless and can be used in aeronautic, nuclear and food industry applications.

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Replaced By
10793*	7 x 1/4 x 7/8	INOX-PRIME	24-S-BF	White Aluminum Oxide	Grinding	8,600	Type 27	25	11557
10794*	7 x 1/4 x 5/8-11	INOX-PRIME	24-S-BF	White Aluminum Oxide	Grinding	8,600	Type 27	10	11558

Right Angle Grinder Wheels, Grinding - ALU-PRIME



- **ALU-PRIME** grinding wheels are made with special grains and bonds and are classified as C-24-P wheels. The soft grade allows for use in Aluminum, copper, zinc and other soft metals.

UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Replaced By
10810*	7 x 1/4 x 7/8	ALU-PRIME	24-P-BF	Silicon Carbide / Aluminum Oxide	Grinding	8,600	Type 27	25	11539
10811*	7 x 1/4 x 5/8-11	ALU-PRIME	24-P-BF	Silicon Carbide / Aluminum Oxide	Grinding	8,600	Type 27	10	11540

Right Angle Grinder Wheels, Grinding, A-SOLID

- **A-SOLID** Grinding wheels are available in A-24-N Bond. This is a soft bond for fast stock removal. It has an excellent g-ratio which is grams of metal removed / grams of wheel life consumed. Great choice for hard metals and low-grade stainless steel.
- A-SOLID grinding wheels are available in A-24-R Bond. This is a harder bond for longer life.



UPC #	Size	Brand	Grit/Grade	Grain	Style	Max RPM	Type	Retail QTY	Replaced By
10020*	4 x 1/4 x 3/8	A-SOLID	24-N-BF	Aluminum Oxide	Grinding	15,300	Type 27	25	WSL**
10027*	6 x 1/4 x 5/8-11	A-SOLID	24-N-BF	Aluminum Oxide	Grinding	10,200	Type 27	10	10782
10028*	7 x 1/4 x 7/8	A-SOLID	24-N-BF	Aluminum Oxide	Grinding	8,600	Type 27	25	10783
10029*	7 x 1/4 x 5/8-11	A-SOLID	24-N-BF	Aluminum Oxide	Grinding	8,600	Type 27	10	10784
10030*	9 x 1/4 x 7/8	A-SOLID	24-N-BF	Aluminum Oxide	Grinding	6,600	Type 27	25	10785
10031*	9 x 1/4 x 5/8-11	A-SOLID	24-N-BF	Aluminum Oxide	Grinding	6,600	Type 27	10	10786
10032*	4 x 1/4 x 5/8	A-SOLID	24-R-BF	Aluminum Oxide	Grinding	15,300	Type 27	25	WSL**
10038*	6 x 1/4 x 5/8-11	A-SOLID	24-R-BF	Aluminum Oxide	Grinding	10,200	Type 27	10	10782
10039*	7 x 1/4 x 7/8	A-SOLID	24-R-BF	Aluminum Oxide	Grinding	8,600	Type 27	25	10783
10040*	7 x 1/4 x 5/8-11	A-SOLID	24-R-BF	Aluminum Oxide	Grinding	8,600	Type 27	10	10784
10041*	9 x 1/4 x 7/8	A-SOLID	24-R-BF	Aluminum Oxide	Grinding	6,600	Type 27	25	10785
10042*	9 x 1/4 x 5/8-11	A-SOLID	24-R-BF	Aluminum Oxide	Grinding	6,600	Type 27	10	10786
10043*	7 x 1/4 x 7/8	A-SOLID	24-R-BF	Aluminum Oxide	Grinding	8,600	Type 28	25	WSL**
10044*	7 x 1/4 x 5/8-11	A-SOLID	24-R-BF	Aluminum Oxide	Grinding	8,600	Type 28	10	WSL**

** while supplies last

While Supplies Last

Discounted pricing available

Abrasive Cut-Off Wheels for Die Grinder/Mandrel, Type 1

- Aluminum Oxide grain offers great value for metal, steel and general applications.



UPC	Size	Brand	Specification	Type	Max RPM	Replaced By
11087*	2 x 1/16 x 3/8	A-PRIME	A60-R-B	Type 1	30,000	WSL**
11088*	2 x 1/8 x 3/8	A-PRIME	A24-R-B	Type 1	30,000	WSL**
11089*	3 x 1/32 x 1/4	A-PRIME	A60-R-B	Type 1	25,465	10047
11091*	3 x 1/16 x 1/4	A-PRIME	A36-R-B	Type 1	25,465	10049
11094*	3 x 1/8 x 1/4	A-PRIME	A24-R-B	Type 1	25,465	WSL**
11095*	3 x 1/8 x 3/8	A-PRIME	A24-R-B	Type 1	25,465	10051
11098*	4 x 1/16 x 1/4	A-PRIME	A36-R-B	Type 1	19,100	WSL**
11100*	4 x 1/16 x 5/8	A-PRIME	A36-R-B	Type 1	19,100	10054
11101*	4 x 1/8 x 3/8	A-PRIME	A24-R-B	Type 1	19,100	WSL**

Circular Saw Blade Cut-Off Wheels, A-SOLID

- A-SOLID 7" Circular Saw Blade.
Thickness of .045 or 3/32" available.



10055



10056

UPC #	Size	Brand	Grit/Grade	Grain	Max RPM	Type	Retail QTY	Replaced By
10055*	7 x .045 x 5/8	A-SOLID	60-S-BF	Aluminum Oxide	8,600	Type 1	25	WSL**
10056*	7 x 3/32 x 5/8-DIA	A-SOLID	24-R-BF	Aluminum Oxide	8,600	Type 1	25	WSL**

Cut Off Wheels, A-SOLID

- Stationary Saw Blades are marked with the proper Icon and its important that they be matched up to the proper machine.
- A-SOLID Chop Saw Blades are sold in 10-16" sizes.



UPC #	Size	Brand	Grit/Grade	Grain	Max RPM	Type	Retail QTY	Replaced By
-------	------	-------	------------	-------	---------	------	------------	-------------

STATIONARY SAW BLADE Cut-Off Wheels, A-SOLID

10057*	10 x 1/16 x 5/8	A-SOLID	24-R-BF	Aluminum Oxide	6110	Type 1	10	WSL**
10058*	10 x 1/8 x 5/8	A-SOLID	24-R-BF	Aluminum Oxide	6110	Type 1	10	WSL**
10059*	10 x 1/8 x 1	A-SOLID	24-R-BF	Aluminum Oxide	6110	Type 1	10	WSL**

CHOP SAW BLADE Cut-Off Wheels, A-SOLID

10067*	10 x 3/32 x 5/8	A-SOLID	24-R-BF	Aluminum Oxide	6110	Type 1	10	WSL**
10071*	16 x 3/32 x 1	A-SOLID	36-P-BF	Aluminum Oxide	3,820	Type 1	10	WSL**

** while supplies last





RESIN CONES, PLUGS & RESIN CUP WHEELS

Resin Cones & Plugs

- **A:** Aluminum Oxide Grain; Used for grinding and finishing metals in hard to reach areas.



UPC	Size	Brand	Spec	Type	Max RPM	Carton
11234	1-1/2 x 2-1/2 x 3/8-24	A-PRIME	A16R	T16	24,100	10
11235	1-1/2 x 2-1/2 x 5/8-11	A-PRIME	A16R	T16	24,100	10
11236	1-1/2 x 3 x 3/8-24	A-PRIME	A16R	T16	24,100	10
11237	1-1/2 x 3 x 5/8-11	A-PRIME	A16R	T16	24,100	10
11238	2 x 3 x 5/8-11	A-PRIME	A16R	T16	18,100	10
11239	2 x 3 x 5/8-11	A-PRIME	A16R	T16	18,100	10
11240	2-3/4 x 3-1/2 x 5/8-11	A-PRIME	A16R	T16	13,200	10
11241	3 x 3 x 5/8-11	A-PRIME	A16R	T16	13,200	10
11242	1-1/2 x 2-1/2 x 3/8-24	A-PRIME	A16R	T17	24,100	10
11243	1-1/2 x 3 x 3/8-24	A-PRIME	A16R	T17	24,100	10
11244	1-1/2 x 3 x 5/8-11	A-PRIME	A16R	T17	24,100	10
11245	2 x 3 x 5/8-11	A-PRIME	A16R	T17	18,100	10
11246	2-1/2 x 3 x 5/8-11	A-PRIME	A16R	T17	18,100	10
11247	1-1/2 x 2-1/2 x 3/8-24	A-PRIME	A16R	T18	24,100	10
11248	1-1/2 x 2-1/2 x 5/8-11	A-PRIME	A16R	T18	24,100	10
11249	1-1/2 x 3 x 3/8-24	A-PRIME	A16R	T18	24,100	10
11250	1-1/2 x 3 x 5/8-11	A-PRIME	A16R	T18	24,100	10
11251	2 x 3 x 5/8-11 A24R	A-PRIME	A24R	T18	18,100	10
11252	2 x 3 x 5/8-11 A16R	A-PRIME	A16R	T18	18,100	10
11253	2 x 3-1/2 x 5/8-11 A16R	A-PRIME	A16R	T18	18,100	10
11254	1-1/2 x 2-1/2 x 3/8-24	A-PRIME	A16R	T18R	24,100	10
11255	1-1/2 x 2-1/2 x 5/8-11	A-PRIME	A16R	T18R	24,100	10
11256	1-1/2 x 3 x 3/8-24	A-PRIME	A16R	T18R	24,100	10
11257	1-1/2 x 3 x 5/8-11	A-PRIME	A16R	T18R	24,100	10
11258	2 x 3 x 5/8-11 A24R	A-PRIME	A24R	T18R	18,100	10
11259	2 x 3 x 5/8-11 A16R	A-PRIME	A16R	T18R	18,100	10
11260	3 x 3 x 5/8-11 A16R	A-PRIME	A16R	T18R	13,200	10



11238



11244



Type 16




Type 17



11247



11258



Type 18



Type 18R

Resin Cup Wheels

- **A:** Aluminum Oxide; For tough steel, ferrous metal applications.
- **CA:** Aluminum Oxide/Silicon Carbide Mix; Excellent for castings, cast iron, aluminum.
- **C:** Ideal for grinding and cleaning concrete, masonry and stone.



UPC	Size	Spec	Backing	Type	Max RPM	Carton
11261	4/3 x 2 x 5/8-11	A16-Q6-B	No Steel Back	T11	9,070	1 pack
11262	4/3 x 2 x 5/8-11	C16-N-B	No Steel Back	T11	9,070	1 pack
11263	4/3 x 2 x 5/8-11	A16-Q6-B	Steel Back	T11	9,070	1 pack
11264	5/4 x 2 x 5/8-11	A16-Q6-B	No Steel Back	T11	7,260	1 pack
11265	5/4 x 2 x 5/8-11	C16-N-B	No Steel Back	T11	7,260	1 pack
11266 NEW	5/4 x 2 x 5/8-11	CA-16-N-B	No Steel Back	T11	7,260	1 pack
11267	6/4-3/4 x 2 x 5/8-11	A16-Q6-B	No Steel Back	T11	6,048	5 pack
11268	6/4-3/4 x 2 x 5/8-11	A16-Q6-B	No Steel Back	T11	6,048	1 pack
11269	6/4-3/4 x 2 x 5/8-11	A24-Q6-B	No Steel Back	T11	6,048	5 pack
11270	6/4-3/4 x 2 x 5/8-11	A24-Q6-B	No Steel Back	T11	6,048	1 pack
11271	6/4-3/4 x 2 x 5/8-11	C16-N-B	No Steel Back	T11	6,048	1 pack
11273	6/4-3/4 x 2 x 5/8-11	A16-Q6-B	Steel Back	T11	6,048	1 pack
11274	6/4-3/4 x 2 x 5/8-11	A24-Q6-B	Steel Back	T11	6,048	1 pack



11273

Steel Back



11270

No Steel Back



Type 11



INDEX


UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #
10001*	61	10152	23	10222	22	10319	19	10418	17	10553	13	10647	11	10778	57
10002*	61	10153	23	10223	22	10320	14	10419	17	10554	13	10648	11	10779	57
10003	54	10154	23	10224	22	10321	14	10420	17	10555	13	10649	11	10780	57
10004	54	10155	23	10225	22	10322	14	10421	17	10556	13	10650	11	10781	57
10008*	61	10156	23	10226	22	10323	14	10422	17	10557	13	10651	11	10782	57
10009	54	10157	23	10227	22	10324	14	10423	17	10558	13	10652	11	10783	57
10010	54	10158	41	10228	22	10325	14	10424	17	10559	12	10653	11	10784	57
10011	54	10159	41	10229	22	10326	14	10425	17	10560	12	10654	11	10785	57
10012	54	10160	41	10230	22	10337	14	10434	17	10561	12	10656	11	10786	57
10013	55	10161	41	10231	22	10338	14	10435	17	10562	12	10657	11	10793*	62
10014	55	10162	41	10232	23	10339	14	10436	17	10567	12	10658	11	10794*	62
10015	55	10163	41	10233	23	10340	14	10437	17	10568	12	10660	10	10810*	62
10016	55	10164	41	10234	23	10341	14	10439	17	10569	12	10661	10	10811*	62
10017	55	10165	41	10235	23	10342	14	10440	17	10571	12	10662	12	10812	26
10018	55	10166	41	10236	23	10343	14	10441	17	10572	12	10663	12	10813	26
10020*	62	10167	41	10237	23	10344	14	10442	17	10573	12	10664	12	10814	26
10021	57	10168	41	10238	23	10345	14	10450	17	10574	13	10665	12	10815	26
10027*	62	10169	41	10239	23	10346	14	10451	17	10575	13	10666	12	10816	26
10028*	62	10170	41	10240	23	10347	14	10452	17	10576	13	10667	12	10817	26
10029*	62	10171	41	10241	23	10348	14	10453	17	10577	13	10668	12	10818	26
10030*	62	10172	41	10242	55	10349	14	10454	17	10578	13	10669	12	10819	26
10031*	62	10173	41	10243	55	10350	14	10456	17	10579	13	10670	12	10820	26
10032*	62	10174	41	10244	55	10351	14	10457	17	10580	13	10671	12	10821	26
10038*	62	10175	41	10245	55	10352	14	10458	17	10581	13	10672	12	10822	26
10039*	62	10176	41	10246	55	10353	14	10459	17	10586	20	10673	12	10823	26
10040*	62	10177	41	10247	55	10354	14	10460	17	10587	20	10713	49	10824	26
10041*	62	10178	41	10248	55	10355	14	10473	17	10588	20	10714	49	10825	26
10042*	62	10179	41	10249	55	10356	14	10474	17	10589	20	10715	49	10826	26
10043*	62	10180	41	10250	22	10357	14	10475	17	10590	20	10716	49	10827	26
10044*	62	10181	40	10251	22	10358	14	10476	17	10591	20	10717	49	10828	26
10047	58	10182	40	10252	22	10359	14	10477	17	10592	20	10718	49	10829	26
10048	58	10183	40	10253	22	10360	14	10478	17	10593	20	10719	49	10830	26
10049	58	10184	40	10254	22	10361	15	10483	16	10594	20	10720	49	10831	26
10050	58	10185	40	10255	22	10362	15	10484	16	10601	20	10721	52	10832	26
10051	58	10186	40	10256	22	10363	15	10485	16	10602	20	10722	52	10833	26
10052	58	10187	40	10257	22	10364	15	10486	16	10603	20	10723	52	10834	26
10053	58	10188	40	10258	22	10365	15	10487	16	10604	20	10724	52	10835	26
10054	58	10189	40	10259	22	10366	15	10489	16	10605	20	10732*	60	10836	26
10055*	63	10190	40	10260	22	10367	15	10506	19	10606	20	10733*	60	10837	26
10056*	63	10191	40	10261	22	10368	15	10510	19	10607	20	10740*	60	10838	26
10057*	63	10192	40	10262	22	10369	15	10511	19	10608	21	10741*	60	10839	26
10058*	63	10193	40	10263	22	10370	15	10512	19	10609	21	10742*	60	10840	26
10059*	63	10194	40	10264	31	10371	15	10513	19	10610	21	10743*	60	10841	26
10064	59	10195	40	10265	31	10372	15	10514	19	10611	21	10744*	60	10842	26
10067*	63	10196	40	10274	18	10373	15	10515	19	10616	21	10746*	60	10843	28
10071*	63	10197	40	10275	18	10374	15	10516	19	10617	21	10749*	60	10844	28
10076	36	10198	40	10276	18	10375	15	10517	19	10618	21	10751	51	10845	28
10129	51	10199	40	10277	18	10376	15	10518	19	10620	21	10752	51	10846	28
10130	51	10200	40	10278	18	10377	15	10519	19	10622	10	10753	51	10847	28
10131	51	10201	40	10279	18	10378	15	10520	19	10623	10	10754	51	10848	28
10132	51	10202	40	10280	18	10379	15	10521	19	10624	10	10755	53	10849	27
10133	51	10203	40	10281	18	10380	15	10522	19	10625	10	10756	53	10850	27
10134	51	10204	42	10282	18	10382	16	10523	19	10626	10	10757*	61	10851	27
10135	25	10205	42	10283	18	10383	16	10524	19	10627	10	10758*	61	10852	27
10136	25	10206	42	10294	18	10384	16	10525	19	10629	10	10759*	61	10853	27
10137	25	10207	42	10295	18	10385	16	10530	19	10630	10	10760*	61	10854	27
10138	25	10208	42	10296	18	10386	16	10531	19	10631	10	10761*	61	10855	27
10139	25	10209	42	10297	18	10388	16	10532	19	10632	10	10762*	61	10856	27
10140	25	10210	42	10298	18	10389	16	10533	19	10633	10	10763*	61	10857	27
10141	25	10211	42	10299	18	10390	16	10534	19	10634	10	10764*	61	10858	27
10142	25	10212	42	10300	18	10399	16	10543	13	10635	10	10766*	61	10859	27
10143	25	10213	42	10301	18	10400	16	10544	13	10637	11	10767*	61	10860	27
10144	25	10214	42	10302	18	10401	16	10545	13	10638	11	10768*	61	10861	27
10145	25	10215	42	10303	18	10402	16	10546	13	10639	11	10769*	61	10862	27
10146	25	10216	42	10304	18	10403	16	10547	13	10641	11	10770*	61	10863	27
10147	25	10217	42	10314	19	10404	16	10548	13	10642	11	10771*	61	10864	27
10148	25	10218	22	10315	19	10405	16	10549	13	10643	11	10772*	61	10865	27
10149	25	10219	22	10316	19	10406	16	10550	13	10644	11	10775*	61	10866	27
10150	25	10220	22	10317	19	10416	17	10551	13	10645	11	10776*	61	10867	27
10151	25	10221	22	10318	19	10417	17	10552	13	10646	11	10777	57	10868	27

UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #	UPC #	Page #
10869	27	10939	29	11009	40	11118	18	11215	30	11311	33	11381	36	11532	51
10870	27	10940	38	11010	40	11119	18	11216	30	11312	33	11382	36	11533	51
10871	27	10941	38	11011	40	11147	44	11217	30	11313	33	11383	36	11534	51
10872	27	10942	38	11012	40	11148	44	11218	30	11314	33	11384	37	11535	57
10873	27	10943	38	11013	40	11149	44	11219	30	11315	33	11385	37	11536	57
10874	27	10944	38	11014	40	11150	44	11220	30	11316	33	11386	37	11537	57
10875	27	10945	38	11015	40	11151	44	11221	30	11317	32	11387	37	11538	57
10876	27	10946	38	11016	40	11152	44	11222	30	11318	32	11388	37	11539	57
10877	27	10947	38	11017	40	11153	44	11223	30	11319	32	11389	37	11540	57
10878	27	10948	38	11018	40	11154	44	11224	31	11320	32	11390	37	11541	59
10879	27	10949	38	11019	43	11155	44	11225	31	11321	34	11391	37	11542	59
10880	27	10950	38	11020	43	11156	44	11226	31	11322	34	11392	37	11543	59
10881	27	10951	38	11021	43	11157	44	11227	31	11323	34	11393	37	11545	54
10882	27	10952	38	11022	43	11158	44	11228	31	11324	34	11394	37	11546	54
10883	27	10953	38	11023	43	11159	44	11229	31	11325	34	11395	37	11547	54
10884	27	10954	38	11024	43	11160	44	11230	31	11326	34	11396	37	11548	54
10885	27	10955	38	11025	43	11161	44	11231	31	11327	34	11397	37	11549	54
10886	27	10956	38	11026	43	11162	46	11233	31	11328	34	11398	37	11550	54
10887	27	10957	38	11027	43	11163	46	11234	64	11329	34	11399	37	11551	56
10888	27	10958	38	11028	43	11164	46	11235	64	11330	34	11400	37	11552	56
10889	27	10959	38	11029	43	11165	46	11236	64	11331	34	11414	31	11553	56
10890	27	10960	38	11030	43	11166	46	11237	64	11332	34	11415	31	11554	56
10891	28	10961	38	11031	43	11167	46	11238	64	11333	34	11424	24	11555	56
10892	28	10962	38	11032	43	11168	46	11239	64	11334	34	11425	24	11556	56
10893	28	10963	38	11033	43	11169	46	11240	64	11335	34	11426	24	11557	56
10894	28	10964	38	11034	43	11170	46	11241	64	11336	34	11427	24	11558	56
10895	28	10965	38	11035	43	11171	46	11242	64	11337	34	11428	24	11559	58
10896	28	10966	38	11036	43	11172	46	11243	64	11338	34	11429	24	11560	58
10897	28	10967	39	11037	43	11173	46	11244	64	11339	34	11430	24	11561	56
10898	28	10968	39	11038	43	11174	46	11245	64	11340	34	11431	24	11562	56
10899	28	10969	39	11039	43	11175	46	11246	64	11341	34	11432	24	11565	56
10900	28	10970	39	11040	43	11176	47	11247	64	11342	34	11433	24	11566	56
10901	28	10971	39	11041	43	11177	47	11248	64	11343	34	11434	24	11583	12
10902	28	10972	39	11042	43	11178	47	11249	64	11344	34	11435	24	11620	18
10903	28	10973	39	11043	43	11179	47	11250	64	11345	35	11436	24	11621	18
10904	28	10974	39	11044	43	11180	47	11251	64	11346	35	11437	24	11622	18
10905	28	10975	39	11045	43	11181	45	11252	64	11347	35	11438	24	11623	18
10906	28	10976	39	11050	49	11182	45	11253	64	11348	35	11439	24	11636	20
10907	28	10977	39	11051	49	11183	45	11254	64	11349	35	11440	24	11637	20
10908	28	10978	39	11054	16	11184	45	11255	64	11350	35	11441	24	11658	11
10909	28	10979	39	11055	16	11185	45	11256	64	11351	35	11498	20	11660	47
10910	28	10980	39	11058	21	11186	45	11257	64	11352	35	11500	20	11661	47
10911	28	10981	39	11059	21	11187	45	11258	64	11353	35	11501	20	11662	47
10912	29	10982	39	11060	21	11188	45	11259	64	11354	35	11502	20	11664	47
10913	29	10983	39	11061	21	11189	45	11260	64	11355	35	11506	51	11666	47
10914	29	10984	39	11062	25	11190	45	11261	65	11356	35	11507	51	11667	47
10915	29	10985	39	11063	25	11191	45	11262	65	11357	35	11508	51	11668	47
10916	29	10986	39	11064	25	11192	45	11263	65	11358	35	11509	51	11676	47
10917	29	10987	39	11065	25	11193	45	11264	65	11359	35	11510	51	11677	47
10918	29	10988	39	11066	25	11194	45	11265	65	11360	35	11511	51	11678	47
10919	29	10989	39	11067	25	11195	47	11266	65	11361	35	11512	50	11679	47
10920	29	10990	39	11087*	63	11196	47	11267	65	11362	35	11513	50	11680	12
10921	29	10991	39	11088*	63	11197	47	11268	65	11363	35	11514	50	11681	12
10922	29	10992	39	11089*	63	11198	47	11269	65	11364	35	11515	50	11682	12
10923	29	10993	39	11091*	63	11199	47	11270	65	11365	35	11516	50		
10924	29	10994	39	11093	58	11200	47	11271	65	11366	35	11517	50		
10925	29	10995	39	11094*	63	11201	30	11273	65	11367	35	11518	50		
10926	29	10996	39	11095*	63	11202	30	11274	65	11368	35	11519	50		
10927	29	10997	39	11098*	63	11203	30	11296	12	11369	35	11520	50		
10928	29	10998	39	11100*	63	11204	30	11300	32	11370	35	11521	50		
10929	29	10999	39	11101*	63	11205	30	11301	32	11371	36	11522	50		
10930	29	11000	39	11106	49	11206	30	11302	32	11372	36	11523	50		
10931	29	11001	39	11107	49	11207	30	11303	32	11373	36	11524	50		
10932	29	11002	40	11110	28	11208	30	11304	32	11374	36	11525	50		
10933	29	11003	40	11111	18	11209	30	11305	32	11375	36	11526	52		
10934	29	11004	40	11112	18	11210	30	11306	32	11376	36	11527	52		
10935	29	11005	40	11113	18	11211	30	11307	32	11377	36	11528	52		
10936	29	11006	40	11114	18	11212	30	11308	32	11378	36	11529	52		
10937	29	11007	40	11116	18	11213	30	11309	32	11379	36	11530	53		
10938	29	11008	40	11117	18	11214	30	11310	32	11380	36	11531	53		



PRODUCT CATALOG

November **2022**



weldcote 
abrasives

Weldcote Sales & Corporate Offices:

842 Oak Grove Rd., Kings Mountain, NC 28086 USA

phone: 877-866-4115, 704-739-4115

fax: 704-739-6116

Weldcote Warehouse & Sales:

1930 S. Carlos Avenue, Ontario, CA 91761

phone: 866-923-2167, fax: 909-923-7016

Weldcote Abrasive & Manufacturing Distribution Center & Training:

7720 Lehigh Avenue Niles, IL 60714

phone: 224-998-2600, 888-258-0121

fax: 224-998-2649

Weldcote Distribution & Sales:

5994 Griggs Road, Houston, TX 77023

www.weldcote.com