



## PRODUCT CATALOG

[www.weldcote.com](http://www.weldcote.com)

# TABLE OF CONTENTS

<b>SUPREMEVIEW TRUE-COLOR</b> .....	4
<b>HELMET DISPLAY</b> .....	5
<b>ULTRAVIEW PLUS TRUE-COLOR</b> .....	6
<b>ULTRAVIEW PLUS TRUE-COLOR - DESIGN WRAP OR DECAL</b> .....	7
<b>ULTRAVIEW TRUE-COLOR</b> .....	8
<b>AUTO-DARKENING ACCESSORIES</b> .....	9
<b>KLEAVIEW PLUS TRUE-COLOR</b> .....	10
<b>KLEAVIEW TRUE-COLOR</b> .....	11
<b>KWIKVIEW TRUE-COLOR</b> .....	12
<b>ECONOVIEW TRUE-COLOR</b> .....	13
<b>TRUE-COLOR AUTO DARKENING FILTERS</b> .....	14
<b>PIPEVIEW FLIP-FRONT TRUE-COLOR</b> .....	16
<b>PIPEVIEW FLIP-FRONT</b> .....	17
<b>PIPEVIEW TRUE-COLOR</b> .....	18
<b>PIPEVIEW RATCHET</b> .....	19
<b>PIPEVIEW RUBBER BAND</b> .....	20
<b>LEATHERVIEW FLIP-FRONT</b> .....	21
<b>FIXED FRONT / FLIP FRONT HELMETS</b> .....	22
<b>LENSES</b> .....	22
PLASTIC COVER LENS .....	22
SAFETY LENS .....	22
PLAIN GLASS .....	22
HEAT TREATED FILTER LENS-GLASS .....	23
GOLD PLATED PLASTIC FILTER LENS .....	23
MAGNIFYING LENS-GLASS .....	24
MAGNIFYING LENS-PLASTIC .....	24
REPLACEMENT LENS For Hornell™ 9000 Series Helmet .....	24
<b>FACESHIELDS</b> .....	25
<b>GLOVES</b> .....	26
TIG GLOVES - WCM10 .....	26
TIG GLOVES - WCM15 .....	26
WELDERS GLOVES, INSULATED - WCM20 .....	26
WORK GLOVES - WCM30 .....	26
DRIVERS GLOVES - WCM40 .....	27
MIG GLOVES - WCM50 .....	27
MIG GLOVES - WCM55 .....	27
MIG GLOVES - WCM58 .....	27
PERFORMANCE GLOVES - WCM60 .....	27



# WELDCOTE SAFETY PRODUCTS

## AUTO-DARKENING HELMETS, TRUE-COLOR

**SUPREMEVIEW**  
**Digital**

page 4



**NEW**

**Helmet**  
**DISPLAY**

page 5



**ULTRAVIEW PLUS, Digital**

page 6-7



**ULTRAVIEW**  
**Analog**

page 8



**Auto-Darkening**  
**Accessories**

page 9



**KLEARVIEW PLUS**  
**Digital**

page 10



**KLEARVIEW, Analog**

page 11



**KWIKVIEW &**  
**ECONOVIEW Analog**

page 12-13



**TRUE-COLOR** Auto  
Darkening Filters

page 14-15



**NEW**

**PIPEVIEW Fixed-Front**  
& **Flip-Front**

page 16-20



**NEW**

**LEATHERVIEW**  
**Flip-Front**

page 21



**NEW**

## WELDING ACCESSORIES

**Standard**  
**Helmets**

page 22



**Lenses**

page 22-25



**Faceshields**

page 25



**Welding Gloves**

page 26-27



# SUPREVIEW TRUE-COLOR

Digital Auto Darkening Helmet (High Definition Filter Optics)

**NEW**



**16.3** square inches of viewing area!



Shade 3



Shade 13



New Headgear as Standard



- ADF Cartridge Size: 4-1/2 x 5-1/4 x 3/8"
- LCD Viewing Area: 4.04 x 4.04"

Press and hold external grind mode button for 2 seconds to switch to shade 3 for grind mode.



Knob & Grind Mode Button



Viewing Size: 102.5x102.5 mm / 4.04x4.04" (16.3 Sq. Inches)



Dark Shade #: 5-9 / 9-13



Warranty: 3 Years



UV/IR Protection: Up to DIN15



Power Supply: Solar and 2 CR2450 Replaceable Batteries



Switching Time (light to dark): 0.04ms

- **Optical Clarity Classification:** 1/1/1
- **Auto Shade on: Weldcote ShadeACC™ technology, automatically matches and sets the welding shade number according to the intensity of the ARC light. Our technology effectively protects the eyes and face while providing a clearer and more accurate weld.**
- The external button on the side can be shade adjusted in increments of 0.1 per adjustment, with a range of +2.0 ~ -2.0 per shade between shade ranges 7-13.
- Light State: Shade 3 • Dark State: Shade 5-9 / 9-13
- **Shade Range:** Manual mode: 3/5-13, Auto Mode: 3/7<13M
- **Auto shade manual mode. Change shade adjustment by external knob in increments of 0.5 shade.**
- Switching Time (light to dark): 0.04ms (ANSI)
- Delay Time (dark to light): Adjustable (1-5 for 0.1s – 0.9s)
- Sensitivity: Adjustable (1-5 for low-high)
- Arc Sensors: 4 • Ambient Light Sensor: 1
- Lock Shade: Yes • Grind Function: Yes; External
- Grinding Warning Flash: Yes
- **Minimum TIG Current: >2 amp**

- **Black Matte Finish**
- Control Panel: Internal Digital Control
- Power Supply: Solar and 2 CR2450 Replaceable Batteries
- Power On/Off: Full Automatic
- Inside PC Lens: 108 x 108 x 1 mm • Outside PC Lens: 114 x 133 x 1 mm
- Operation Temperature: (-10°C – 65°C) (14°F – 149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)
- Hardhat Adapter Available: Part #HHADAPTER
- Adapter for Plastic Magnifying Lens
- Digital Low Battery Warning Indicator
- ADF Battery feature with sleep mode
- Use High Quality LCD and multilayer optical interference filter, provides clear view and Permanent UV/IR protection up to DIN 15
- Helmet shell made of high impact resistant Polyamide "Nylon". Ample mask space, especially for ears and bottom flare for neck protection. Meets EN ISO 16321
- ANSI Z87.1, CSA Z94.3, EN ISO 16321 V1
- Weight: 599g (1.3lbs) • Extra lens provided • Warranty: 3 Years



Parts

## SUPREVIEW

		UPC #	Part #	U/M
SUPREVIEW Auto-Darkening Welding Helmet - "True Color"	4 Helmets per Carton	812922017499	<b>SUPREVIEW</b>	EA
Adjustable Headgear	One Headgear	812922016843	<b>HEADGEARADJ</b>	EA
SUPREVIEW Inside Cover Lens 5-Pack	5 Lens per Pack, 20 Packs per Box	812922017574	<b>SUPREVIEWLI</b>	PK
SUPREVIEW Parts	3-PART-KIT: Grind Button, Shade Knob with Shade Plate, Battery Cover	812922018243	<b>SUPREMEPARTS</b>	SET

# HELMET DISPLAY

Please contact Weldcote for how to qualify for a display.

**NEW**  
Display



**AUTO-DARKENING HELMETS**

**KLEARVIEW PLUS DIGITAL**

**KLEARVIEW ANALOG**

**TRUE-COLOR**

Optical Clarity Classification:  
KLEARVIEW PLUS: 1/1/1/1  
KLEARVIEW: 1/1/1/2

Viewing Size: 3.94" x 2.36"  
9.3 square inches

Variable Type Cartridge Shade:  
Light State: 4  
Dark State: 9-13  
3 Year Warranty

**AUTO-DARKENING HELMETS**

**ULTRAVIEW PLUS DIGITAL**

**ULTRAVIEW ANALOG**

**TRUE-COLOR**

Optical Clarity Classification:  
1/1/1/1

Viewing Size: 3.94" x 3.28"  
12.93 square inches

Variable Type Cartridge Shade:  
Light State: 3  
Dark State: 5-9/9-13  
3 Year Warranty



# ULTRAVIEW PLUS TRUE-COLOR

Digital Auto Darkening Helmet  
(High Definition Filter Optics)



- ADF Cartridge Size: 4-1/2 x 5-1/4 x 3/8"
- LCD Viewing Area: 3.94 x 3.28"
- 1~CR2450 Lithium Battery Holder



New Headgear as Standard

## True Color:



Viewing Size:  
100x83.4 mm / 3.94"x3.28"  
(12.93 Sq. Inches)



Dark Shade #: 5-9 / 9-13



Warranty: 3 Years



UV/IR Protection: Up to DIN15



Power Supply: Solar and CR2450 Replaceable Battery



Switching Time (light to dark): 0.08ms

## Specifications:

- **Optical Clarity Classification: 1/1/1/1**
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- LED Display: Yes. Shade Control: Internal
- Light State: Shade 3, Dark State: Shade 5-9 / 9-13
- Inside PC Lens: 106 x 89.5 x 1mm (4.17" x 3.52") - Weldcote
- Outside PC Lens: 114 x 133 x 1mm (4-1/2" x 5-1/4") - Standard
- Sensitivity/Delay: Adjustable
- Adjustable Arc Sensors: 4
- Grind Function: Yes
- Grinding Warning Flash: Yes
- Operation Temperature: (-10°C – 65°C) (14°F – 149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)
- Hardhat Adapter Available: Part # HHADAPTER
- Adapter for Plastic Magnifying Lens
- Digital Low Battery Warning Indicator
- Use High Quality LCD and multilayer optical interference filter, provides clear view and permanent UV/IR protection up to DIN 15
- With 3 memory settings for easy retrieval of preset welding condition
- Helmet shell made of high impact resistant Polyamide "Nylon". Ample mask space, especially for ears and bottom flare for neck protection. Meets EN ISO 16321
- Weight: 599g (1.3 lbs)
- ANSI Z87.1, CSA Z94.3
- Extra lens provided
- Low AMP TIG Adapted: Yes, > / = 3 AMP
- Warranty: 3 Years

**12.93** square inches of viewing area!

## ULTRAVIEWPLUSTC

UPC #

Part #

U/M

ULTRAVIEW PLUS Auto-Darkening Welding Helmet - Digital "True Color"	4 Helmets per Carton	812922011978	<b>ULTRAVIEWPLUSTC</b>	EA
ULTRAVIEW PLUS - <b>EMERALD</b> Auto-Darkening Welding Helmet - Digital "True Color"	4 Helmets per Carton	843568115768	<b>ULTRAv+EMERALD</b>	EA
ULTRAVIEW PLUS - <b>NEBULA</b> Auto-Darkening Welding Helmet - Digital "True Color"	4 Helmets per Carton	843568115775	<b>ULTRAv+NEBULA</b>	EA
ULTRAVIEW PLUS - <b>EAGLE</b> Auto-Darkening Welding Helmet - Digital "True Color"	4 Helmets per Carton	843568111302	<b>ULTRAv+EAGLE</b>	EA

# ULTRAVIEW PLUS TRUE-COLOR - Design Wrap or Decal



## Available in:

- Emerald Wrap
- Nebula Wrap
- Shiny Black w/ Eagle Decals



- Optical Clarity Classification: 1/1/1/1
- Accuracy of Vision
- Diffusion of Light
- Consistent Shade
- Angular Dependence



ULTRAVIEWLI

KLEARVIEWLO

## ULTRAVIEWPLUSTC Accessories

		UPC #	Part #	U/M
ULTRAVIEW PLUS Replacement Lens Cartridge "True Color"	One Cartridge		<b>ULTRAVIEWPCTRT</b>	EA
ULTRAVIEW Inside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922016027	<b>ULTRAVIEWLI</b>	PK
ULTRAVIEW Outside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012791	<b>KLEARVIEWLO</b>	PK
Adjustable Headgear	One Headgear	812922016843	<b>HEADGEARADJ</b>	EA
KLEARVIEW Headgear - Adjustable	One Headgear	812922013965	<b>KLEARVIEWHDGA</b>	EA
3 Volt Lithium Battery	2 Batteries per Card / 10 cards per Box	812922012333	<b>WCM-CR2450</b>	CD

# ULTRAVIEW TRUE-COLOR

## Analog Auto Darkening Helmet (High Definition Filter Optics)



- ADF Cartridge Size: 4-1/2 x 5-1/4 x 3/8"
- LCD Viewing Area: 3.94 x 3.28"

- 1~CR2450 Lithium
- Battery Holder



Shade 3



Shade 10



New Headgear as Standard

Hook Edge for hook up the Breathing Tube of PAPR



### True Color:



Viewing Size:  
100\*83.4 mm / 3.94\*3.28"  
(12.93 Sq. Inches)



Dark Shade #: 5-9 / 9-13



Warranty: 3 Years



UV/IR Protection: Up to DIN15



Power Supply: Solar and CR2450 Replaceable Battery



Switching Time (light to dark): 0.08ms

### Specifications:

- **Optical Clarity Classification: 1/1/1/1**
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- Light State: Shade 3, Dark State: Shade 5-9 / 9-13
- Inside PC Lens: 106 x 89.5 x 1mm (4.17" x 3.52") - Weldcote
- Outside PC Lens: 114 x 133 x 1mm (4-1/2" x 5-1/4") - Standard
- Sensitivity/Delay: Adjustable
- Adjustable Arc Sensors: 4
- Grind Function: Yes
- Grinding Warning Flash: Yes
- Operation Temperature: (-10°C – 65°C) (14°F – 149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)

- Use High Quality LCD and multilayer optical interference filter, provides clear view and permanent UV/IR protection up to DIN 15
- Helmet shell made of high impact resistant Polyamide "Nylon". Ample mask space, especially for ears and bottom flare for neck protection. Meets EN ISO 16321
- Weight: 604g (1.33 lbs)
- ANSI Z87.1, CSA Z94.3
- Extra lens provided
- Low AMP TIG Adapted: Yes, > / = 3 AMP
- Hardhat Adapter Available: Part # HHADAPTER
- Adapter for Plastic Magnifying Lens
- Warranty: 3 Years

**12.93** square inches of viewing area!

ULTRAVIEWTC		UPC #	Part #	U/M
ULTRAVIEW Auto-Darkening Welding Helmet - "True Color"	4 Helmets per Carton	812922015372	ULTRAVIEWTC	EA
ULTRAVIEW Replacement Lens Cartridge "True Color"	One Cartridge		ULTRAVIEWPCTRTC	EA
ULTRAVIEW Inside Cover Lens 5 Pack	5 Lens Per Pack 20 Packs per Box	812922016027	ULTRAVIEWLI	PK
ULTRAVIEW Outside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012791	KLEARVIEWLO	PK
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA
KLEARVIEW Headgear - Adjustable	One Headgear	812922013965	KLEARVIEWHDGA	EA
3 Volt Lithium Battery	2 Batteries per Card / 10 cards per Box	812922012333	WCM-CR2450	CD

# AUTO-DARKENING ACCESSORIES



## ADJUSTABLE HEADGEAR

**NEW**

- Interchangeable for all Ultraview and Klearview Helmets.
- Redesigned headgear with comfort cushion and ratchet that provides adjustability settings and enhanced support.

		UPC #	Part #	U/M
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA



## KLEARVIEW HEADGEAR-ADJUSTABLE

		UPC #	Part #	U/M
KLEARVIEW Headgear-Adjustable	One Headgear	812922013965	KLEARVIEWHDGA	EA



## HARD HAT ADAPTER

- fits all Weldcote Metals' Auto-Darkening Helmets!

		UPC #	Part #	U/M
Hard Hat Adapter	One Adapter	812922015648	HHADAPTER	EA



## HELMET BAG

		UPC #	Part #	U/M
Helmet Bag	One Bag	812922015389	HELMETBAG	EA

## 3 VOLT LITHIUM BATTERY

- Cr2450 3 Volt Lithium Battery 2 Pack



		UPC #	Part #	U/M
3 Volt Lithium Battery	2 Batteries per card 10 cards per box	812922012333	WCM-CR2450	CD

# KLEARVIEW PLUS® TRUE-COLOR

Digital Auto Darkening Helmet

**NEW & Improved**



New Headgear as Standard



Viewing Size:  
100 x 60mm / 3.94" x 2.36"  
(9.3 Sq. Inches)



Dark Shade #:  
5-9 / 9-13



Weight:  
555g (1.2 lbs)



UV/IR Protection:  
Up to DIN15



Power Supply:  
Solar and 2 CR2450  
Replaceable Batteries



Switching Time  
(light to dark):  
0.08ms

## Specifications:

- **UPGRADE: Optical Clarity Classification: 1/1/1/1**
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- LED Display: Yes, Shade Control: Internal
- Light State: **Shade 3**, Dark State: **Shade 5-9 / 9-13**
- Inside PC Lens: 106 x 66 x 1mm (4.17" x 2.60")
- Outside PC Lens: 114 x 133 x 1mm (4-1/2" x 5-1/4")
- Low AMP TIG Adapted: Yes, > / = 3 AMP
- Sensitivity/Delay: Adjustable
- Arc Sensors: 4
- Grind Function: Yes
- Operation Temperature: (-10°C – 65°C) (14°F – 149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)

- Use High Quality LCD and multilayer optical interference filter, provide clear view and permanent UV/IR protection up to DIN 15
- Digital Low Battery Warning Indicator
- Helmet Shell made of high impact resistant Polyamide "Nylon". Ample mask space, especially for ears and bottom flare for neck protection. Meets EN ISO 16321
- Adapter for Plastic Magnifying Lens
- Hardhat Adapter Available: Part # HHADAPTER
- ANSI Z87.1, CSA Z94.3
- Extra lens provided
- Weight: 555g (1.22 lbs)
- Warranty: 3 Years

**9.3** square inches of viewing area!

KLEARVIEW PLUS		UPC #	Part #	U/M
KLEARVIEW PLUS Auto-Darkening Welding Helmet - Digital "True Color"	4 Helmets per Carton	812922014313	<b>KLEARVIEWPLUSTC</b>	EA
KLEARVIEW Inside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012784	<b>KLEARVIEWLI</b>	PK
KLEARVIEW Outside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012791	<b>KLEARVIEWLO</b>	PK
KLEARVIEW PLUS Replacement Lens Cartridge - "True Color"	One Cartridge		<b>KLEARVIEWPCTRTC</b>	EA
Adjustable Headgear	One Headgear	812922016843	<b>HEADGEARADJ</b>	EA
3 Volt Lithium Battery	2 Batteries per Card / 10 Cards per Box	812922012333	<b>WCM-CR2450</b>	CD

# KLEARVIEW® TRUE-COLOR

Analog Auto Darkening Helmet

**NEW & Improved**



New Headgear as Standard



- ADF Cartridge Size: 4-1/2 x 5-1/4 x 3/8"
- LCD Viewing Area: 3.94 x 2.36"



2~CR2450 Lithium Battery Cover Plate



Shade 4



Shade 10



Viewing Size:  
100 x 60mm / 3.94" x 2.36"  
(9.3 Sq. Inches)



Dark Shade #: 5-9 / 9-13



Weight: 550g (1.2 lbs)



UV/IR Protection: Up to DIN15



Power Supply: Solar and 2 CR2450 Replaceable Batteries



Switching Time (light to dark): 0.08ms

## Specifications:

- **UPGRADE: Optical Clarity Classification: 1/1/1/1**
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- Light State: Shade 4, Dark State: Shade 5-9 / 9-13
- Inside PC Lens: 106 x 66 x 1mm (4.17" x 2.60")
- Outside PC Lens: 114 x 133 x 1mm (4-1/2" x 5-1/4")
- Low AMP TIG Adapted: Yes, > / = 3 AMP
- Sensitivity/Delay: Adjustable
- Arc Sensors: 4
- Grind Function: Yes
- Operation Temperature: (-10°C – 65°C) (14°F –149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)
- Use High Quality LCD and multilayer optical interference filter, provide clear view and permanent UV/IR protection up to DIN 15
- Helmet Shell made of high impact resistant Polyamide "Nylon". Ample mask space, especially for ears and bottom flare for neck protection. Meets EN ISO 16321
- Adapter for Plastic Magnifying Lens
- Hardhat Adapter Available: Part # HHADAPTER
- Available in Shiny Black or **Emerald Wrap**
- ANSI Z87.1, CSA Z94.3, EN ISO 16321 V1
- Extra lens provided • Weight: 550g (1.2 lbs)
- Warranty: 3 Years



**9.3** square inches of viewing area!

KLEARVIEW		UPC #	Part #	U/M
KLEARVIEW Auto-Darkening Welding Helmet - "True Color"	4 Helmets per Carton	812922014290	KLEARVIEWTC	EA
KLEARVIEW - <b>EMERALD</b> Auto-Darkening Welding Helmet - "True Color"	4 Helmets per Carton	843568115782	KLEARvEMERALD	EA
KLEARVIEW Inside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012784	KLEARVIEWLI	PK
KLEARVIEW Outside Cover Lens 5 Pack	5 Lens per Pack / 20 Packs per Box	812922012791	KLEARVIEWLO	PK
KLEARVIEW Replacement Lens Cartridge - "True Color"	One Cartridge		KLEARVIEWCTRTC	EA
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA
KLEARVIEW Headgear-Adjustable	One Headgear	812922013965	KLEARVIEWHDGA	EA
3 Volt Lithium Battery	2 Batteries per Card / 10 Cards per Box	812922012333	WCM-CR2450	CD

# KWIKVIEW TRUE-COLOR

## Analog Auto Darkening Helmet



- ADF Cartridge Size: 4-1/3 x 3-1/2 x 1/3"
- LCD Viewing Area: 3.78 x 1.65"



Cartridge



1 Built-In CR2450  
Lithium Battery  
as Power Back-Up



New Headgear  
as Standard



Viewing Size:  
96 x 42mm / 3.78" x 1.65"  
(6.25 Sq. Inches)



Dark Shade #:  
9-13



Weight:  
495g (1.09 lbs)



UV/IR Protection:  
Up to DIN15



Solar cell,  
no battery  
replacement required



Switching Time  
(light to dark):  
0.08ms

### Specifications:

- Optical Clarity Classification: 1/1/1/2
- Delay Time (dark to light): 0.1s - 0.9s Adjustable
- Light State: Shade 4, Dark State: 9-13
- Inside PC Lens: 103.5 x 47 x 1mm (4.07" x 1.85")
- Outside PC Lens: 110 x 90 x 1mm (4-1/3" x 3-1/2")
- Low AMP TIG Adapted: Yes, > / = 5 AMP
- Sensitivity/Delay: Adjustable
- Arc Sensors: 2
- Grind Function: Yes
- Power Supply: Solar Cell, no Battery replacement required
- Operation Temperature: (-10°C – 65°C) (14°F – 149°F)
- Storage Temperature: (-20°C – 85°C) (-4°F – 185°F)
- UV/IR Protection: DIN 15
- Color: Shiny Black
- Helmet shell made of High impact resistant Polyamide "Nylong". Ample mask space, especially for ears and bottom flare for neck protection. Meets EN ISO 16321
- ANSI Z87.1, CSA Z94.3, EN ISO 16321 V2
- Equipped with continuous darkness - adjusting unit (knob) on the outside of the helmet.
- Ratchet Headgear and Sweatband
- Hardhat Adapter Available: Part# HHADAPTER
- Adapter for Plastic Magnifying Lens
- Weight: 495g (1.09 lbs)
- Warranty: 3 Years

**6.25** square inches  
of viewing area!

KWIKVIEW		UPC #	Part #	U/M
KWIKVIEW Auto-Darkening Welding Helmet "True Color"	4 Helmets Per Carton	812922014276	KWIKVIEWTC	EA
KWIKVIEW Inside Cover Lens 5 Pack	5 Lens Per Pack / 20 Packs Per Box	812922011282	KWIKVIEWLI	PK
KWIKVIEW Outside Cover Lens 5 Pack	5 Lens Per Pack / 20 Packs Per Box	812922011299	KWIKVIEWLO	PK
KWIKVIEW Replacement Lens Cartridge - "True Color"	One Cartridge		KWIKVIEWCTRTC	EA
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA
KLEARVIEW Headgear-Adjustable	One Headgear	812922013965	KLEARVIEWHDGA	EA
3 Volt Lithium Battery	2 Batteries per card / 10 cards per box	812922013965	WCM-CR2450	CD

# ECONOVIEW TRUE-COLOR

Analog Auto Darkening Helmet


**NEW**



- ADF Cartridge Size: 4-1/3 x 3-1/2 x 1/3"
- LCD Viewing Area: 3.54 x 1.57"



1 Built-In CR2450  
Lithium Battery  
as Power Back-Up



Viewing Size:  
96 x 42mm / 3.78" x 1.65"  
(6.25 Sq. Inches)



Dark Shade #: 9-13



Weight:  
495g (1.09 lbs)



UV/IR Protection:  
Up to DIN15



Solar cell,  
no battery  
replacement required

## Specifications:

- Optical Clarity Classification: 1/1/1/2
- Light State: Shade 4, Dark State: 9-13
- Inside PC Lens: 97.4 x 44.9 x 1mm (3.83" x 1.77")
- Outside PC Lens: 110 x 90 x 1mm (4-1/3" x 3-1/2")
- Low AMP TIG Adapted: Yes, > / = 5 AMP
- Delay Time (dark to light): 0.1s, 0.5s, 0.9s
- Arc Sensors: 2
- Shade Control: External
- Sensitivity Control: Low, Medium, High
- Power Supply: Solar Cell, no Battery replacement required
- Operation Temperature: (-10°C - 65°C) (14°F - 149°F)
- Storage Temperature: (-20°C - 85°C) (-4°F - 185°F)
- UV/IR Protection: DIN 15
- Grind Function: Yes
- Color: Shiny Black
- Helmet shell made of High impact resistant Polyamide "Nylong". Ample mask space, especially for ears and bottom flare for neck protection. Meets EN ISO 16321
- ANSI Z87.1, CSA Z94.3, EN ISO 16321 V2
- Hardhat Adapter Available: Part# HHADAPTER
- Adapter for Plastic Magnifying Lens
- Weight: 495g (1.09 lbs)
- Warranty: 3 Years

**5.58** square inches  
of viewing area!

ECONOVIEW		UPC #	Part #	U/M
ECONOVIEW Auto-Darkening Welding Helmet "True Color"	4 Helmets Per Carton	843568115805	ECONOVIEW	EA
KWIKVIEW Inside Cover Lens 5 Pack	5 Lens Per Pack / 20 Packs Per Box	812922011282	KWIKVIEWLI	PK
KWIKVIEW Outside Cover Lens 5 Pack	5 Lens Per Pack / 20 Packs Per Box	812922011299	KWIKVIEWLO	PK
KWIKVIEW Replacement Lens Cartridge - "True Color"	One Cartridge		KWIKVIEWCTRTC	EA
Adjustable Headgear	One Headgear	812922016843	HEADGEARADJ	EA
KLEARVIEW Headgear-Adjustable	One Headgear	812922013965	KLEARVIEWHDGA	EA



# True-Color Digital Variable Auto Darkening Filter Lens

- Lock Shade
- Tack Mode
- Gradual Delay

Available in December 2024



Clear True-Color Blue HD Technology

Alleviates eye and neck fatigue

- Digital control with light shade 3 and dark shade 5-9/9-13 cartridge.
- Thin design (0.20"/5mm): Fits all 2" x 4.25" welding helmets
- Stainless Steel frame reflects IR heat and light
- Enhanced visible spectrum, optimal clarity
- 2 Independent Arc Sensors. TIG capable down to 3A
- Viewing area of 5.31 square inch. 3.74" x 1.42"
- Switching speed 1/25,000 sec (0.04 ms)
- Auto-on / Auto-off circuitry
- CE Classification is 1/1/1/2: Accuracy of Vision, Diffusion of Light, Consistent Shade, Angular Dependence
- Power supplied by Solar and Rechargeable Battery with Magnetic USB Charging Cable



11126

- 2 cover lens included
- 2 Year Warranty
- Meets ANSI Z87.1, CSA Z94.3, EN ISO 16321 V2



11126 Control Panel (Front)



11126 Control Panel (Back)



11573 USB-A Magnetic Charger  
1 Meter Cable



Charging

\* Sold in units of 1

UPC #	Size	Filter Variable	View Area	Description	CE Classification	Retail QTY*	Retail Pack	Master Pack
11126	2" x 4.25" x .20" (5mm)	3/5-9/9-13	3.74" x 1.42" (5.31 sq in)	True-Color	1/1/1/2	1	10	20
11573	USB-A Charger for Variable Auto Shade 3/5-9/9-13			One Piece in Plain Polybag		1		

## Instruction For Use

- » Install the filter and protective plate into the suitable welding helmet.
- » The solar cell and light sensor must be fully exposed and be sure the arc light can be received fully by solar cell and sensor.
- » Then strike the arc, the filter will be darken immediately.

## Warning

- » Replace damaged parts to avoid serious injury.
- » Avoid heavy knock to break the filter.
- » Do not immerse filter into water or other liquid.
- » Use only at 14°F (-10°C) - 149°F (65°C).
- » If the filter is not be used for a long period of time, pack the filter in the box or store in a dark place.
- » Storage temperature is -4°F (-20°C) - 185°F (85°C).

**⚠ WARNING:** This product can expose you to chemicals including Dichloromethane (Methylene chloride), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects and/or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



# True-Color Fixed Auto Darkening Filter Lens

- Enhanced visible spectrum, optimal clarity
- Power supplied by Solar and Lithium Battery
- Auto-on / Auto-off circuitry
- Switching speed 3/10,000 sec (0.3 ms)



Clear True-Color  
Blue HD Technology

Alleviates eye  
and neck fatigue



## 11121, 11122, 11123, 11124

- Thin design: fits all 2" x 4.25" welding helmets
- 2 Independent Arc Sensors. Thickness 0.2" (5mm)
- Viewing area of 5.15 square inch. 3.62" x 1.42"
- **11121, 11122 CE Classification: 1/1/1/1**
- **11123, 11124 CE Classification: 1/1/1/2**

## 11125

- Thin design: fits all 4.5" x 5.25" welding helmets
- 4 Independent Arc Sensors. Thickness 0.28" (7mm)
- Viewing area of 9.3 square inch. 3.94" x 2.36"
- **Optical Clarity Classification: 1/1/1/1**
  - Accuracy of Vision
  - Diffusion of Light
  - Consistent Shade
  - Angular Dependence



11122

2 cover lens included  
2 Year Warranty  
Meets ANSI Z87.1, CSA Z94.3,  
EN ISO 16321 V1 (#11121, #11122 & #11125)  
EN ISO 16321 V2 (#11123 & #11124)

\* Sold in units of 1

UPC #	Size	Filter Fixed	View Area	Description	CE Classification	Retail QTY*	Retail Pack	Master Pack
11121	2" x 4.25" x .20" (5mm)	9	3.62" x 1.42" (5.15 sq in)	True-Color	1/1/1/1	1	10	20
11122	2" x 4.25" x .20" (5mm)	10	3.62" x 1.42" (5.15 sq in)	True-Color	1/1/1/1	1	10	20
11123	2" x 4.25" x .20" (5mm)	11	3.62" x 1.42" (5.15 sq in)	True-Color	1/1/1/2	1	10	20
11124	2" x 4.25" x .20" (5mm)	12	3.62" x 1.42" (5.15 sq in)	True-Color	1/1/1/2	1	10	20
11125	4.5" x 5.25" x .28" (7mm)	10	3.94" x 2.36" (9.30 sq in)	True-Color	1/1/1/1	1	10	5

## True-Color Auto Darkening Filter with Locked Frame




**NEW**

- Easy to separate the locked frame from the cartridge
- This design is more flexible to fit different helmet shell
- Size: 4.5" x 5.25"

The frame with the hook like lock

Total thickness of the ADF is around 9.5mm (0.37")



UPC #	Size	Retail QTY	U/M
RETAINERKIT	4.5" x 5.25"	1	EA

# PIPEVIEW FLIP-FRONT TRUE-COLOR



**11122 True-Color  
Fixed Shade #10  
Auto Darkening Filter  
Installed**

True-Color Fixed Shade  
Auto Darkening Filters  
options available  
(see options page 15).



**Includes** 1 Extra  
Shade #10  
Glass Filter Lens



KLEARVIEW  
Headgear  
Installed



Rubber Band Headgear  
Available Accessory

## Flip-Front Standard Welding Helmet with True-Color Filter KLEARVIEW Style Headgear Fixed Shade 10 True-Color Auto Darkening Filter



Viewing Area/Filter Size:  
2 x 4-1/4"  
(8.5 Sq. Inches)




True-Color  
Auto Darkening  
Filter



Light Weight:  
559g (1.23 lbs)



Moisture Proof  
Material



Impact Resistant  
Material

- Weldcote PIPEVIEW Flip-Front True-Color helmet has a fiberglass shell with a flip-front mounting system with Auto Darkening Filter as well as a high quality custom fit ratchet headgear.
- Weldcote PIPEVIEW has fiberglass reinforced material that makes the shell very resistant to high heat.
- Weldcote PIPEVIEW is rugged and lightweight and provides clear quality view.
- Weldcote PIPEVIEW Fiberglass material is moisture proof and impact resistant to prevent cracks, chips or splits.
- Weldcote PIPEVIEW Fiberglass material is "self-extinguishing" and smooth to deflect sparks and spatter. Similar helmets do not pass fire test standards and are unsafe.
- PIPEVIEW has an ergonomic compact design that allows the welder to access tight areas and perform work.
- Optional accessory of a Weldcote "constant fit" rubber headband for frequent readjustments as pipe welders move about their work.



PIPEVIEW Flip-Front		UPC #	Part #	U/M
PIPEVIEW Flip-Front Welding Helmet	4 Helmets per Carton	812922018120	PIPEVIEWFLIPTC	EA
KLEARVIEW Headgear	1 Headgear	812922013965	KLEARVIEWHDGA	EA
Rubber Band Headgear	1 Headgear	812922017970	RUBBERBANDHDGA	EA
Pipeview Flip-Front Replace Parts (I/O lens, Gasket, Spring)	1 Set in Polybag	812922018168	PIPEVIEWFFPARTS	EA

- True-Color Auto darkening filter. Available Shade: 9, 10, 11, 12 (see options page 15).
- ANSI Z87.1, CSA Z94.3, EN ISO 16321 V1

### True Color:




# weldcote PIPEVIEW FLIP-FRONT

Welding Helmet



Shade #10  
Glass Filter Lens  
**can be replaced by  
True Color Auto  
Darkening Filters**  
(see options page 15).



Glass Filter Lens  
Shade #10  
**Installed**



KLEARVIEW  
Headgear  
Installed



Rubber Band Headgear  
Available Accessory

## Flip-Front Standard Welding Helmet KLEARVIEW Style Headgear Shade #10 Glass Filter Lens



Viewing Area/Filter Size:  
2 x 4-1/4"  
(8.5 Sq. Inches)




True-Color  
Auto Darkening  
Filter



Light Weight:  
545g (1.2 lbs)



Moisture Proof  
Material



Impact Resistant  
Material

- **Weldcote PIPEVIEW Flip-Front Ratchet** helmet has a fiberglass shell with a flip-front mounting system with a #10 glass filter lens as well as a high quality custom fit ratchet headgear.
- Weldcote PIPEVIEW has fiberglass reinforced material that makes the shell very resistant to high heat.
- Weldcote PIPEVIEW is rugged and lightweight and provides clear quality view.
- Weldcote PIPEVIEW Fiberglass material is moisture proof and impact resistant to prevent cracks, chips or splits.
- Weldcote PIPEVIEW Fiberglass material is "self-extinguishing" and smooth to deflect sparks and spatter. Similar helmets do not pass fire test standards and are unsafe.
- Shade #10 Glass Filter Lens can be replaced by True-Color Auto darkening filters.
- Available Shade: 9, 10, 11, 12 (see options page 15).
- ANSI Z87.1, CSA Z94.3, EN ISO 16321 V1



PIPEVIEW Flip-Front		UPC #	Part #	U/M
PIPEVIEW Flip-Front Welding Helmet	4 Helmets per Carton	812922018137	PIPEVIEWFLIP	EA
KLEARVIEW Headgear	1 Headgear	812922013965	KLEARVIEWHDGA	EA
Rubber Band Headgear	1 Headgear	812922017970	RUBBERBANDHDGA	EA
Pipeview Flip-Front Replace Parts (I/O lens, Gasket, Spring)	1 Set in Polybag	812922018168	PIPEVIEWFFPARTS	EA


# weldcote PIPEVIEW TRUE-COLOR

Welding Helmet



**11122 True-Color Fixed Shade #10 Auto Darkening Filter Installed**

True-Color Fixed Shade Auto Darkening Filters options available (see options page 15).



**Includes** 1 Extra Shade #10 Glass Filter Lens

KLEARVIEW Headgear Installed



Rubber Band Headgear Available Accessory



**Standard Welding Helmet with True-Color Filter KLEARVIEW Style Headgear Fixed Shade 10 True-Color Auto Darkening Filter**



Viewing Area/Filter Size:  
2 x 4-1/4"  
(8.5 Sq. Inches)



True-Color Auto Darkening Filter



Light Weight:  
530g (1.17 lbs)



Moisture Proof Material



Impact Resistant Material

- **Weldcote PIPEVIEW True-Color** helmet has a fiberglass shell with a fixed front mounting system with Auto Darkening Filter as well as a high quality custom fit ratchet headgear.
- Weldcote PIPEVIEW has fiberglass reinforced material that makes the shell very resistant to high heat.
- Weldcote PIPEVIEW is rugged and lightweight and provides clear quality view.
- Weldcote PIPEVIEW Fiberglass material is moisture proof and impact resistant to prevent cracks, chips or splits.
- Weldcote PIPEVIEW Fiberglass material is "self-extinguishing" and smooth to deflect sparks and spatter. Similar helmets do not pass fire test standards and are unsafe.
- PIPEVIEW has an ergonomic compact design that allows the welder to access tight areas and perform work.
- Optional accessory of a Weldcote "constant fit" rubber headband for frequent readjustments as pipe welders move about their work.



PIPEVIEW True-Color		UPC #	Part #	U/M
PIPEVIEW True-Color Welding Helmet	4 Helmets per Carton	812922017963	<b>PIPEVIEWTC</b>	EA
KLEARVIEW Headgear	1 Headgear	812922013965	<b>KLEARVIEWHDGA</b>	EA
Rubber Band Headgear	1 Headgear	812922017970	<b>RUBBERBANDHDGA</b>	EA
Pipeview Replace Parts (I/O lens, Gasket, Gasket Frame, Retaining Spring)	1 Set in Polybag	812922017994	<b>PIPEVIEWPARTS</b>	EA

- True-Color Auto darkening filter. Available Shade: 9, 10, 11, 12 (see options page 15).
- ANSI Z87.1, CSA Z94.3, EN ISO 16321 V1

**True Color:**




# weldcote PIPEVIEW RATCHET

Welding Helmet



Shade #10  
Glass Filter Lens  
**can be replaced by  
True Color Auto  
Darkening Filters**  
(see options page 15).



Glass Filter Lens  
Shade #10  
**Installed**

KLEARVIEW  
Headgear  
Installed



Rubber Band Headgear  
Available Accessory



## Standard Welding Helmet KLEARVIEW Style Headgear Shade #10 Glass Filter Lens



Viewing Area/Filter Size:  
2 x 4-1/4"  
(8.5 Sq. Inches)




Shade #10  
Glass Filter Lens



Light Weight:  
516g (1.14 lbs)



Moisture Proof  
Material



Impact Resistant  
Material

- **Weldcote PIPEVIEW Ratchet** helmet has a fiberglass shell with a fixed front mounting system with a #10 glass filter lens as well as a high quality custom fit ratchet headgear.
- Weldcote PIPEVIEW has fiberglass reinforced material that makes the shell very resistant to high heat.
- Weldcote PIPEVIEW is rugged and lightweight and provides clear quality view.
- Weldcote PIPEVIEW Fiberglass material is moisture proof and impact resistant to prevent cracks, chips or splits.
- Weldcote PIPEVIEW Fiberglass material is "self-extinguishing" and smooth to deflect sparks and spatter. Similar helmets do not pass fire test standards and are unsafe.
- PIPEVIEW has an ergonomic compact design that allows the welder to access tight areas and perform work.
- Optional accessory of a Weldcote "constant fit" rubber headband for frequent readjustments as pipe welders move about their work.



PIPEVIEW Ratchet	UPC #	Part #	U/M
PIPEVIEW Ratchet Welding Helmet	4 Helmets per Carton	812922017482	<b>PIPEVIEWRATCHET</b> EA
KLEARVIEW Headgear	1 Headgear	812922013965	<b>KLEARVIEWHDGA</b> EA
Rubber Band Headgear	1 Headgear	812922017970	<b>RUBBERBANDHDGA</b> EA
Pipeview Replace Parts (I/O lens, Gasket, Gasket Frame, Retaining Spring)	1 Set in Polybag	812922017994	<b>PIPEVIEWPARTS</b> EA

- Shade #10 Glass Filter Lens can be replaced by True-Color Auto darkening filters. Available Shade: 9, 10, 11, 12 (see options page 15).
- ANSI Z87.1, CSA Z94.3, EN ISO 16321 V1

# weldcote PIPEVIEW RUBBER BAND


Welding Helmet



Shade #10  
Glass Filter Lens  
**can be replaced by  
True-Color Auto  
Darkening Filters**  
*(see options page 15).*



KLEARVIEW  
Headgear  
Available  
Accessory



Glass Filter Lens  
Shade #10 **Installed**

Rubber Band Headgear  
Installed



Viewing Area/Filter Size:  
2 x 4-1/4"  
(8.5 Sq. Inches)




Shade #10  
Glass Filter Lens



Light Weight:  
520g (1.15 lbs)



Moisture Proof  
Material



Impact Resistant  
Material

**Standard Welding Helmet  
Rubber Band Headgear  
Shade #10 Glass Filter Lens**

- **Weldcote PIPEVIEW Rubber Band** helmet has a fiberglass shell with a fixed front mounting system with a #10 glass filter lens as well as a high quality custom fit rubber band headgear.
- Weldcote PIPEVIEW has fiberglass reinforced material that makes the shell very resistant to high heat.
- Weldcote PIPEVIEW is rugged and lightweight and provides clear quality view.
- Weldcote PIPEVIEW Fiberglass material is moisture proof and impact resistant to prevent cracks, chips or splits.
- Weldcote PIPEVIEW Fiberglass material is "self-extinguishing" and smooth to deflect sparks and spatter. Similar helmets do not pass fire test standards and are unsafe.
- PIPEVIEW has an ergonomic compact design that allows the welder to access tight areas and perform work.
- Built-in Rubber Suspension Headband offers a "consistent fit" with easy adjustments for pipe welders as they move about their work environment.



- Shade #10 Glass Filter Lens can be replaced by True-Color Auto darkening filters. Available Shade: 9, 10, 11, 12 *(see options page 15).*
- ANSI Z87.1, CSA Z94.3, EN ISO 16321 V1


PIPEVIEW Rubber Band		UPC #	Part #	U/M
PIPEVIEW Rubber Band Welding Helmet	4 Helmets per Carton	812922017994	<b>PIPEVIEWRB</b>	EA
KLEARVIEW Headgear	1 Headgear	812922013965	<b>KLEARVIEWHDGA</b>	EA
Rubber Band Headgear	1 Headgear	812922017970	<b>RUBBERBANDHDGA</b>	EA
Pipeview Replace Parts (I/O lens, Gasket, Gasket Frame, Retaining Spring)	1 Set in Polybag	812922017994	<b>PIPEVIEWPARTS</b>	EA



Shade #10 Glass Filter Lens  
can be replaced by  
True Color Auto Darkening  
Filters - **Not Included**



KLEARVIEW  
Headgear  
Installed



Glass Filter Lens  
Shade #10 **Installed**

**2 x 4-1/4 (8.5")**  
square inches of viewing area



Viewing Area/Filter Size:  
2 x 4-1/4"  
(8.5 Sq. Inches)



Shade #10  
Glass Filter Lens



Light Weight:  
503g (1.11 lbs)



Moisture Proof  
Material



Impact Resistant  
Material

### Standard Welding Helmet KLEARVIEW Style Headgear Shade #10 Glass Filter Lens

- **Weldcote LEATHERVIEW** Flip-Front helmet has a Polyamide Nylon shell with a flip-front mounting system with a #10 glass filter lens as well as a high quality custom fit ratchet headgear.
- LEATHERVIEW top and bottom wrapped in premium black leather and lightweight. It provides clear quality view and ideal for long workdays.
- LEATHERVIEW has an ergonomic compact design that allows the welder to access tight areas and perform work.
- LEATHERVIEW has excellent **Flip-Front** design that able to install filter lens easily. Filter lens with various thickness may able to be installed to this Flip-Front design.
- LEATHERVIEW with High Quality Double-Cap Rivets to avoid injuring welders' face.
- ANSI Z87.1, CSA Z94.3
- Shade #10 Glass Filter Lens can be replaced by True-Color Auto darkening filters. Available Shade: 9, 10, 11, 12. Part Numbers: 11121, 11122, 11123, 11124



LEATHERVIEW FLIP-FRONT		UPC #	Part #	U/M
LEATHERVIEW FLIP-FRONT Welding Helmet	4 Helmets per Carton	812922018205	LEATHERVIEW	EA
KLEARVIEW Headgear	1 Headgear	812922013965	KLEARVIEWHDGA	EA
Rubber Band Headgear	1 Headgear	812922017970	RUBBERBANDHDGA	EA
Pipeview Flip-Front Replace Parts (I/O lens, Gasket, Spring)	1 Set in Polybag	812922018168	PIPEVIEWFFPARTS	EA

# FIXED FRONT / FLIP FRONT HELMETS

## Passive Welding Helmets



		UPC #	Part #	U/M
Fixed Front Welding Helmet 2" x 4-1/4"	8 Helmets Per Carton	812922014344	WHFIXEDF2X4	EA
Fixed Front Welding Helmet 4-1/2" x 5-1/4"		812922014351	WHFIXEDF4X5	EA
Flip Front Welding Helmet 2" x 4-1/4"	4 Helmets Per Carton	812922014368	WHFLIPF2X4	EA
Flip Front Welding Helmet 4-1/2" x 5-1/4"		812922014375	WHFLIPF4X5	EA

## LENSES

(All WeldCote Lenses Meet or Exceed ANSI Z87.1 Specifications)

### PLASTIC COVER LENS

Contains Cr-39® Monomer



		UPC #	Part #	U/M	Size
2" x 4-1/2" Cover Lens	100 Lenses per Box / 500 Case	877511002706	CVRENS2X4	EA	2" x 4-1/4"
4-1/2" x 5-1/4" Cover Lens	50 Lenses per Box / 200 Case	877511002713	CVRENS4X5	EA	4-1/2" x 5-1/4"

### SAFETY LENS

Designed to protect welders' eyes when flip-front is lifted



		UPC #	Part #	U/M	Size
Safety Lens 2" x 4-1/4"	100 Lenses per Box / 1000 Case	877511004700	SAFETYLENS2X4	EA	2" x 4-1/4"
Safety Lens 4-1/2" x 5-1/4"	50 Lenses per Box / 500 Case	877511004717	SAFETYLENS4X5	EA	4-1/2" x 5-1/4"
*Only Sold in Standard Box					
Safety Lens 2" x 4-1/4" 5 Pack	20 Packs per Box / 200 Case	812922013521	SAFETYLENS2X4P	EA	2" x 4-1/4"
Safety Lens 4-1/2" x 5-1/4" 5 Pack	10 Packs per Box / 100 Case	812922013538	SAFETYLENS4X5P	EA	4-1/2" x 5-1/4"

### PLAIN GLASS

		UPC #	Part #	U/M	Size
Plain Glass 2" x 4-1/4"	100 Lenses per Box / 500 Case	877511003321	PLAINGLASS2X4	EA	2" x 4-1/4"
Plain Glass 4-1/2" x 5-1/4"	50 Lenses per Box / 200 Case	877511003338	PLAINGLASS4X5	EA	4-1/2" x 5-1/4"

# LENSES

(All WeldCote Lenses Meet or Exceed ANSI Z87.1 Specifications)

## HEAT TREATED FILTER LENS-GLASS



		UPC #	Part #	U/M	Size
Filter Lens 2" x 4-1/4" Shade 3	50 Lens per Box	877511002720	<b>FLENS2X4SH3</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 4		877511002737	<b>FLENS2X4SH4</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 5		877511002744	<b>FLENS2X4SH5</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 6		877511002751	<b>FLENS2X4SH6</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 7		877511002768	<b>FLENS2X4SH7</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 8		877511002775	<b>FLENS2X4SH8</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 9		877511002782	<b>FLENS2X4SH9</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 10		877511002799	<b>FLENS2X4SH10</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 11		877511002805	<b>FLENS2X4SH11</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 12		877511002812	<b>FLENS2X4SH12</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 13		877511002829	<b>FLENS2X4SH13</b>	EA	2" x 4-1/4"
Filter Lens 2" x 4-1/4" Shade 14		877511002836	<b>FLENS2X4SH14</b>	EA	2" x 4-1/4"

\*Only Sold in Standard Box

Filter Lens 4-1/2" x 5-1/4" Shade 3	15 Lens per Box	877511002843	<b>FLENS4X5SH3</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 4		877511002850	<b>FLENS4X5SH4</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 5		877511002867	<b>FLENS4X5SH5</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 6		877511002874	<b>FLENS4X5SH6</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 7		877511002881	<b>FLENS4X5SH7</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 8		877511002898	<b>FLENS4X5SH8</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 9		877511002904	<b>FLENS4X5SH9</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 10		877511002911	<b>FLENS4X5SH10</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 11		877511002928	<b>FLENS4X5SH11</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 12		877511002935	<b>FLENS4X5SH12</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 13		877511002942	<b>FLENS4X5SH13</b>	EA	4-1/2" x 5-1/4"
Filter Lens 4-1/2" x 5-1/4" Shade 14		877511002959	<b>FLENS4X5SH14</b>	EA	4-1/2" x 5-1/4"



## GOLD PLATED PLASTIC FILTER LENS

		UPC #	Part #	U/M	
Gold Plastic Lens 2" x 4-1/4" Shade 8	50 Lens per Box	877511003062	<b>GLDPLENS2X4SH8</b>	EA	2" x 4-1/4"
Gold Plastic Lens 2" x 4-1/4" Shade 9		877511003079	<b>GLDPLENS2X4SH9</b>	EA	2" x 4-1/4"
Gold Plastic Lens 2" x 4-1/4" Shade 10		877511003086	<b>GLDPLENS2X4SH10</b>	EA	2" x 4-1/4"
Gold Plastic Lens 2" x 4-1/4" Shade 11		877511003093	<b>GLDPLENS2X4SH11</b>	EA	2" x 4-1/4"
Gold Plastic Lens 2" x 4-1/4" Shade 12		877511003109	<b>GLDPLENS2X4SH12</b>	EA	2" x 4-1/4"

Gold Plastic Lens 4-1/2" x 5-1/4" Shade 8	15 Lens per Box	877511003116	<b>GLDPLENS4X5SH8</b>	EA	4-1/2" x 5-1/4"
Gold Plastic Lens 4-1/2" x 5-1/4" Shade 9		877511003123	<b>GLDPLENS4X5SH9</b>	EA	4-1/2" x 5-1/4"
Gold Plastic Lens 4-1/2" x 5-1/4" Shade 10		877511003130	<b>GLDPLENS4X5SH10</b>	EA	4-1/2" x 5-1/4"
Gold Plastic Lens 4-1/2" x 5-1/4" Shade 11		877511003147	<b>GLDPLENS4X5SH11</b>	EA	4-1/2" x 5-1/4"
Gold Plastic Lens 4-1/2" x 5-1/4" Shade 12		877511003154	<b>GLDPLENS4X5SH12</b>	EA	4-1/2" x 5-1/4"

# LENSES

## MAGNIFYING LENS-GLASS



		UPC #	Part #	U/M	
.75 Glass Mag Lens 2" x 4-1/4"	6 Pair per Box	877511003161	<b>GLMAGLENS2X475</b>	PR	2" x 4-1/4" - diopter .75
1.00 Glass Mag Lens 2" x 4-1/4"		877511003178	<b>GLMAGLENS2X4100</b>	PR	2" x 4-1/4" - diopter 1.00
1.25 Glass Mag Lens 2" x 4-1/4"		877511003185	<b>GLMAGLENS2X4125</b>	PR	2" x 4-1/4" - diopter 1.25
1.50 Glass Mag Lens 2" x 4-1/4"		877511003192	<b>GLMAGLENS2X4150</b>	PR	2" x 4-1/4" - diopter 1.50
1.75 Glass Mag Lens 2" x 4-1/4"		877511003208	<b>GLMAGLENS2X4175</b>	PR	2" x 4-1/4" - diopter 1.75
2.00 Glass Mag Lens 2" x 4-1/4"		877511003215	<b>GLMAGLENS2X4200</b>	PR	2" x 4-1/4" - diopter 2.00
2.25 Glass Mag Lens 2" x 4-1/4"		877511003222	<b>GLMAGLENS2X4225</b>	PR	2" x 4-1/4" - diopter 2.25
2.50 Glass Mag Lens 2" x 4-1/4"		877511003239	<b>GLMAGLENS2X4250</b>	PR	2" x 4-1/4" - diopter 2.50
3.00 Glass Mag Lens 2" x 4-1/4"		877511003246	<b>GLMAGLENS2X4300</b>	PR	2" x 4-1/4" - diopter 3.00

\*Only Sold in Standard Box



## MAGNIFYING LENS-PLASTIC

		UPC #	Part #	U/M	
1.00 Plastic Mag 2" x 4-1/4"	6 Pair per Box	877511003253	<b>PLMAGLENS2X4100</b>	PR	2" x 4-1/4" - diopter 1.00
1.25 Plastic Mag 2" x 4-1/4"		877511003260	<b>PLMAGLENS2X4125</b>	PR	2" x 4-1/4" - diopter 1.25
1.50 Plastic Mag 2" x 4-1/4"		877511003277	<b>PLMAGLENS2X4150</b>	PR	2" x 4-1/4" - diopter 1.50
1.75 Plastic Mag 2" x 4-1/4"		877511003284	<b>PLMAGLENS2X4175</b>	PR	2" x 4-1/4" - diopter 1.75
2.00 Plastic Mag 2" x 4-1/4"		877511003291	<b>PLMAGLENS2X4200</b>	PR	2" x 4-1/4" - diopter 2.00
2.25 Plastic Mag 2" x 4-1/4"		877511003307	<b>PLMAGLENS2X4225</b>	PR	2" x 4-1/4" - diopter 2.25
2.50 Plastic Mag 2" x 4-1/4"		877511003314	<b>PLMAGLENS2X4250</b>	PR	2" x 4-1/4" - diopter 2.50



## REPLACEMENT LENS For Hornell™ 9000 Series Helmet

		UPC #	Part #	U/M
Replacement Lens-Hornell™ 9000 Outside Lens 10 Pack	10 Lens per Pack 50 Packs per Case	877511003369	<b>HORNELL9000</b>	PK

\*Outside lens for Hornell™ 9000 Series Helmet, Hornell™ Part #: 04-0270-00



		UPC #	Part #	U/M
Replacement Lens-Hornell™ 9000F Inside Lens 5 Pack	5 Lens per Pack 50 Packs per Case	877511003376	<b>HORNELL9000F</b>	PK

\*Inside lens for Hornell™ 9000F & V Helmet, Hornell™ Part #: 04-0290-00



		UPC #	Part #	U/M
Replacement Lens-Hornell™ 9000X Inside Lens 5 Pack	5 Lens per Pack 50 Packs per Case	877511003383	<b>HORNELL9000X</b>	PK

\*Inside lens for Hornell™ 9000X & XF Helmets, Hornell™ Part #: 04-0280-00

# LENSES

(All WeldCote Lenses Meet or Exceed ANSI Z87.1 Specifications)

## Miller™ STYLE REPLACEMENT LENS



OUTSIDE COVER LENS		UPC #	Part #	U/M	Size
4-11/16" x 5-5/8"	5 Lens per Pack / 5 Pack	812922011305	<b>WLENS216326</b>	PK	4-11/16" x 5-5/8"
4-1/2" x 5"	5 Lens per Pack / 5 Pack	812922011329	<b>WLENS231921</b>	PK	4-1/2" x 5"
4-1/2" x 3-3/4"	5 Lens per Pack / 5 Pack	812922011343	<b>WLENS231411</b>	PK	4-1/2" x 3-3/4"

INSIDE COVER LENS		UPC #	Part #	U/M	Size
4-3/16" x 2-1/2"	5 Lens per Pack / 5 Pack	812922011312	<b>WLENS216327</b>	PK	4-3/16" x 2-1/2"
4-1/4" x 2"	5 Lens per Pack / 5 Pack	812922011336	<b>WLENS770237</b>	PK	4-1/4" x 2"
4-1/4" x 1-3/4"	5 Lens per Pack / 5 Pack	812922011350	<b>WLENS231410</b>	PK	4-1/4" x 1-3/4"

# FACESHIELDS



	UPC #	Part #	U/M
Visor-Header Card and Polybag	812922014528	<b>WHG01</b>	EA
Faceshield-Banded Clear 9" x 15-1/2" Bulk Pkg	812922014559	<b>BC9X155</b>	EA
Faceshield-Banded Dark Green 9" x 15-1/2" Bulk Pkg	812922014573	<b>BDG9X155</b>	EA
Faceshield-Banded Clear 9" x 15-1/2" POP Pkg	812922014566	<b>BC9X155P</b>	EA
Faceshield-Banded Dark Green 9" x 15-1/2" POP Pkg	812922014580	<b>BDG9X155P</b>	EA

# GLOVES

## Weldcote Metals Glove Line Offers Welding Professionals Some the Most Robust and Comfortable Gloves on the Market.



### TIG GLOVES - WCM10

- Kevlar® Stitching Adds Seam Strength and Resists Heat.
- Wing Thumb; Seamless Forefinger for Comfort.
- Top Grain Goatskin with 4" Split Leather Cuff.
- Outstanding Durability for General TIG Use.
- Unlined for Maximum Dexterity.

		UPC #	Part #	U/M
TIG Glove, Grain Goatskin/Split Cowhide, Kevlar® Thread Small	1 Dozen Pair per PolyBag	812922015624	<b>WCM10S</b>	PR
TIG Glove, Grain Goatskin/Split Cowhide Kevlar® Thread Medium		812922015631	<b>WCM10M</b>	PR
TIG Glove, Grain Goatskin/Split Cowhide Kevlar® Thread Large		812922015648	<b>WCM10L</b>	PR
TIG Glove, Grain Goatskin/Split Cowhide Kevlar® Thread X-Large		812922015655	<b>WCM10XL</b>	PR

Only Sold in Standard Carton



### TIG GLOVES - WCM15

- Premium Top Grain Kidskin for Soft and Supple Comfort.
- Kevlar® Stitching Adds Seam Strength and Resists Heat.
- Straight Thumb for Best Gun Grip.
- Unlined for Maximum Dexterity.
- Superior feel and control.

		UPC #	Part #	U/M
TIG Glove, High-Dexterity/Grain Goatskin/Split Cowhide, Kevlar® Thread MED	6 Pair per PolyBag	812922015679	<b>WCM15M</b>	PR
TIG Glove, High-Dexterity/Grain Goatskin/Split Cowhide, Kevlar® Thread LRG		812922015686	<b>WCM15L</b>	PR
TIG Glove, High-Dexterity/Grain Goatskin/Split Cowhide, Kevlar® Thread X-L		812922015693	<b>WCM15XL</b>	PR

Only Sold in Standard Carton



### WELDERS GLOVES, INSULATED - WCM20

- Kevlar® Stitching Adds Seam Strength and Resists Heat.
- Reinforced Wing Thumb to Maximize Wear Protection.
- Durable Weltinged Fingers for Added Burn Protection.
- Cotton/Foam Lined for Added Heat Protection.
- Durable, Blue Select Shoulder Split Cowhide.

		UPC #	Part #	U/M
Welders Glove, Cushion Lined/Kevlar® Stitched Large	1 Dozen Pair per PolyBag	812922015716	<b>WCM20L</b>	PR
Welders Glove, Cushion Lined/Kevlar® Stitched X-Large		812922015723	<b>WCM20XL</b>	PR

Only Sold in Standard Carton



### WORK GLOVES - WCM30

- Slightly Select Shoulder Split Cowhide.
- Palm and Fingers with Canvas Back.
- Cotton Lined Palm with Unlined Back.
- 2-1/2" Rubberized Safety Cuff.

		UPC #	Part #	U/M
Work Glove, Split Cowhide Medium	1 Dozen Pair per PolyBag	812922015747	<b>WCM30M</b>	PR
Work Glove, Split Cowhide Large		812922015754	<b>WCM30L</b>	PR
Work Glove, Split Cowhide X-Large		812922015761	<b>WCM30XL</b>	PR
Work Glove, Split Cowhide XX-Large		812922017048	<b>WCM30XXL</b>	PR

Only Sold in Standard Carton



## DRIVERS GLOVES - WCM40

- Top Grain Cowhide Palm with Split Cowhide Back.
- Double Stitched Forefinger for Added Strength.
- Elastic Wrist Band for Snug and Secure Fit.
- Ergonomic Keystone Thumb for Exceptional.
- Articulation & Comfort.

		UPC #	Part #	U/M
Drivers Glove, Split Cowhide/Grain Cowhide Small	1 Dozen Pair per PolyBag	812922015778	WCM40S	PR
Drivers Glove, Split Cowhide/Grain Cowhide Medium		812922015785	WCM40M	PR
Drivers Glove, Split Cowhide/Grain Cowhide Large		812922015792	WCM40L	PR
Drivers Glove, Split Cowhide/Grain Cowhide X-Large		812922015808	WCM40XL	PR

Only Sold in Standard Carton



## MIG GLOVES - WCM50

- Split Cowhide Reinforced Palm and Thumb; Kevlar® Stitching
- Kevlar® Stitching Adds Seam Strength and Resists Heat
- Top Grain Cowhide Palm with Split Cowhide Back
- Top Grain Seamless Index Finger for Best Feel
- Fleece Lined for Added Insulation in Hot or Cold Conditions without Bulk

		UPC #	Part #	U/M
Mig Welding Glove, Goatskin / Split Cowhide Kevlar® Thread MED	6 Pair per PolyBag	812922015822	WCM50M	PR
Mig Welding Glove, Goatskin / Split Cowhide Kevlar® Thread LRG		812922015839	WCM50L	PR
Mig Welding Glove, Goatskin / Split Cowhide Kevlar® Thread X-L		812922015846	WCM50XL	PR

Only Sold in Standard Carton



## MIG GLOVES - WCM55

- Straight Thumb; Thumb Strap Reinforced for Best Gun Grip.
- Kevlar® Stitching Adds Seam Strength and Resists Heat.
- Enhanced Feel; Great in Wet and Oily Conditions.
- Top Grain Pigskin with 4" Split Leather Cuff.
- Unlined Palm for Dexterity and Foam Lined.
- Back for Added Heat Protection.

		UPC #	Part #	U/M
Welding Glove Leather, Grain Pigskin / Split Cowhide Kevlar® Thread MED	6 Pair per PolyBag	812922015860	WCM55M	PR
Welding Glove Leather, Grain Pigskin / Split Cowhide Kevlar® Thread LRG		812922015877	WCM55L	PR
Welding Glove Leather, Grain Pigskin / Split Cowhide Kevlar® Thread X-L		812922015888	WCM55XL	PR

Only Sold in Standard Carton



## MIG GLOVES - WCM58

- Outstanding Durability for General MIG Use and Handling
- Kevlar® Stitching Adds Seam Strength and Resists Heat
- Heavy Duty Top Grain Cowhide with 4" Split Leather Cuff
- Wing Thumb; Seamless Forefinger for Comfort
- Unlined for Maximum Dexterity

		UPC #	Part #	U/M
Mig Glove, Grain Cowhide Kevlar® Thread MED	1 Dozen Pair per PolyBag	812922015907	WCM58M	PR
Mig Glove, Grain Cowhide Kevlar® Thread LRG		812922015914	WCM58L	PR
Mig Glove, Grain Cowhide Kevlar® Thread X-L		812922015921	WCM58XL	PR

Only Sold in Standard Carton



## PERFORMANCE GLOVES - WCM60

- Reinforced Palm and Thumb for Gripping and Longer Life.
- Top Grain Goatskin Palm and Fingers with Spandex Back.
- Leather Side Bolsters add Additional Protection.
- Unlined for Best Fit, Dexterity and Comfort.
- Elastic Cuff with Hook and Loop Closure.

		UPC #	Part #	U/M
Grain Goatskin Glove, Snug Spandex Fit MED	1 Dozen Pair per PolyBag	812922015945	WCM60M	PR
Grain Goatskin Glove, Snug Spandex Fit LRG		812922015952	WCM60L	PR
Grain Goatskin Glove, Snug Spandex Fit X-L		812922015969	WCM60XL	PR

Only Sold in Standard Carton

# INDEX

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
11121	15	FLENS4X5SH13	23	KLEARVIEWHDGA	9	PLAINGLASS2X4	22	WCM20L	26
11122	15	FLENS4X5SH14	23	KLEARVIEWHDGA	11	PLAINGLASS4X5	22	WCM20XL	26
11122	15	GLDPLENS2X4SH8	23	KLEARVIEWHDGA	12	PLMAGLENS2X4100	24	WCM30L	26
11123	15	GLDPLENS2X4SH9	23	KLEARVIEWHDGA	13	PLMAGLENS2X4125	24	WCM30M	26
11124	15	GLDPLENS2X4SH10	23	KLEARVIEWHDGA	16	PLMAGLENS2X4150	24	WCM30XL	26
11125	15	GLDPLENS2X4SH11	23	KLEARVIEWHDGA	17	PLMAGLENS2X4175	24	WCM30XXL	26
11126	14	GLDPLENS2X4SH12	23	KLEARVIEWHDGA	18	PLMAGLENS2X4200	24	WCM50L	27
11126	14	GLDPLENS4X5SH8	23	KLEARVIEWHDGA	19	PLMAGLENS2X4225	24	WCM50M	27
11573	14	GLDPLENS4X5SH9	23	KLEARVIEWHDGA	20	PLMAGLENS2X4250	24	WCM50XL	27
BC9X155	25	GLDPLENS4X5SH10	23	KLEARVIEWHDGA	21	RETAINERKIT	15	WCM55L	27
BC9X155P	25	GLDPLENS4X5SH11	23	KLEARVIEWLI	10	RUBBERBANDHDGA	16	WCM55M	27
BDG9X155	25	GLDPLENS4X5SH12	23	KLEARVIEWLI	11	RUBBERBANDHDGA	17	WCM55XL	27
BDG9X155P	25	GLMAGLENS2X475	24	KLEARVIEWLO	7	RUBBERBANDHDGA	18	WCM58L	27
CVRENS2X4	22	GLMAGLENS2X4100	24	KLEARVIEWLO	8	RUBBERBANDHDGA	19	WCM58M	27
CVRENS4X5	22	GLMAGLENS2X4125	24	KLEARVIEWLO	10	RUBBERBANDHDGA	20	WCM58XL	27
ECONOVIEW	13	GLMAGLENS2X4150	24	KLEARVIEWLO	11	RUBBERBANDHDGA	21	WCM60L	27
FLENS2X4SH3	23	GLMAGLENS2X4175	24	KLEARVIEWPCTRTC	10	SAFETYLENS2X4	22	WCM60M	27
FLENS2X4SH4	23	GLMAGLENS2X4200	24	KLEARVIEWPLUSTC	10	SAFETYLENS2X4P	22	WCM60XL	27
FLENS2X4SH5	23	GLMAGLENS2X4225	24	KLEARVIEWTC	11	SAFETYLENS4X5	22	WCM-CR2450	7
FLENS2X4SH6	23	GLMAGLENS2X4250	24	KWIKVIEWCTRTC	12	SAFETYLENS4X5P	22	WCM-CR2450	8
FLENS2X4SH7	23	GLMAGLENS2X4300	24	KWIKVIEWCTRTC	13	SUPREMEVIEW	4	WCM-CR2450	9
FLENS2X4SH8	23	HEADGEARADJ	4	KWIKVIEWLI	12	SUPREMEVIEWLI	4	WCM-CR2450	10
FLENS2X4SH9	23	HEADGEARADJ	7	KWIKVIEWLI	13	ULTRAv+EAGLE	6	WCM-CR2450	11
FLENS2X4SH10	23	HEADGEARADJ	8	KWIKVIEWLO	12	ULTRAv+EMERALD	6	WCM-CR2450	12
FLENS2X4SH11	23	HEADGEARADJ	9	KWIKVIEWLO	13	ULTRAVIEWLI	7	WHFIXEDF2X4	22
FLENS2X4SH12	23	HEADGEARADJ	10	KWIKVIEWTC	12	ULTRAVIEWLI	8	WHFIXEDF4X5	22
FLENS2X4SH13	23	HEADGEARADJ	11	LEATHERVIEW	21	ULTRAVIEWPCTRTRT	7	WHFLIPF2X4	22
FLENS2X4SH14	23	HEADGEARADJ	12	PIPEVIEWFFPARTS	16	ULTRAVIEWPCTRTRTC	8	WHFLIPF4X5	22
FLENS4X5SH3	23	HEADGEARADJ	13	PIPEVIEWFFPARTS	17	ULTRAVIEWPLUSTC	6	WHG01	25
FLENS4X5SH4	23	HELMETBAG	9	PIPEVIEWFFPARTS	21	ULTRAVIEWTC	8	WLENS216326	25
FLENS4X5SH5	23	HHADAPTER	9	PIPEVIEWFLIP	17	ULTRAv+NEBULA	6	WLENS216327	25
FLENS4X5SH6	23	HORNELL9000	24	PIPEVIEWFLIPTC	16	WCM10L	26	WLENS231410	25
FLENS4X5SH7	23	HORNELL9000F	24	PIPEVIEWPARTS	18	WCM10M	26	WLENS231411	25
FLENS4X5SH8	23	HORNELL9000X	24	PIPEVIEWPARTS	19	WCM10S	26	WLENS231921	25
FLENS4X5SH9	23	KLEARvEMERALD	11	PIPEVIEWPARTS	20	WCM10XL	26	WLENS770237	25
FLENS4X5SH10	23	KLEARVIEWCTRTC	11	PIPEVIEWRATCHET	19	WCM15L	26		
FLENS4X5SH11	23	KLEARVIEWHDGA	7	PIPEVIEWRB	20	WCM15M	26		



# PRODUCT CATALOG

March **2026**



## Weldcote Sales & Corporate Offices:

842 Oak Grove Rd., Kings Mountain, NC 28086 USA

phone: 877-866-4115, 704-739-4115

fax: 704-739-6116

## Weldcote Warehouse & Sales:

1930 S. Carlos Avenue, Ontario, CA 91761

phone: 866-923-2167, fax: 909-923-7016

## Weldcote Abrasive & Manufacturing Distribution Center & Training:

887 Sivert Drive, Wood Dale, IL 60191

phone: 224-998-2600, 888-258-0121

fax: 224-998-2649

## Weldcote Distribution & Sales:

5994 Griggs Road, Houston, TX 77023

[www.weldcote.com](http://www.weldcote.com)